














FgArea: [' 1' , ' 2']
SS40 XX6
2025-02-14 (Day 111)









1 (fgArea = 1)




2 (fgArea = 2)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forXX6_1








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:15	170	10.0	晴	假设@08:15 (未用传感器)
09:00	170	10.0	晴	假设@09:00 (未用传感器)
09:45	170	10.0	晴	假设@09:45 (未用传感器)
10:30	170	10.0	晴	假设@10:30 (未用传感器)
11:10	170	10.0	晴	假设@11:10 (未用传感器)
12:00	170	10.0	晴	假设@12:00 (未用传感器)
12:50	170	10.0	晴	假设@12:50 (未用传感器)
13:45	170	10.0	晴	假设@13:45 (未用传感器)
15:05	170	10.0	晴	预期@15:05 (未用传感器)
总计	1530.0 (9次)	90.0		建议进液EC: 2369, PH: 6.7


上次灌溉时长(171.0)与预期(33.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉51.0 ml.
回液PH (8.19) 偏高



时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:15	172	10.0	晴	假设@08:15（未用传感器）
09:05	172	10.0	晴	假设@09:05（未用传感器）
09:50	172	10.0	晴	假设@09:50（未用传感器）
10:55	172	10.0	晴	假设@10:55（未用传感器）
11:50	172	10.0	晴	假设@11:50（未用传感器）
12:40	172	10.0	晴	假设@12:40（未用传感器）
13:35	172	10.0	晴	假设@13:35（未用传感器）
14:30	172	10.0	晴	假设@14:30（未用传感器）
总计	1376.0（8次）	80.0		建议进液EC：2322， PH： 6.8


上次灌溉时长(171.0)与预期(34.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉50.0 ml.
回液PH（8.2）偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:20	171	10.0	晴	假设@08:20 (未用传感器)
09:05	171	10.0	晴	假设@09:05 (未用传感器)
09:45	171	10.0	晴	假设@09:45 (未用传感器)
10:25	171	10.0	晴	假设@10:25 (未用传感器)
11:05	171	10.0	晴	假设@11:05 (未用传感器)
12:10	171	10.0	晴	假设@12:10 (未用传感器)
13:05	171	10.0	晴	假设@13:05 (未用传感器)
14:00	171	10.0	晴	假设@14:00 (未用传感器)
15:00	171	10.0	晴	假设@15:00 (未用传感器)
总计	1539.0 (9次)	90.0		建议进液EC: 2283, PH: 6.8


上次灌溉时长(170.0)与预期(34.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉49.0 ml.
回液PH (8.22) 偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	170	10.0	晴	假设@08:45 (未用传感器)
09:40	170	10.0	晴	假设@09:40 (未用传感器)
10:35	170	10.0	晴	假设@10:35 (未用传感器)
11:30	170	10.0	晴	假设@11:30 (未用传感器)
12:25	170	10.0	晴	假设@12:25 (未用传感器)
13:55	170	10.0	阴	假设@13:55 (未用传感器)
总计	1020.0 (6次)	60.0		建议进液EC: 2224, PH: 6.9


上次灌溉时长(170.0)与预期(34.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉49.0 ml.
回液PH (8.26) 偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:40	171	10.0	晴	假设@08:40（未用传感器）
09:25	171	10.0	晴	假设@09:25（未用传感器）
10:10	171	10.0	晴	假设@10:10（未用传感器）
10:55	171	10.0	晴	假设@10:55（未用传感器）
11:40	171	10.0	晴	假设@11:40（未用传感器）
12:40	171	10.0	晴	假设@12:40（未用传感器）
13:40	171	10.0	晴	假设@13:40（未用传感器）
15:05	171	10.0	晴	假设@15:05（未用传感器）
总计	1368.0（8次）	80.0		建议进液EC：2210， PH： 6.9


上次灌溉流速比平时小（0.21 vs 0.34），可能有多阀同灌或管道堵塞或水压不足
施肥机灌溉量与预期值不符（12.0：16.0），可能由于一阀多区不均匀
上次灌溉时长(56.0)与预期(34.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉16.0 ml.
回液PH（8.23）偏高







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o', ' PH0:g-o']]





Trend plot forXX6_2








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:15	170	10.0	晴	假设@08:15 (未用传感器)
09:10	170	10.0	晴	假设@09:10 (未用传感器)
10:05	170	10.0	晴	假设@10:05 (未用传感器)
11:00	170	10.0	晴	假设@11:00 (未用传感器)
11:50	170	10.0	晴	假设@11:50 (未用传感器)
12:40	170	10.0	晴	假设@12:40 (未用传感器)
13:45	170	10.0	晴	假设@13:45 (未用传感器)
15:10	170	10.0	晴	预期@15:10 (未用传感器)
总计	1360.0 (8次)	80.0		建议进液EC: 2326, PH: 6.7


上次灌溉时长(171.0)与预期(32.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉53.0 ml.
unusual large postFgEt from yesterday (35), set to 30.0 ml.
回液PH (8.02) 偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:15	172	10.0	晴	假设@08:15（未用传感器）
09:10	172	10.0	晴	假设@09:10（未用传感器）
10:10	172	10.0	晴	假设@10:10（未用传感器）
11:05	172	10.0	晴	假设@11:05（未用传感器）
12:15	172	10.0	晴	假设@12:15（未用传感器）
13:30	172	10.0	晴	假设@13:30（未用传感器）
14:50	172	10.0	晴	假设@14:50（未用传感器）
总计	1204.0（7次）	70.0		建议进液EC：2284， PH： 6.7


上次灌溉时长(171.0)与预期(30.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉56.0 ml.
回液PH（8.04）偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:20	171	10.0	晴	假设@08:20 (未用传感器)
09:15	171	10.0	晴	假设@09:15 (未用传感器)
10:05	171	10.0	晴	假设@10:05 (未用传感器)
10:55	171	10.0	晴	假设@10:55 (未用传感器)
11:45	171	10.0	晴	假设@11:45 (未用传感器)
12:40	171	10.0	晴	假设@12:40 (未用传感器)
13:50	171	10.0	晴	假设@13:50 (未用传感器)
15:05	171	10.0	晴	假设@15:05 (未用传感器)
总计	1368.0 (8次)	80.0		建议进液EC: 2196, PH: 6.7


上次灌溉时长(170.0)与预期(30.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉56.0 ml.
unusual large postFgEt from yesterday (32), set to 30.0 ml.
回液PH (8.02) 偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	170	10.0	晴	假设@08:45（未用传感器）
09:45	170	10.0	晴	假设@09:45（未用传感器）
10:45	170	10.0	晴	假设@10:45（未用传感器）
11:45	170	10.0	晴	假设@11:45（未用传感器）
13:05	170	10.0	阴	假设@13:05（未用传感器）
总计	850.0（5次）	50.0		建议进液EC：2199， PH： 6.8

上次灌溉时长(170.0)与预期(32.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉53.0 ml.
回液PH（8.02）偏高





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:40	171	10.0	晴	假设@08:40 (未用传感器)
09:30	171	10.0	晴	假设@09:30 (未用传感器)
10:20	171	10.0	晴	假设@10:20 (未用传感器)
11:10	171	10.0	晴	假设@11:10 (未用传感器)
12:00	171	10.0	晴	假设@12:00 (未用传感器)
13:05	171	10.0	晴	假设@13:05 (未用传感器)
14:15	171	10.0	晴	假设@14:15 (未用传感器)
总计	1197.0 (7次)	70.0		建议进液EC: 2250, PH: 6.8

上次灌溉流速比平时小 (0.21 vs 0.34)，可能有多阀同灌或管道堵塞或水压不足
施肥机灌溉量与预期值不符 (12.0 : 18.0)，可能由于一阀多区不均匀
上次灌溉时长 (56.0) 与预期 (30.0) 不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉18.0 ml.
回液PH (8.02) 偏高

