














FgArea: [' 1', ' 2']
SS40 XX6
2025-02-15 (Day 112)









1 (fgArea = 1)




2 (fgArea = 2)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forXX6_1








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:05	34	10.0	晴	预期@08:05 (未用传感器)
08:45	34	10.0	晴	预期@08:45 (未用传感器)
09:25	34	10.0	晴	预期@09:25 (未用传感器)
10:05	34	10.0	晴	预期@10:05 (未用传感器)
10:45	34	10.0	晴	预期@10:45 (未用传感器)
11:30	34	10.0	晴	预期@11:30 (未用传感器)
12:20	34	10.0	晴	预期@12:20 (未用传感器)
13:10	34	10.0	晴	预期@13:10 (未用传感器)
14:05	34	10.0	晴	预期@14:05 (未用传感器)
15:15	34	10.0	晴	预期@15:15 (未用传感器)
总计	340.0 (10次)	100.0		建议进液EC: 2400, PH: 6.7


unusual large postFgEt from yesterday (32), set to 30.0 ml.
回液PH (8.25) 偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:15	170	10.0	晴	假设@08:15（未用传感器）
08:50	170	10.0	晴	假设@08:50（未用传感器）
09:25	170	10.0	晴	假设@09:25（未用传感器）
10:00	170	10.0	晴	假设@10:00（未用传感器）
10:35	170	10.0	晴	假设@10:35（未用传感器）
11:25	170	10.0	晴	假设@11:25（未用传感器）
12:15	170	10.0	晴	假设@12:15（未用传感器）
12:55	170	10.0	晴	假设@12:55（未用传感器）
13:35	170	10.0	晴	假设@13:35（未用传感器）
14:20	170	10.0	晴	假设@14:20（未用传感器）
15:10	170	10.0	晴	假设@15:10（未用传感器）
总计	1870.0（11次）	110.0		建议进液EC：2400， PH： 6.7


上次灌溉时长(171.0)与预期(34.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉50.0 ml.
回液PH（8.21）偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:20	172	10.0	晴	假设@08:20（未用传感器）
09:00	172	10.0	晴	假设@09:00（未用传感器）
09:40	172	10.0	晴	假设@09:40（未用传感器）
10:35	172	10.0	晴	假设@10:35（未用传感器）
11:30	172	10.0	晴	假设@11:30（未用传感器）
12:20	172	10.0	晴	假设@12:20（未用传感器）
13:10	172	10.0	晴	假设@13:10（未用传感器）
13:55	172	10.0	晴	假设@13:55（未用传感器）
14:45	172	10.0	晴	假设@14:45（未用传感器）
总计	1548.0（9次）	90.0		建议进液EC：2322， PH：6.8


上次灌溉时长(171.0)与预期(34.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉50.0 ml.
回液PH（8.2）偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:20	171	10.0	晴	假设@08:20 (未用传感器)
09:05	171	10.0	晴	假设@09:05 (未用传感器)
09:45	171	10.0	晴	假设@09:45 (未用传感器)
10:25	171	10.0	晴	假设@10:25 (未用传感器)
11:05	171	10.0	晴	假设@11:05 (未用传感器)
12:10	171	10.0	晴	假设@12:10 (未用传感器)
13:05	171	10.0	晴	假设@13:05 (未用传感器)
14:00	171	10.0	晴	假设@14:00 (未用传感器)
15:00	171	10.0	晴	假设@15:00 (未用传感器)
总计	1539.0 (9次)	90.0		建议进液EC: 2283, PH: 6.8


上次灌溉时长(170.0)与预期(34.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉49.0 ml.
回液PH (8.22) 偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	170	10.0	晴	假设@08:45 (未用传感器)
09:40	170	10.0	晴	假设@09:40 (未用传感器)
10:35	170	10.0	晴	假设@10:35 (未用传感器)
11:30	170	10.0	晴	假设@11:30 (未用传感器)
12:25	170	10.0	晴	假设@12:25 (未用传感器)
13:55	170	10.0	阴	假设@13:55 (未用传感器)
总计	1020.0 (6次)	60.0		建议进液EC: 2224, PH: 6.9


上次灌溉时长(170.0)与预期(34.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉49.0 ml.
回液PH (8.26) 偏高







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]










Trend plot forXX6_2





FgDaily








XX6_2













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:05	31	10.0	晴	预期@08:05 (未用传感器)
08:55	31	10.0	晴	预期@08:55 (未用传感器)
09:45	31	10.0	晴	预期@09:45 (未用传感器)
10:35	31	10.0	晴	预期@10:35 (未用传感器)
11:25	31	10.0	晴	预期@11:25 (未用传感器)
12:30	31	10.0	晴	预期@12:30 (未用传感器)
13:45	31	10.0	晴	预期@13:45 (未用传感器)
15:20	31	10.0	晴	预期@15:20 (未用传感器)
总计	248.0 (8次)	80.0		建议进液EC: 2284, PH: 6.7


unusual large postFgEt from yesterday (44), set to 30.0 ml.
回液PH (7.96) 偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:15	170	10.0	晴	假设@08:15（未用传感器）
09:00	170	10.0	晴	假设@09:00（未用传感器）
09:45	170	10.0	晴	假设@09:45（未用传感器）
10:30	170	10.0	晴	假设@10:30（未用传感器）
11:10	170	10.0	晴	假设@11:10（未用传感器）
12:15	170	10.0	晴	假设@12:15（未用传感器）
13:15	170	10.0	晴	假设@13:15（未用传感器）
14:20	170	10.0	晴	假设@14:20（未用传感器）
总计	1360.0（8次）	80.0		建议进液EC：2326， PH： 6.7


上次灌溉时长(171.0)与预期(30.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉56.0 ml.
unusual large postFgEt from yesterday (38)，set to 30.0 ml.
回液PH（8.02）偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:20	172	10.0	晴	假设@08:20（未用传感器）
09:15	172	10.0	晴	假设@09:15（未用传感器）
10:05	172	10.0	晴	假设@10:05（未用传感器）
11:00	172	10.0	晴	假设@11:00（未用传感器）
12:10	172	10.0	晴	假设@12:10（未用传感器）
13:10	172	10.0	晴	假设@13:10（未用传感器）
14:25	172	10.0	晴	假设@14:25（未用传感器）
总计	1204.0（7次）	70.0		建议进液EC：2284， PH： 6.7


上次灌溉时长(171.0)与预期(30.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉56.0 ml.
回液PH（8.04）偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:20	171	10.0	晴	假设@08:20 (未用传感器)
09:15	171	10.0	晴	假设@09:15 (未用传感器)
10:05	171	10.0	晴	假设@10:05 (未用传感器)
10:55	171	10.0	晴	假设@10:55 (未用传感器)
11:45	171	10.0	晴	假设@11:45 (未用传感器)
12:40	171	10.0	晴	假设@12:40 (未用传感器)
13:50	171	10.0	晴	假设@13:50 (未用传感器)
15:05	171	10.0	晴	假设@15:05 (未用传感器)
总计	1368.0 (8次)	80.0		建议进液EC: 2196, PH: 6.7

上次灌溉时长 (170.0) 与预期 (30.0) 不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉56.0 ml.
unusual large postFgEt from yesterday (32), set to 30.0 ml.
回液PH (8.02) 偏高





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	170	10.0	晴	假设@08:45（未用传感器）
09:45	170	10.0	晴	假设@09:45（未用传感器）
10:45	170	10.0	晴	假设@10:45（未用传感器）
11:45	170	10.0	晴	假设@11:45（未用传感器）
13:05	170	10.0	阴	假设@13:05（未用传感器）
总计	850.0（5次）	50.0		建议进液EC：2199， PH： 6.8

上次灌溉时长(170.0)与预期(32.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉53.0 ml.
回液PH（8.02）偏高

