













FgArea: [' 0']


SS40 XX6

2025-02-22 (Day 119)









1 (fgArea = NA)




2 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt ']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forXX6_0





FgDaily








XX6_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:55	38	10.0	晴	预期@07:55（未用传感器）
08:55	38	10.0	晴	预期@08:55（未用传感器）
09:50	38	10.0	晴	预期@09:50（未用传感器）
11:10	38	10.0	晴	预期@11:10（未用传感器）
12:45	38	10.0	晴	预期@12:45（未用传感器）
14:20	38	10.0	晴	预期@14:20（未用传感器）
总计	228.0（6次）	60.0		建议进液EC：2000， PH： 6.3






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:30	170	10.0	晴	假设@08:30（未用传感器）
09:25	170	10.0	晴	假设@09:25（未用传感器）
10:15	170	10.0	晴	假设@10:15（未用传感器）
11:10	170	10.0	晴	假设@11:10（未用传感器）
12:00	170	10.0	晴	假设@12:00（未用传感器）
13:20	170	10.0	晴	假设@13:20（未用传感器）
15:00	170	10.0	晴	假设@15:00（未用传感器）
总计	1190.0（7次）	70.0		建议进液EC：2000， PH： 6.3


上次灌溉流速比平时小（0.03 vs 0.33），可能有多阀同灌或管道堵塞或水压不足
施肥机灌溉量与预期值不符（5.0：40.0），可能水表需要校准
上次灌溉时长未按模型建议（152.0 vs 38.0）
默认实际灌溉40.0 ml.
unusual large postFgEt from yesterday (33), set to 30.0 ml.
回液PH（7.77）偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
05:50	172	10.0	晴	假设@05:50 (未用传感器)
06:50	172	10.0	晴	假设@06:50 (未用传感器)
07:50	172	10.0	晴	假设@07:50 (未用传感器)
08:50	172	10.0	晴	假设@08:50 (未用传感器)
09:45	172	10.0	晴	假设@09:45 (未用传感器)
10:40	172	10.0	晴	假设@10:40 (未用传感器)
12:25	172	10.0	晴	假设@12:25 (未用传感器)
14:00	172	10.0	晴	假设@14:00 (未用传感器)
总计	1376.0 (8次)	80.0		建议进液EC: 2400, PH: 6.3


上次灌溉流速比平时小 (0.29 vs 0.33)，可能有多阀同灌或管道堵塞或水压不足
施肥机灌溉量与预期值不符 (142.0 : 111.0)，可能水表需要校准
上次灌溉时长未按模型建议 (482.0 vs 43.0))
默认实际灌溉111.0 ml.
unusual large postFgEt from yesterday (32), set to 30.0 ml.
回液PH (8.16) 过高



时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:20	170	10.0	晴	假设@08:20 (未用传感器)
09:15	170	10.0	晴	假设@09:15 (未用传感器)
10:10	170	10.0	晴	假设@10:10 (未用传感器)
11:05	170	10.0	晴	假设@11:05 (未用传感器)
11:55	170	10.0	晴	假设@11:55 (未用传感器)
13:20	170	10.0	晴	假设@13:20 (未用传感器)
15:00	170	10.0	晴	假设@15:00 (未用传感器)
总计	1190.0 (7次)	70.0		建议进液EC: 2400, PH: 6.5

上次灌溉时长未按模型建议 (170.0 vs 34.0))
默认实际灌溉49.0 ml.
unusual large postFgEt from yesterday (34), set to 30.0 ml.
回液PH (8.43) 过高





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:05	170	10.0	晴	假设@08:05（未用传感器）
09:00	170	10.0	晴	假设@09:00（未用传感器）
09:55	170	10.0	晴	假设@09:55（未用传感器）
10:50	170	10.0	晴	假设@10:50（未用传感器）
11:45	170	10.0	晴	假设@11:45（未用传感器）
13:05	170	10.0	晴	假设@13:05（未用传感器）
14:25	170	10.0	晴	假设@14:25（未用传感器）
总计	1190.0（7次）	70.0		建议进液EC：2400， PH： 6.6

上次灌溉时长未按模型建议 (170.0 vs 34.0))
默认实际灌溉49.0 ml.
回液PH (8.41) 过高

