














FgArea: [' 0']
SS40 XX6
2025-03-01 (Day 126)









1 (fgArea = NA)




2 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forXX6_0





FgDaily








XX6_0













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:45	56	20.0	晴	预期@07:45 (未用传感器)
08:35	56	20.0	晴	预期@08:35 (未用传感器)
09:25	56	20.0	晴	预期@09:25 (未用传感器)
10:15	56	20.0	晴	预期@10:15 (未用传感器)
11:00	56	20.0	晴	预期@11:00 (未用传感器)
11:45	56	20.0	晴	预期@11:45 (未用传感器)
12:45	56	20.0	晴	预期@12:45 (未用传感器)
13:50	56	20.0	晴	预期@13:50 (未用传感器)
15:10	56	20.0	晴	预期@15:10 (未用传感器)
总计	504.0 (9次)	180.0		建议进液EC: 2000, PH: 6.4


unusual large postFgEt from yesterday (70), set to 60.0 ml.
回液PH (7.53) 偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:00	95	20.0	晴	假设@08:00 (未用传感器)
08:45	95	20.0	晴	假设@08:45 (未用传感器)
09:30	95	20.0	晴	假设@09:30 (未用传感器)
10:15	95	20.0	晴	假设@10:15 (未用传感器)
11:25	95	20.0	晴	假设@11:25 (未用传感器)
12:30	95	20.0	晴	假设@12:30 (未用传感器)
13:30	95	20.0	晴	假设@13:30 (未用传感器)
14:35	95	20.0	晴	假设@14:35 (未用传感器)
总计	760.0 (8次)	160.0		建议进液EC: 1900, PH: 6.5


上次灌溉时长未按模型建议 (171.0 vs 56.0))
默认实际灌溉62.0 ml.
回液PH (7.58) 偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:20	172	20.0	晴	假设@08:20 (未用传感器)
09:15	172	20.0	晴	假设@09:15 (未用传感器)
10:10	172	20.0	晴	假设@10:10 (未用传感器)
11:05	172	20.0	晴	假设@11:05 (未用传感器)
12:15	172	20.0	晴	假设@12:15 (未用传感器)
13:20	172	20.0	晴	假设@13:20 (未用传感器)
14:30	172	20.0	晴	假设@14:30 (未用传感器)
总计	1204.0 (7次)	140.0		建议进液EC: 2276, PH: 6.5


上次灌溉时长未按模型建议 (171.0 vs 61.0)
默认实际灌溉56.0 ml.
回液PH (7.62) 偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:10	172	20.0	晴	假设@08:10 (未用传感器)
09:10	172	20.0	晴	假设@09:10 (未用传感器)
10:25	172	20.0	晴	假设@10:25 (未用传感器)
11:25	172	20.0	晴	假设@11:25 (未用传感器)
12:50	172	20.0	晴	假设@12:50 (未用传感器)
14:15	172	20.0	晴	假设@14:15 (未用传感器)
总计	1032.0 (6次)	120.0		建议进液EC: 2000, PH: 6.4

上次灌溉时长未按模型建议 (170.0 vs 62.0))
默认实际灌溉54.0 ml.
回液PH (7.49) 偏高





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:00	170	10.0	晴	假设@08:00（未用传感器）
08:40	170	10.0	晴	假设@08:40（未用传感器）
09:20	170	10.0	晴	假设@09:20（未用传感器）
10:00	170	10.0	晴	假设@10:00（未用传感器）
10:40	170	10.0	晴	假设@10:40（未用传感器）
11:15	170	10.0	晴	假设@11:15（未用传感器）
11:55	170	10.0	晴	假设@11:55（未用传感器）
12:45	170	10.0	晴	假设@12:45（未用传感器）
13:35	170	10.0	晴	假设@13:35（未用传感器）
14:30	170	10.0	晴	假设@14:30（未用传感器）
15:30	170	10.0	晴	假设@15:30（未用传感器）
总计	1870.0（11次）	110.0		建议进液EC：2000， PH： 6.5

上次灌溉时长未按模型建议 (170.0 vs 31.0))
默认实际灌溉54.0 ml.
unusual large postFgEt from yesterday (40), set to 30.0 ml.
回液PH (7.52) 偏高

