













FgArea: [' 0']


SS40 XX6

2025-03-08 (Day 133)









1 (fgArea = NA)




2 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [['FVOPH:r-o', 'PH0:g-o']]










Trend plot forXX6_0





FgDaily








XX6_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:05	26	10.0	晴	预期@08:05 (未用传感器)
08:40	26	10.0	晴	预期@08:40 (未用传感器)
09:15	26	10.0	晴	预期@09:15 (未用传感器)
09:50	26	10.0	晴	预期@09:50 (未用传感器)
10:30	26	10.0	晴	预期@10:30 (未用传感器)
11:10	26	10.0	晴	预期@11:10 (未用传感器)
11:50	26	10.0	晴	预期@11:50 (未用传感器)
12:25	26	10.0	晴	预期@12:25 (未用传感器)
13:00	26	10.0	晴	预期@13:00 (未用传感器)
13:40	26	10.0	晴	预期@13:40 (未用传感器)
14:25	26	10.0	晴	预期@14:25 (未用传感器)
15:20	26	10.0	晴	预期@15:20 (未用传感器)
总计	312.0 (12次)	120.0		建议进液EC: 2500, PH: 6.1






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:25	170	20.0	晴	假设@08:25（未用传感器）
09:25	170	20.0	晴	假设@09:25（未用传感器）
10:25	170	20.0	晴	假设@10:25（未用传感器）
11:40	170	20.0	晴	假设@11:40（未用传感器）
总计	680.0（4次）	80.0		建议进液EC：2500， PH： 6.2


施肥机灌溉量与预期值不符（53.0 ： 66.0），可能水表需要校准
上次灌溉时长未按模型建议（170.0 vs 51.0）
默认实际灌溉66.0 ml.
回液PH（7.31）偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:05	170	20.0	晴	假设@08:05 (未用传感器)
08:55	170	20.0	晴	假设@08:55 (未用传感器)
09:50	170	20.0	晴	假设@09:50 (未用传感器)
11:15	170	20.0	晴	假设@11:15 (未用传感器)
12:20	170	20.0	晴	假设@12:20 (未用传感器)
13:20	170	20.0	晴	假设@13:20 (未用传感器)
14:30	170	20.0	晴	假设@14:30 (未用传感器)
总计	1190.0 (7次)	140.0		建议进液EC: 2500, PH: 6.3


上次灌溉时长未按模型建议 (170.0 vs 54.0))
默认实际灌溉63.0 ml.
回液PH (7.34) 偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:55	170	20.0	晴	假设@07:55 (未用传感器)
08:55	170	20.0	晴	假设@08:55 (未用传感器)
09:55	170	20.0	晴	假设@09:55 (未用传感器)
11:10	170	20.0	晴	假设@11:10 (未用传感器)
12:20	170	20.0	晴	假设@12:20 (未用传感器)
13:25	170	20.0	晴	假设@13:25 (未用传感器)
总计	1020.0 (6次)	120.0		建议进液EC: 2500, PH: 6.3

上次灌溉时长未按模型建议 (170.0 vs 57.0))
默认实际灌溉59.0 ml.
回液PH (7.34) 偏高





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	172	20.0	晴	假设@08:45 (未用传感器)
09:45	172	20.0	晴	假设@09:45 (未用传感器)
10:45	172	20.0	晴	假设@10:45 (未用传感器)
11:45	172	20.0	晴	假设@11:45 (未用传感器)
12:45	172	20.0	晴	假设@12:45 (未用传感器)
13:45	172	20.0	晴	假设@13:45 (未用传感器)
总计	1032.0 (6次)	120.0		建议进液EC: 2500, PH: 6.3

上次灌溉时长未按模型建议 (170.0 vs 57.0))
默认实际灌溉59.0 ml.
回液PH (7.36) 偏高

