













FgArea: [' 0']


SS40 XX6

2025-03-24 (Day 149)









1 (fgArea = NA)




2 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt ']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FV0PH:r-o' , ' PH0:g-o']]




Trend plot forXX6_0





FgDaily








XX6_0













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
01:00	69	20.0	晴	假设@01:00 (未用传感器)
07:35	69	20.0	晴	预期@07:35 (未用传感器)
08:25	69	20.0	晴	预期@08:25 (未用传感器)
09:10	69	20.0	晴	预期@09:10 (未用传感器)
10:10	69	20.0	晴	预期@10:10 (未用传感器)
11:10	69	20.0	晴	预期@11:10 (未用传感器)
12:00	69	20.0	晴	预期@12:00 (未用传感器)
12:50	69	20.0	晴	预期@12:50 (未用传感器)
13:35	69	20.0	晴	预期@13:35 (未用传感器)
14:25	69	20.0	晴	预期@14:25 (未用传感器)
总计	690.0 (10次)	200.0		建议进液EC: 2500, PH: 6.4


unusual large postFgEt from yesterday (75), set to 60.0 ml.
回液EC 4057.0 太高, 建议用低EC肥液冲洗基质
进回液EC差 (2870.0 vs 4057.0) 偏高



时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
01:00	172	20.0	晴	假设@01:00（未用传感器）
07:15	172	20.0	晴	假设@07:15（未用传感器）
07:55	172	20.0	晴	假设@07:55（未用传感器）
08:35	172	20.0	晴	假设@08:35（未用传感器）
09:45	172	20.0	晴	假设@09:45（未用传感器）
10:40	172	20.0	晴	假设@10:40（未用传感器）
11:30	172	20.0	晴	假设@11:30（未用传感器）
12:15	172	20.0	晴	假设@12:15（未用传感器）
13:00	172	20.0	晴	假设@13:00（未用传感器）
13:45	172	20.0	晴	假设@13:45（未用传感器）
14:30	172	20.0	晴	假设@14:30（未用传感器）
15:25	172	20.0	晴	假设@15:25（未用传感器）
总计	2064.0（12次）	240.0		建议进液EC：2500， PH：6.4


上次灌溉时长未按模型建议(171.0 vs 67.0))
默认实际灌溉51.0 ml.
进回液EC差(2806.0 vs 3884.0)偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:15	170	20.0	晴	假设@07:15（未用传感器）
07:55	170	20.0	晴	假设@07:55（未用传感器）
08:35	170	20.0	晴	假设@08:35（未用传感器）
09:25	170	20.0	晴	假设@09:25（未用传感器）
10:25	170	20.0	晴	假设@10:25（未用传感器）
11:20	170	20.0	晴	假设@11:20（未用传感器）
12:05	170	20.0	晴	假设@12:05（未用传感器）
12:50	170	20.0	晴	假设@12:50（未用传感器）
13:35	170	20.0	晴	假设@13:35（未用传感器）
14:20	170	20.0	晴	假设@14:20（未用传感器）
15:15	170	20.0	晴	假设@15:15（未用传感器）
16:15	170	20.0	晴	假设@16:15（未用传感器）
总计	2040.0（12次）	240.0		建议进液EC：2496.6， PH：6.5


上次灌溉时长未按模型建议 (176.0 vs 69.0))
默认实际灌溉51.0 ml.
进回液EC差 (2774.0 vs 3640.0) 偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:15	171	20.0	晴	假设@07:15 (未用传感器)
08:05	171	20.0	晴	假设@08:05 (未用传感器)
08:55	171	20.0	晴	假设@08:55 (未用传感器)
10:10	171	20.0	晴	假设@10:10 (未用传感器)
11:20	171	20.0	晴	假设@11:20 (未用传感器)
12:15	171	20.0	晴	假设@12:15 (未用传感器)
13:00	171	20.0	晴	假设@13:00 (未用传感器)
13:50	171	20.0	晴	假设@13:50 (未用传感器)
14:45	171	20.0	晴	假设@14:45 (未用传感器)
16:00	171	20.0	晴	假设@16:00 (未用传感器)
总计	1710.0 (10次)	200.0		建议进液EC: 2500, PH: 6.5

上次灌溉时长未按模型建议 (170.0 vs 69.0))
默认实际灌溉49.0 ml.





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:50	170	10.0	晴	假设@07:50（未用传感器）
08:20	170	10.0	晴	假设@08:20（未用传感器）
08:50	170	10.0	晴	假设@08:50（未用传感器）
09:20	170	10.0	晴	假设@09:20（未用传感器）
09:50	170	10.0	晴	假设@09:50（未用传感器）
10:30	170	10.0	晴	假设@10:30（未用传感器）
11:15	170	10.0	晴	假设@11:15（未用传感器）
11:50	170	10.0	晴	假设@11:50（未用传感器）
12:25	170	10.0	晴	假设@12:25（未用传感器）
13:00	170	10.0	晴	假设@13:00（未用传感器）
13:30	170	10.0	晴	假设@13:30（未用传感器）
14:00	170	10.0	晴	假设@14:00（未用传感器）
14:35	170	10.0	晴	假设@14:35（未用传感器）
15:20	170	10.0	晴	假设@15:20（未用传感器）
总计	2380.0（14次）	140.0		建议进液EC: 2500, PH: 6.4

上次灌溉时长未按模型建议 (172.0 vs 34.0))
默认实际灌溉50.0 ml.

