














FgArea: [' 0']
SS40 XX6
2025-03-25 (Day 150)









1 (fgArea = NA)




2 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forXX6_0





FgDaily








XX6_0













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
02:50	65	20.0	阴	预期@02:50 (未用传感器)
07:35	65	20.0	晴	预期@07:35 (未用传感器)
08:20	65	20.0	晴	预期@08:20 (未用传感器)
09:05	65	20.0	晴	预期@09:05 (未用传感器)
10:10	65	20.0	晴	预期@10:10 (未用传感器)
11:00	65	20.0	晴	预期@11:00 (未用传感器)
11:45	65	20.0	晴	预期@11:45 (未用传感器)
12:30	65	20.0	晴	预期@12:30 (未用传感器)
13:15	65	20.0	晴	预期@13:15 (未用传感器)
14:00	65	20.0	晴	预期@14:00 (未用传感器)
14:50	65	20.0	晴	预期@14:50 (未用传感器)
总计	715.0 (11次)	220.0		建议进液EC: 2589.3, PH: 6.4


回液EC 4279.0 太高，建议用低EC肥液冲洗基质
进回液EC差 (2877.0 vs 4279.0) 偏高



时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
03:45	62	20.0	晴	假设@03:45（未用传感器）
04:40	62	20.0	晴	假设@04:40（未用传感器）
07:15	62	20.0	晴	假设@07:15（未用传感器）
08:00	62	20.0	晴	假设@08:00（未用传感器）
09:10	62	20.0	晴	假设@09:10（未用传感器）
10:05	62	20.0	晴	假设@10:05（未用传感器）
11:00	62	20.0	晴	假设@11:00（未用传感器）
11:45	62	20.0	晴	假设@11:45（未用传感器）
12:30	62	20.0	晴	假设@12:30（未用传感器）
13:10	62	20.0	晴	假设@13:10（未用传感器）
13:55	62	20.0	晴	假设@13:55（未用传感器）
14:40	62	20.0	晴	假设@14:40（未用传感器）
15:35	62	20.0	晴	假设@15:35（未用传感器）
总计	806.0（13次）	260.0		建议进液EC：2583.0， PH：6.4


上次灌溉时长未按模型建议(170.0 vs 67.0))
默认实际灌溉51.0 ml.
回液EC 4057.0 太高，建议用低EC肥液冲洗基质
进回液EC差(2870.0 vs 4057.0)偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
01:00	172	20.0	晴	假设@01:00（未用传感器）
07:15	172	20.0	晴	假设@07:15（未用传感器）
07:55	172	20.0	晴	假设@07:55（未用传感器）
08:35	172	20.0	晴	假设@08:35（未用传感器）
09:45	172	20.0	晴	假设@09:45（未用传感器）
10:40	172	20.0	晴	假设@10:40（未用传感器）
11:30	172	20.0	晴	假设@11:30（未用传感器）
12:15	172	20.0	晴	假设@12:15（未用传感器）
13:00	172	20.0	晴	假设@13:00（未用传感器）
13:45	172	20.0	晴	假设@13:45（未用传感器）
14:30	172	20.0	晴	假设@14:30（未用传感器）
15:25	172	20.0	晴	假设@15:25（未用传感器）
总计	2064.0（12次）	240.0		建议进液EC：2525.4， PH：6.4


上次灌溉时长未按模型建议(171.0 vs 67.0))
默认实际灌溉51.0 ml.
进回液EC差(2806.0 vs 3884.0)偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:15	170	20.0	晴	假设@07:15（未用传感器）
07:55	170	20.0	晴	假设@07:55（未用传感器）
08:35	170	20.0	晴	假设@08:35（未用传感器）
09:25	170	20.0	晴	假设@09:25（未用传感器）
10:25	170	20.0	晴	假设@10:25（未用传感器）
11:20	170	20.0	晴	假设@11:20（未用传感器）
12:05	170	20.0	晴	假设@12:05（未用传感器）
12:50	170	20.0	晴	假设@12:50（未用传感器）
13:35	170	20.0	晴	假设@13:35（未用传感器）
14:20	170	20.0	晴	假设@14:20（未用传感器）
15:15	170	20.0	晴	假设@15:15（未用传感器）
16:15	170	20.0	晴	假设@16:15（未用传感器）
总计	2040.0（12次）	240.0		建议进液EC：2496.6， PH：6.5

上次灌溉时长未按模型建议 (176.0 vs 69.0))
默认实际灌溉51.0 ml.
进回液EC差 (2774.0 vs 3640.0) 偏高





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:15	171	20.0	晴	假设@07:15 (未用传感器)
08:05	171	20.0	晴	假设@08:05 (未用传感器)
08:55	171	20.0	晴	假设@08:55 (未用传感器)
10:10	171	20.0	晴	假设@10:10 (未用传感器)
11:20	171	20.0	晴	假设@11:20 (未用传感器)
12:15	171	20.0	晴	假设@12:15 (未用传感器)
13:00	171	20.0	晴	假设@13:00 (未用传感器)
13:50	171	20.0	晴	假设@13:50 (未用传感器)
14:45	171	20.0	晴	假设@14:45 (未用传感器)
16:00	171	20.0	晴	假设@16:00 (未用传感器)
总计	1710.0 (10次)	200.0		建议进液EC: 2501.1, PH: 6.5

上次灌溉时长未按模型建议 (170.0 vs 69.0))
默认实际灌溉49.0 ml.

