












FgArea: [' 0']


SS40 XX6

2025-04-19 (Day 175)









1 (fgArea = NA)




2 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forXX6_0





FgDaily








XX6_0













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:10	71	20.0	晴	预期@07:10（未用传感器）
08:10	71	20.0	晴	预期@08:10（未用传感器）
09:10	71	20.0	晴	预期@09:10（未用传感器）
10:10	71	20.0	晴	预期@10:10（未用传感器）
11:20	71	20.0	晴	预期@11:20（未用传感器）
12:25	71	20.0	晴	预期@12:25（未用传感器）
13:25	71	20.0	晴	预期@13:25（未用传感器）
14:30	71	20.0	晴	预期@14:30（未用传感器）
总计	568.0（8次）	160.0		建议进液EC: 1595.0000000000002, PH: 6.9


昨天进回液EC数据缺失.
进回液EC差(1450.0 vs 3404.0) 过高
昨天灌溉进排液EC/PH值缺失，可能影响模型决策






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:00	172	20.0	晴	假设@07:00（未用传感器）
08:00	172	20.0	晴	假设@08:00（未用传感器）
09:00	172	20.0	晴	假设@09:00（未用传感器）
10:00	172	20.0	晴	假设@10:00（未用传感器）
11:15	172	20.0	晴	假设@11:15（未用传感器）
12:25	172	20.0	晴	假设@12:25（未用传感器）
13:30	172	20.0	晴	假设@13:30（未用传感器）
14:35	172	20.0	晴	假设@14:35（未用传感器）
总计	1376.0（8次）	160.0		建议进液EC：1564.2， PH：6.9


施肥机灌溉量与预期值不符（53.0 ： 42.0），可能水表需要校准
上次灌溉时长未按模型建议（170 vs 80.0）
默认实际灌溉42.0 ml.
进回液EC差（1422.0 vs 3448.0）过高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:15	171	20.0	阴	假设@06:15 (未用传感器)
07:15	171	20.0	阴	假设@07:15 (未用传感器)
08:15	171	20.0	阴	假设@08:15 (未用传感器)
09:15	171	20.0	阴	假设@09:15 (未用传感器)
10:35	171	20.0	阴	假设@10:35 (未用传感器)
12:35	171	20.0	阴	假设@12:35 (未用传感器)
14:10	171	20.0	晴	假设@14:10 (未用传感器)
总计	1197.0 (7次)	140.0		建议进液EC: 1504.8000000000002, PH: 6.9


施肥机灌溉量与预期值不符 (53.0 : 43.0), 可能水表需要校准
上次灌溉时长未按模型建议 (171 vs 80.0))
默认实际灌溉43.0 ml.
unusual large postFgEt from yesterday (69), set to 60.0 ml.
昨天进回液EC数据缺失.
进回液EC差 (1368.0 vs 3538.0) 过高
昨天灌溉进排液EC/PH值缺失, 可能影响模型决策



时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:30	35	20.0	晴	假设@06:30 (未用传感器)
07:30	35	20.0	晴	假设@07:30 (未用传感器)
08:30	35	20.0	晴	假设@08:30 (未用传感器)
09:40	35	20.0	晴	假设@09:40 (未用传感器)
10:40	35	20.0	晴	假设@10:40 (未用传感器)
11:55	35	20.0	晴	假设@11:55 (未用传感器)
12:55	35	20.0	晴	假设@12:55 (未用传感器)
13:50	35	20.0	晴	假设@13:50 (未用传感器)
15:10	35	20.0	晴	假设@15:10 (未用传感器)
总计	315.0 (9次)	180.0		建议进液EC: 1248.5, PH: 6.9

施肥机灌溉量与预期值不符 (55.0 : 41.0)，可能水表需要校准
上次灌溉时长未按模型建议 (170 vs 83.0))
默认实际灌溉41.0 ml.
进回液EC差 (1135.0 vs 3639.0) 过高





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:55	171	20.0	晴	假设@06:55（未用传感器）
07:40	171	20.0	晴	假设@07:40（未用传感器）
09:05	171	20.0	晴	假设@09:05（未用传感器）
10:00	171	20.0	晴	假设@10:00（未用传感器）
10:50	171	20.0	晴	假设@10:50（未用传感器）
11:35	171	20.0	晴	假设@11:35（未用传感器）
12:25	171	20.0	晴	假设@12:25（未用传感器）
13:05	171	20.0	晴	假设@13:05（未用传感器）
13:45	171	20.0	晴	假设@13:45（未用传感器）
14:25	171	20.0	晴	假设@14:25（未用传感器）
15:10	171	20.0	晴	假设@15:10（未用传感器）
16:05	171	20.0	晴	假设@16:05（未用传感器）
总计	2052.0（12次）	240.0		建议进液EC：1811.7， PH： 6.9

施肥机灌溉量与预期值不符（53.0 ： 40.0），可能水表需要校准
上次灌溉时长未按模型建议（172 vs 87.0）
默认实际灌溉40.0 ml.
进回液EC差（2013.0 vs 3938.0）过高

