














FgArea: [' 1' , ' 2']
SS40 XX6
2024-12-26 (Day 61)









1 (fgArea = 1)




2 (fgArea = 2)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'EcDef']]









Plot [' ECopt']






Plot Sensor and FgRec Data




Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forXX6_1





FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:55	30	10.0	晴	预期@08:55 (未用传感器)
09:50	30	10.0	晴	预期@09:50 (未用传感器)
10:25	30	10.0	晴	预期@10:25 (未用传感器)
10:55	30	10.0	晴	预期@10:55 (未用传感器)
11:20	30	10.0	晴	预期@11:20 (未用传感器)
11:45	30	10.0	晴	预期@11:45 (未用传感器)
12:10	30	10.0	晴	预期@12:10 (未用传感器)
12:35	30	10.0	晴	预期@12:35 (未用传感器)
13:00	30	10.0	晴	预期@13:00 (未用传感器)
13:25	30	10.0	晴	预期@13:25 (未用传感器)
13:55	30	10.0	晴	预期@13:55 (未用传感器)
14:25	30	10.0	晴	预期@14:25 (未用传感器)
总计	360.0 (12次)	120.0		建议进液EC: 782.0, PH: 6.9






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
10:00	50	20.0	晴	假设@10:00 (未用传感器)
11:45	50	20.0	晴	假设@11:45 (未用传感器)
13:25	50	20.0	晴	假设@13:25 (未用传感器)
总计	150.0 (3次)	60.0		建议进液EC: 1054.0, PH: 6.9


上次灌溉时长未按建议 (60 : 50.0 s, or 20.0 vs 18 ml), 默认灌溉20.0 ml.
昨天灌溉进排液EC/PH值缺失, 可能影响模型决策, 请检查






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
10:05	50	20.0	晴	假设@10:05（未用传感器）
14:05	50	20.0	多云	假设@14:05（未用传感器）
总计	100.0（2次）	40.0		建议进液EC：1054.0， PH： 6.9


上次灌溉时长未按建议（60：50.0 s, or 20.0 vs 18 ml），默认灌溉20.0 ml.
昨天灌溉进排液EC/PH值缺失，可能影响模型决策，请检查






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:45	50	20.0		假设@09:45（未用传感器）
11:15	50	20.0		假设@11:15（未用传感器）
12:45	50	20.0		假设@12:45（未用传感器）
14:35	50	20.0		假设@14:35（未用传感器）
总计	200.0（4次）	80.0		建议进液EC：937.0， PH： 6.9


上次灌溉时长未按建议（60：50.0 s, or 20.0 vs 18 ml），默认灌溉20.0 ml.
昨天灌溉进排液EC/PH值缺失，可能影响模型决策，请检查






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:50	50	20.0		假设@09:50（未用传感器）
11:20	50	20.0		假设@11:20（未用传感器）
12:40	50	20.0		假设@12:40（未用传感器）
14:30	50	20.0		假设@14:30（未用传感器）
总计	200.0（4次）	80.0		建议进液EC：903.0， PH：6.9


上次灌溉时长未按建议（60：50.0 s, or 20.0 vs 18 ml），默认灌溉20.0 ml.
昨天灌溉进排液EC/PH值缺失，可能影响模型决策，请检查







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'EcDef']]









Plot [' ECopt']






Plot Sensor and FgRec Data




Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forXX6_2





FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:55	30	10.0	晴	预期@08:55 (未用传感器)
09:50	30	10.0	晴	预期@09:50 (未用传感器)
10:25	30	10.0	晴	预期@10:25 (未用传感器)
10:55	30	10.0	晴	预期@10:55 (未用传感器)
11:20	30	10.0	晴	预期@11:20 (未用传感器)
11:45	30	10.0	晴	预期@11:45 (未用传感器)
12:10	30	10.0	晴	预期@12:10 (未用传感器)
12:35	30	10.0	晴	预期@12:35 (未用传感器)
13:00	30	10.0	晴	预期@13:00 (未用传感器)
13:25	30	10.0	晴	预期@13:25 (未用传感器)
13:55	30	10.0	晴	预期@13:55 (未用传感器)
14:25	30	10.0	晴	预期@14:25 (未用传感器)
总计	360.0 (12次)	120.0		建议进液EC: 825.0, PH: 6.9






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
10:00	50	20.0	晴	假设@10:00（未用传感器）
11:45	50	20.0	晴	假设@11:45（未用传感器）
13:25	50	20.0	晴	假设@13:25（未用传感器）
总计	150.0（3次）	60.0		建议进液EC: 885.0, PH: 6.9


上次灌溉时长未按建议（60 : 50.0 s, or 20.0 vs 18 ml），默认灌溉20.0 ml.
昨天灌溉进排液EC/PH值缺失，可能影响模型决策，请检查






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
10:05	50	20.0	晴	假设@10:05（未用传感器）
14:05	50	20.0	多云	假设@14:05（未用传感器）
总计	100.0（2次）	40.0		建议进液EC: 885.0, PH: 6.9


上次灌溉时长未按建议（60 : 50.0 s, or 20.0 vs 18 ml），默认灌溉20.0 ml.
昨天灌溉进排液EC/PH值缺失，可能影响模型决策，请检查






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:45	50	20.0		假设@09:45（未用传感器）
11:15	50	20.0		假设@11:15（未用传感器）
12:45	50	20.0		假设@12:45（未用传感器）
14:35	50	20.0		假设@14:35（未用传感器）
总计	200.0（4次）	80.0		建议进液EC: 825.0, PH: 6.9

上次灌溉时长未按建议（60 : 50.0 s, or 20.0 vs 18 ml），默认灌溉20.0 ml.
昨天灌溉进排液EC/PH值缺失，可能影响模型决策，请检查





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:50	50	20.0		假设@09:50（未用传感器）
11:20	50	20.0		假设@11:20（未用传感器）
12:40	50	20.0		假设@12:40（未用传感器）
14:30	50	20.0		假设@14:30（未用传感器）
总计	200.0（4次）	80.0		建议进液EC: 825.0, PH: 6.9

上次灌溉时长未按建议（60 : 50.0 s, or 20.0 vs 18 ml），默认灌溉20.0 ml.
昨天灌溉进排液EC/PH值缺失，可能影响模型决策，请检查

