














FgArea: [' 1' , ' 2']
SS40 XX6
2024-12-30 (Day 65)









1 (fgArea = 1)




2 (fgArea = 2)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'EcDef']]









Plot [' ECopt ']






Plot Sensor and FgRec Data




Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forXX6_1





FgDaily




XX6_1













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:40	30	10.0	晴	预期@08:40 (未用传感器)
09:05	30	10.0	晴	预期@09:05 (未用传感器)
09:30	30	10.0	晴	预期@09:30 (未用传感器)
09:55	30	10.0	晴	预期@09:55 (未用传感器)
10:25	30	10.0	晴	预期@10:25 (未用传感器)
10:55	30	10.0	晴	预期@10:55 (未用传感器)
11:20	30	10.0	晴	预期@11:20 (未用传感器)
11:45	30	10.0	晴	预期@11:45 (未用传感器)
12:10	30	10.0	晴	预期@12:10 (未用传感器)
12:35	30	10.0	晴	预期@12:35 (未用传感器)
13:00	30	10.0	晴	预期@13:00 (未用传感器)
13:25	30	10.0	晴	预期@13:25 (未用传感器)
13:50	30	10.0	晴	预期@13:50 (未用传感器)
14:15	30	10.0	晴	预期@14:15 (未用传感器)
总计	420.0 (14次)	140.0		建议进液EC: 720.0, PH: 6.9






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
10:00	30	10.0	多云	假设@10:00（未用传感器）
11:00	30	10.0	多云	假设@11:00（未用传感器）
12:40	30	10.0	多云	假设@12:40（未用传感器）
13:30	30	10.0	多云	假设@13:30（未用传感器）
总计	120.0（4次）	40.0		建议进液EC: 810.0, PH: 6.9







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:00	30	10.0	晴	假设@09:00（未用传感器）
09:00	30	10.0	晴	假设@09:00（未用传感器）
09:35	30	10.0	晴	假设@09:35（未用传感器）
10:10	30	10.0	晴	假设@10:10（未用传感器）
10:45	30	10.0	晴	假设@10:45（未用传感器）
11:15	30	10.0	晴	假设@11:15（未用传感器）
11:45	30	10.0	晴	假设@11:45（未用传感器）
12:15	30	10.0	晴	假设@12:15（未用传感器）
12:45	30	10.0	晴	假设@12:45（未用传感器）
13:15	30	10.0	晴	假设@13:15（未用传感器）
13:55	30	10.0	晴	假设@13:55（未用传感器）
总计	330.0（11次）	110.0		建议进液EC：738.0， PH：6.9


上次灌溉流量增大（0.371298616912652：0.24497333559462567，33.0：27 ml），可能有管道漏水，默认灌溉27 ml.
unusual large postFgEt from yesterday (64), set to 30.0 ml.
昨天灌溉进排液EC/PH值缺失，可能影响模型决策，请检查






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:40	30	10.0	晴	假设@09:40 (未用传感器)
10:30	30	10.0	晴	假设@10:30 (未用传感器)
11:20	30	10.0	晴	假设@11:20 (未用传感器)
12:00	30	10.0	晴	假设@12:00 (未用传感器)
12:45	30	10.0	晴	假设@12:45 (未用传感器)
13:30	30	10.0	晴	假设@13:30 (未用传感器)
14:25	30	10.0	晴	假设@14:25 (未用传感器)
总计	210.0 (7次)	70.0		建议进液EC: 884.0, PH: 6.9






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:15	30	10.0	晴	假设@09:15（未用传感器）
09:55	30	10.0	晴	假设@09:55（未用传感器）
10:35	30	10.0	晴	假设@10:35（未用传感器）
11:15	30	10.0	晴	假设@11:15（未用传感器）
11:50	30	10.0	晴	假设@11:50（未用传感器）
12:35	30	10.0	晴	假设@12:35（未用传感器）
13:20	30	10.0	晴	假设@13:20（未用传感器）
14:15	30	10.0	晴	假设@14:15（未用传感器）
总计	240.0（8次）	80.0		建议进液EC：1022.0， PH： 6.9


上次灌溉流量增大（0.371298616912652 ： 0.2573181019296308， 33.0 ： 28 ml)), 可能有管道漏水，默认灌溉28 ml.







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'EcDef']]









Plot [' ECopt']






Plot Sensor and FgRec Data




Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forXX6_2





FgDaily




XX6_2












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:40	30	10.0	晴	预期@08:40 (未用传感器)
09:05	30	10.0	晴	预期@09:05 (未用传感器)
09:30	30	10.0	晴	预期@09:30 (未用传感器)
09:55	30	10.0	晴	预期@09:55 (未用传感器)
10:25	30	10.0	晴	预期@10:25 (未用传感器)
10:55	30	10.0	晴	预期@10:55 (未用传感器)
11:20	30	10.0	晴	预期@11:20 (未用传感器)
11:45	30	10.0	晴	预期@11:45 (未用传感器)
12:10	30	10.0	晴	预期@12:10 (未用传感器)
12:35	30	10.0	晴	预期@12:35 (未用传感器)
13:00	30	10.0	晴	预期@13:00 (未用传感器)
13:25	30	10.0	晴	预期@13:25 (未用传感器)
13:50	30	10.0	晴	预期@13:50 (未用传感器)
14:15	30	10.0	晴	预期@14:15 (未用传感器)
总计	420.0 (14次)	140.0		建议进液EC: 720.0, PH: 6.9






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
10:00	30	10.0	多云	假设@10:00（未用传感器）
11:00	30	10.0	多云	假设@11:00（未用传感器）
12:40	30	10.0	多云	假设@12:40（未用传感器）
13:30	30	10.0	多云	假设@13:30（未用传感器）
总计	120.0（4次）	40.0		建议进液EC：720.0， PH：6.9


昨天灌溉进排液EC/PH值缺失，可能影响模型决策，请检查
进回液EC差(1082.0 vs 1481.0)偏高，可能由于过度蒸腾或植物吸收不良，请关注







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:00	30	10.0	晴	假设@09:00（未用传感器）
09:00	30	10.0	晴	假设@09:00（未用传感器）
09:35	30	10.0	晴	假设@09:35（未用传感器）
10:10	30	10.0	晴	假设@10:10（未用传感器）
10:45	30	10.0	晴	假设@10:45（未用传感器）
11:15	30	10.0	晴	假设@11:15（未用传感器）
11:45	30	10.0	晴	假设@11:45（未用传感器）
12:15	30	10.0	晴	假设@12:15（未用传感器）
12:45	30	10.0	晴	假设@12:45（未用传感器）
13:15	30	10.0	晴	假设@13:15（未用传感器）
13:55	30	10.0	晴	假设@13:55（未用传感器）
总计	330.0（11次）	110.0		建议进液EC：720.0， PH：6.9


上次灌溉流量增大 (0.371298616912652 : 0.24497333559462567, 33.0 : 27 ml)), 可能有管道漏水, 默认灌溉27 ml.
unusual large postFgEt from yesterday (64), set to 30.0 ml.





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:40	30	10.0	晴	假设@09:40 (未用传感器)
10:30	30	10.0	晴	假设@10:30 (未用传感器)
11:20	30	10.0	晴	假设@11:20 (未用传感器)
12:00	30	10.0	晴	假设@12:00 (未用传感器)
12:45	30	10.0	晴	假设@12:45 (未用传感器)
13:30	30	10.0	晴	假设@13:30 (未用传感器)
14:25	30	10.0	晴	假设@14:25 (未用传感器)
总计	210.0 (7次)	70.0		建议进液EC: 860.0, PH: 6.9





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:15	30	10.0	晴	假设@09:15（未用传感器）
09:55	30	10.0	晴	假设@09:55（未用传感器）
10:35	30	10.0	晴	假设@10:35（未用传感器）
11:15	30	10.0	晴	假设@11:15（未用传感器）
11:50	30	10.0	晴	假设@11:50（未用传感器）
12:35	30	10.0	晴	假设@12:35（未用传感器）
13:20	30	10.0	晴	假设@13:20（未用传感器）
14:15	30	10.0	晴	假设@14:15（未用传感器）
总计	240.0（8次）	80.0		建议进液EC：858.0， PH：6.9

上次灌溉流量增大（0.371298616912652 ： 0.2573181019296308， 33.0 ： 28 ml)), 可能有管道漏水，默认灌溉28 ml.

