














FgArea: [' 1' , ' 2']
SS40 XX6
2025-01-14 (Day 80)









1 (fgArea = 1)




2 (fgArea = 2)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forXX6_1





FgDaily








XX6_1














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:35	34	10.0	晴	预期@08:35 (未用传感器)
13:05	34	10.0	晴	预期@13:05 (未用传感器)
总计	68.0 (2次)	20.0		建议进液EC: 1200, PH: 6.9






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:55	91	10.0	多云	假设@08:55（未用传感器）
13:05	91	10.0	阴	假设@13:05（未用传感器）
总计	182.0（2次）	20.0		建议进液EC：1200， PH： 6.9


施肥机灌溉量与预期值不符（32.0 ： 24.0），可能由于灌溉不均匀，默认灌溉23.0 ml.






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:10	91	10.0	晴	假设@09:10（未用传感器）
13:25	91	10.0	晴	假设@13:25（未用传感器）
总计	182.0（2次）	20.0		建议进液EC：1200， PH： 6.9


上次灌溉时长(90.0)与预期(33.0)不符，可能按参考区时长，默认灌溉26.0 ml.






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:00	92	10.0	晴	假设@09:00（未用传感器）
13:10	92	10.0	晴	假设@13:10（未用传感器）
总计	184.0（2次）	20.0		建议进液EC：1200， PH： 6.9


上次灌溉时长(91.0)与预期(31.0)不符，可能按参考区时长，默认灌溉29.0 ml.






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:00	90	10.0	晴	假设@09:00（未用传感器）
13:20	90	10.0	晴	假设@13:20（未用传感器）
总计	180.0（2次）	20.0		建议进液EC：1200， PH： 6.9


上次灌溉时长(91.0)与预期(31.0)不符，可能按参考区时长，默认灌溉29.0 ml.







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef']]









Plot [' ECopt ']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





FgDaily








XX6_2














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:35	22	10.0	晴	预期@08:35 (未用传感器)
11:25	22	10.0	晴	预期@11:25 (未用传感器)
13:30	22	10.0	晴	预期@13:30 (未用传感器)
总计	66.0 (3次)	30.0		建议进液EC: 1200, PH: 6.9






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:55	91	10.0	多云	假设@08:55（未用传感器）
11:40	91	10.0	阴	假设@11:40（未用传感器）
13:55	91	10.0	阴	假设@13:55（未用传感器）
总计	273.0（3次）	30.0		建议进液EC：1200， PH： 6.9


施肥机灌溉量与预期值不符（32.0 ： 50.0），可能由于灌溉不均匀，默认灌溉48.0 ml.
回液PH（8.16）偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:10	91	10.0	晴	假设@09:10（未用传感器）
12:15	91	10.0	晴	假设@12:15（未用传感器）
总计	182.0（2次）	20.0		建议进液EC：1200， PH： 6.9


施肥机灌溉量与预期值不符（32.0 ： 50.0），可能由于灌溉不均匀，默认灌溉48.0 ml.
回液PH（8.02）偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:00	92	10.0	晴	假设@09:00（未用传感器）
12:20	92	10.0	晴	假设@12:20（未用传感器）
总计	184.0（2次）	20.0		建议进液EC：1200， PH： 6.9

施肥机灌溉量与预期值不符（33.0 ： 50.0），可能由于灌溉不均匀，默认灌溉50.0 ml.
回液PH（8.01）偏高





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:00	90	10.0	晴	假设@09:00（未用传感器）
12:20	90	10.0	晴	假设@12:20（未用传感器）
总计	180.0（2次）	20.0		建议进液EC：1200， PH： 6.9

施肥机灌溉量与预期值不符（33.0 ： 50.0），可能由于灌溉不均匀，默认灌溉50.0 ml.
回液PH（7.94）偏高

