














FgArea: [' 1' , ' 2']
SS40 XX6
2025-01-21 (Day 87)









1 (fgArea = 1)




2 (fgArea = 2)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forXX6_1








XX6_1














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:30	30	10.0	晴	预期@08:30 (未用传感器)
12:25	30	10.0	晴	预期@12:25 (未用传感器)
总计	60.0 (2次)	20.0		建议进液EC: 2240, PH: 6.9






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	92	10.0	晴	假设@08:45（未用传感器）
总计	92.0（1次）	10.0		建议进液EC：2231， PH： 6.9


施肥机灌溉量与预期值不符（33.0 ： 24.0），可能由于灌溉不均匀，默认灌溉26.0 ml.
回液PH（8.83）偏高



时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	90	10.0	晴	假设@08:45（未用传感器）
总计	90.0（1次）	10.0		建议进液EC：2167， PH： 6.9


施肥机灌溉量与预期值不符（33.0 ： 25.0），可能由于灌溉不均匀，默认灌溉26.0 ml.
回液PH（8.6）偏高
昨天进回液EC数据缺失.
昨天灌溉进排液EC/PH值缺失，可能影响模型决策






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:50	92	10.0	晴	假设@08:50（未用传感器）
12:20	92	10.0	晴	假设@12:20（未用传感器）
总计	184.0（2次）	20.0		建议进液EC：2103， PH： 6.9


施肥机灌溉量与预期值不符（32.0 ： 25.0），可能由于灌溉不均匀，默认灌溉25.0 ml.
昨天进回液EC数据缺失.
昨天灌溉进排液EC/PH值缺失，可能影响模型决策






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:50	90	10.0	晴	假设@08:50（未用传感器）
11:40	90	10.0	晴	假设@11:40（未用传感器）
总计	180.0（2次）	20.0		建议进液EC：1965， PH： 6.9


上次灌溉流速减小（0.2864303616183315 ： 0.35， 80.0 ： 76.0 ml)), 可能有管道堵塞或水压不足，默认灌溉62.0 ml.







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forXX6_2








FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:30	28	10.0	晴	预期@08:30 (未用传感器)
12:25	28	10.0	晴	预期@12:25 (未用传感器)
总计	56.0 (2次)	20.0		建议进液EC: 2178, PH: 6.9






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	92	10.0	晴	假设@08:45（未用传感器）
总计	92.0（1次）	10.0		建议进液EC：1943， PH： 6.9


上次灌溉时长(90.0)与预期(26.0)不符，可能按参考区时长，默认灌溉38.0 ml.
回液PH（8.46）偏高






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	90	10.0	晴	假设@08:45（未用传感器）
总计	90.0（1次）	10.0		建议进液EC：1914， PH： 6.9


上次灌溉时长(92.0)与预期(26.0)不符，可能按参考区时长，默认灌溉37.0 ml.
回液PH（8.46）偏高
昨天进回液EC数据缺失.
昨天灌溉进排液EC/PH值缺失，可能影响模型决策






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:50	92	10.0	晴	假设@08:50（未用传感器）
12:40	92	10.0	晴	假设@12:40（未用传感器）
总计	184.0（2次）	20.0		建议进液EC：1884， PH： 6.9

上次灌溉时长 (92.0) 与预期 (26.0) 不符，可能按参考区时长，默认灌溉35.0 ml.
回液PH（8.45）偏高
昨天进回液EC数据缺失.
昨天灌溉进排液EC/PH值缺失，可能影响模型决策





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:50	90	10.0	晴	假设@08:50（未用传感器）
12:00	90	10.0	晴	假设@12:00（未用传感器）
总计	180.0（2次）	20.0		建议进液EC：1735， PH： 6.9

上次灌溉流速减小（0.2864303616183315 ： 0.35， 80.0 ： 109.0 ml)), 可能有管道堵塞或水压不足，默认灌溉89.0 ml.
回液PH（8.42）偏高

