













FgArea: [' E2']


NC11 EQ4

2025-06-16 (Day 24)









1 (fgArea = NA)




2 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot `[['FV0EC:r-o', 'EC0:g-o']]`




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forEQ4AE_E2





FgDaily








EQ4AE_E2














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:30	82	50.0	0.088	小雨	预期@06:30 未知程序（未用传感器）
07:45	82	50.0	0.088	小雨	预期@07:45 未知程序（未用传感器）
10:05	82	50.0	0.088	小雨	预期@10:05 未知程序（未用传感器）
11:50	82	50.0	0.088	小雨	预期@11:50 未知程序（未用传感器）
13:25	82	50.0	0.088	小雨	预期@13:25 未知程序（未用传感器）
15:15	82	50.0	0.088	小雨	预期@15:15 未知程序（未用传感器）
总计	492.0（6次）	300.0			建议进液EC：1920， PH：5.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:05	75	70.0	0.122	阴	假设@09:05 手动（未用传感器）
总计	75.0（1次）	70.0			建议进液EC: 1780, PH: 5.5

上次灌溉时长未按模型建议 (75 vs 115.0))
默认实际灌溉46.0 ml.
模型建议今天进液PH 5.524999999999995, 由于施肥机不支持自动调控PH, 请手动调整
昨天灌溉EC (1735.0) 与手测EC (2083.0) 偏差较大, 请检查
进回液EC差 (2083.0 vs 3273.0) 偏高
模型建议今天进液EC 1783.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:45	75	70.0	0.122	雾	假设@06:45 手动（未用传感器）
07:45	75	70.0	0.122	雾	假设@07:45 手动（未用传感器）
08:45	75	70.0	0.122	阴	假设@08:45 手动（未用传感器）
10:30	75	70.0	0.122	阴	假设@10:30 手动（未用传感器）
12:00	75	70.0	0.122	阴	假设@12:00 手动（未用传感器）
总计	375.0（5次）	350.0			建议进液EC: 1710, PH: 5.5

施肥机灌溉量与预期值不符（53.0 ： 41.0），可能水表需要校准
上次灌溉时长未按模型建议（75 vs 127.0）
默认实际灌溉41.0 ml.
模型建议今天进液PH 5.524999999999995，由于施肥机不支持自动调控PH，请手动调整
昨天灌溉EC（1750.0）与手测EC（2153.0）偏差较大，请检查
进回液EC差（2153.0 vs 4277.0）过高
模型建议今天进液EC 1714.0
上次灌溉PH（6.4）与模型建议（5.5）偏差较大，请检查。










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:45	150	70.0	0.122	多云	假设@06:45 手动（未用传感器）
07:45	150	70.0	0.122	多云	假设@07:45 手动（未用传感器）
10:10	150	70.0	0.122	阴	假设@10:10 手动（未用传感器）
12:55	150	70.0	0.122	阴	假设@12:55 手动（未用传感器）
14:10	150	70.0	0.122	阴	假设@14:10 手动（未用传感器）
总计	750.0（5次）	350.0			建议进液EC: 1650， PH: 5.5

施肥机灌溉量与预期值不符（163.0 : 122.0），可能水表需要校准
上次灌溉时长未按模型建议(240 vs 137.0))
默认实际灌溉122.0 ml.
过去5天平均施肥机的设置，输出及进液EC分别为1800, 1830, 2320，偏差较大
模型建议今天进液PH 5.524999999999995，由于施肥机不支持自动调控PH，请手动调整
昨天灌溉EC（1826.0）与手测EC（2323.0）偏差较大，请检查
回液EC 4370.0 太高，建议用低EC肥液冲洗基质
进回液EC差(2323.0 vs 4370.0) 过高
模型建议今天进液EC 1646.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:30	120	80.0	0.14	阴	假设@06:30 手动（未用传感器）
07:30	120	80.0	0.14	阴	假设@07:30 手动（未用传感器）
11:15	120	80.0	0.14	多云	假设@11:15 手动（未用传感器）
14:00	120	80.0	0.14	阴	假设@14:00 手动（未用传感器）
总计	480.0（4次）	320.0			建议进液EC: 1710, PH: 5.6

施肥机灌溉量与预期值不符（53.0 : 38.0），可能水表需要校准
上次灌溉时长未按模型建议（75 vs 157.0）
默认实际灌溉38.0 ml.
过去5天平均施肥机的设置，输出及进液EC分别为1900, 2090, 2520，偏差较大
模型建议今天进液PH 5.61，由于施肥机不支持自动调控PH，请手动调整
昨天灌溉EC（2088.0）与手测EC（2515.0）偏差较大，请检查
回液EC 4202.0 太高，建议用低EC肥液冲洗基质
进回液EC差（2515.0 vs 4202.0）过高
模型建议今天进液EC 1710.0

