













FgArea: [' W2']


NC11 EQ4

2025-06-06 (Day 14)









1 (fgArea = NA)




2 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forEQ4AW_W2





FgDaily








EQ4AW_W2













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:05	57	30.0	0.052	晴	预期@06:05 未知程序（未用传感器）
07:05	57	30.0	0.052	晴	预期@07:05 未知程序（未用传感器）
08:05	57	30.0	0.052	晴	预期@08:05 未知程序（未用传感器）
09:20	57	30.0	0.052	晴	预期@09:20 未知程序（未用传感器）
10:45	57	30.0	0.052	晴	预期@10:45 未知程序（未用传感器）
12:05	57	30.0	0.052	晴	预期@12:05 未知程序（未用传感器）
13:25	57	30.0	0.052	晴	预期@13:25 未知程序（未用传感器）
14:45	57	30.0	0.052	晴	预期@14:45 未知程序（未用传感器）
总计	456.0（8次）	240.0			建议进液EC：2340.0， PH：6.5


昨天灌溉PH（4.82）与设定PH（6.2）偏差较大，请检查
昨天灌溉PH（4.82）与手测PH（6.25）偏差较大，请检查







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
05:30	60	30.0	0.052	晴	假设@05:30 手动（未用传感器）
06:30	60	30.0	0.052	晴	假设@06:30 手动（未用传感器）
07:30	60	30.0	0.052	晴	假设@07:30 手动（未用传感器）
10:10	60	30.0	0.052	阴	假设@10:10 手动（未用传感器）
12:30	60	30.0	0.052	阴	假设@12:30 手动（未用传感器）
14:50	60	30.0	0.052	多云	假设@14:50 手动（未用传感器）
总计	360.0（6次）	180.0			建议进液EC: 2340.0, PH: 6.5

施肥机灌溉量与预期值不符（43.0 ： 31.0），可能水表需要校准
默认实际灌溉31.0 ml.
昨天灌溉PH（4.87）与设定PH（6.2）偏差较大，请检查
昨天灌溉PH（4.87）与手测PH（6.42）偏差较大，请检查
上次灌溉PH（4.8）与设定值（6.2）偏差较大，请检查。
上次灌溉PH（4.8）与模型建议（6.5）偏差较大，请检查。


















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:00	60	30.0	0.052	晴	假设@06:00 手动（未用传感器）
07:00	60	30.0	0.052	晴	假设@07:00 手动（未用传感器）
08:00	60	30.0	0.052	晴	假设@08:00 手动（未用传感器）
11:00	60	30.0	0.052	晴	假设@11:00 手动（未用传感器）
13:20	60	30.0	0.052	晴	假设@13:20 手动（未用传感器）
总计	300.0（5次）	150.0			建议进液EC: 2228.0, PH: 6.5


施肥机灌溉量与预期值不符（43.0 ： 32.0），可能水表需要校准
默认实际灌溉32.0 ml.
昨天灌溉PH（4.86）与设定PH（6.2）偏差较大，请检查
昨天灌溉PH（4.86）与手测PH（6.5）偏差较大，请检查
上次灌溉PH（4.9）与设定值（6.2）偏差较大，请检查。
上次灌溉PH（4.9）与模型建议（6.5）偏差较大，请检查。











时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:15	60	30.0	0.052	晴	假设@06:15 手动（未用传感器）
07:15	60	30.0	0.052	晴	假设@07:15 手动（未用传感器）
08:15	60	30.0	0.052	晴	假设@08:15 手动（未用传感器）
11:55	60	30.0	0.052	晴	假设@11:55 手动（未用传感器）
总计	240.0（4次）	120.0			建议进液EC: 2470.0, PH: 6.5

施肥机灌溉量与预期值不符（43.0 : 35.0），可能水表需要校准
上次灌溉时长未按模型建议（60 vs 52.0）
默认实际灌溉35.0 ml.
昨天灌溉PH（5.0）与设定PH（6.2）偏差较大，请检查
昨天灌溉PH（5.0）与手测PH（6.5）偏差较大，请检查
上次灌溉PH（4.9）与设定值（6.2）偏差较大，请检查。
上次灌溉PH（4.9）与模型建议（6.5）偏差较大，请检查。







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:30	60	30.0	0.052	多云	假设@06:30 手动（未用传感器）
07:30	60	30.0	0.052	晴	假设@07:30 手动（未用传感器）
08:45	60	30.0	0.052	晴	假设@08:45 手动（未用传感器）
13:05	60	30.0	0.052	多云	假设@13:05 手动（未用传感器）
总计	240.0（4次）	120.0			建议进液EC: 2564.0, PH: 6.2

上次灌溉时长未按模型建议 (60 vs 46.0))
默认实际灌溉39.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC (2151.0) 与设定EC (2600.0) 偏差较大, 请检查
昨天灌溉进排液EC/PH值缺失, 可能影响模型决策
上次灌溉PH (4.9) 与设定值 (6.2) 偏差较大, 请检查。
上次灌溉PH (4.9) 与模型建议 (6.2) 偏差较大, 请检查。

