













FgArea: [' W2']


NC11 EQ4

2025-06-10 (Day 18)









1 (fgArea = NA)




2 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data




Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'slSetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]










Trend plot forEQ4AW_W2





FgDaily








EQ4AW_W2













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:30	96	50.0	0.088	晴	预期@06:30 未知程序(未用传感器)
07:30	96	50.0	0.088	晴	预期@07:30 未知程序(未用传感器)
09:45	96	50.0	0.088	晴	预期@09:45 未知程序(未用传感器)
11:20	96	50.0	0.088	晴	预期@11:20 未知程序(未用传感器)
12:50	96	50.0	0.088	晴	预期@12:50 未知程序(未用传感器)
14:25	96	50.0	0.088	晴	预期@14:25 未知程序(未用传感器)
16:20	96	50.0	0.088	晴	预期@16:20 未知程序(未用传感器)
总计	672.0 (7次)	350.0			建议进液EC: 2160.0, PH: 6.5


昨天灌溉PH (4.92) 与设定PH (6.2) 偏差较大, 请检查
昨天灌溉PH (4.92) 与手测PH (6.0) 偏差较大, 请检查
回液EC 3710.0 太高, 建议用低EC肥液冲洗基质













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
05:30	90	40.0	0.07	阴	假设@05:30 手动（未用传感器）
06:30	90	40.0	0.07	阴	假设@06:30 手动（未用传感器）
10:05	90	40.0	0.07	多云	假设@10:05 手动（未用传感器）
12:45	90	40.0	0.07	多云	假设@12:45 手动（未用传感器）
14:45	90	40.0	0.07	阴	假设@14:45 手动（未用传感器）
总计	450.0（5次）	200.0			建议进液EC: 2340.0, PH: 6.5

施肥机灌溉量与预期值不符（65.0：47.0），可能水表需要校准
上次灌溉时长未按模型建议(90 vs 77.0))
默认实际灌溉47.0 ml.
昨天灌溉PH（4.92）与设定PH（6.2）偏差较大，请检查
昨天灌溉PH（4.92）与手测PH（6.0）偏差较大，请检查
昨天灌溉EC（2547.0）与手测EC（3073.0）偏差较大，请检查
回液EC 3632.0 太高，建议用低EC肥液冲洗基质
上次灌溉EC（725.0）与设定值（2400.0）偏差较大，请检查。
上次灌溉EC（725.0）与模型建议（2340.0）偏差较大，请检查。
上次灌溉PH（7.4）与设定值（6.2）偏差较大，请检查。




















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
05:50	110	40.0	0.07	晴	假设@05:50 手动（未用传感器）
06:50	110	40.0	0.07	晴	假设@06:50 手动（未用传感器）
08:40	110	40.0	0.07	晴	假设@08:40 手动（未用传感器）
10:35	110	40.0	0.07	晴	假设@10:35 手动（未用传感器）
11:50	110	40.0	0.07	晴	假设@11:50 手动（未用传感器）
13:00	110	40.0	0.07	晴	假设@13:00 手动（未用传感器）
14:05	110	40.0	0.07	晴	假设@14:05 手动（未用传感器）
15:20	110	40.0	0.07	晴	假设@15:20 手动（未用传感器）
17:10	110	40.0	0.07	晴	假设@17:10 手动（未用传感器）
总计	990.0（9次）	360.0			建议进液EC: 2340.0, PH: 6.5

施肥机灌溉量与预期值不符（74.0：58.0），可能水表需要校准
上次灌溉时长未按模型建议（110 vs 75.0）
默认实际灌溉58.0 ml.
昨天灌溉PH（4.89）与设定PH（6.2）偏差较大，请检查
昨天灌溉PH（4.89）与手测PH（6.0）偏差较大，请检查
昨天灌溉EC（2536.0）与手测EC（3060.0）偏差较大，请检查
上次灌溉PH（4.9）与设定值（6.2）偏差较大，请检查。
上次灌溉PH（4.9）与模型建议（6.5）偏差较大，请检查。





















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:15	75	40.0	0.07	晴	假设@06:15 手动（未用传感器）
07:15	75	40.0	0.07	晴	假设@07:15 手动（未用传感器）
09:25	75	40.0	0.07	晴	假设@09:25 手动（未用传感器）
11:25	75	40.0	0.07	晴	假设@11:25 手动（未用传感器）
12:55	75	40.0	0.07	晴	假设@12:55 手动（未用传感器）
14:20	75	40.0	0.07	晴	假设@14:20 手动（未用传感器）
15:55	75	40.0	0.07	晴	假设@15:55 手动（未用传感器）
总计	525.0（7次）	280.0			建议进液EC：2340.0， PH： 6.5

施肥机灌溉量与预期值不符（54.0 ： 42.0），可能水表需要校准
默认实际灌溉42.0 ml.
昨天灌溉PH（4.88）与设定PH（6.2）偏差较大，请检查
昨天灌溉PH（4.88）与手测PH（6.08）偏差较大，请检查
昨天灌溉EC（2521.0）与手测EC（3067.0）偏差较大，请检查
上次灌溉PH（4.8）与设定值（6.2）偏差较大，请检查。
上次灌溉PH（4.8）与模型建议（6.5）偏差较大，请检查。







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
05:55	60	30.0	0.052	晴	假设@05:55 手动（未用传感器）
06:55	60	30.0	0.052	晴	假设@06:55 手动（未用传感器）
07:55	60	30.0	0.052	晴	假设@07:55 手动（未用传感器）
09:00	60	30.0	0.052	晴	假设@09:00 手动（未用传感器）
10:55	60	30.0	0.052	晴	假设@10:55 手动（未用传感器）
12:25	60	30.0	0.052	晴	假设@12:25 手动（未用传感器）
13:45	60	30.0	0.052	晴	假设@13:45 手动（未用传感器）
15:10	60	30.0	0.052	晴	假设@15:10 手动（未用传感器）
总计	480.0（8次）	240.0			建议进液EC: 2340.0, PH: 6.5

施肥机灌溉量与预期值不符（51.0 : 39.0），可能水表需要校准
上次灌溉时长未按模型建议（75 vs 58.0）
默认实际灌溉39.0 ml.
昨天灌溉PH（4.82）与设定PH（6.2）偏差较大，请检查
昨天灌溉PH（4.82）与手测PH（6.25）偏差较大，请检查
上次灌溉PH（4.8）与设定值（6.2）偏差较大，请检查。
上次灌溉PH（4.8）与模型建议（6.5）偏差较大，请检查。

