

































FgArea: [' 0']


NC11 G3-1

2025-05-26 (Day 14)













Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]





Plot [[' FVOPH:r-o', ' PH0:g-o']]






















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:50	68	40.0	晴	预期@06:50 未知程序（未用传感器）
07:50	68	40.0	晴	预期@07:50 未知程序（未用传感器）
08:50	68	40.0	晴	预期@08:50 未知程序（未用传感器）
10:25	68	40.0	晴	预期@10:25 未知程序（未用传感器）
12:30	68	40.0	晴	预期@12:30 未知程序（未用传感器）
14:40	68	40.0	晴	预期@14:40 未知程序（未用传感器）
总计	408.0（6次）	240.0		建议进液EC：2000.0， PH： 6.0


昨天灌溉PH（10.37）与设定PH（6.0）偏差较大，请检查
昨天灌溉PH（10.37）与手测PH（6.5）偏差较大，请检查
进回液EC差(2003.0 vs 3745.0) 过高




























时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	65	40.0	晴	假设@06:40 自动（未用传感器）
07:40	65	40.0	晴	假设@07:40 自动（未用传感器）
08:40	65	40.0	晴	假设@08:40 自动（未用传感器）
11:00	65	40.0	晴	假设@11:00 自动（未用传感器）
13:20	65	40.0	晴	假设@13:20 自动（未用传感器）
15:20	65	40.0	晴	假设@15:20 自动（未用传感器）
总计	390.0（6次）	240.0		建议进液EC：2029.0， PH： 6.0

上次灌溉流速比平时小（0.61 vs 0.68），可能有多阀同灌或管道堵塞或水压不足
默认实际灌溉40.0 ml.
large discrepancy for begining water status (98:267.0), set to 98 ml.
昨天灌溉PH（10.27）与设定PH（6.0）偏差较大，请检查
昨天灌溉PH（10.27）与手测PH（6.5）偏差较大，请检查
进回液EC差(1885.0 vs 3288.0) 过高
上次灌溉PH（10.3）与设定值（6.0）偏差较大，请检查。
上次灌溉PH（10.3）与模型建议（6.0）偏差较大，请检查。























时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:00	65	40.0	晴	假设@08:00 自动（未用传感器）
09:20	65	40.0	晴	假设@09:20 自动（未用传感器）
11:25	65	40.0	晴	假设@11:25 自动（未用传感器）
13:40	65	40.0	晴	假设@13:40 自动（未用传感器）
总计	260.0（4次）	160.0		建议进液EC: 2114.0, PH: 6.0

昨天灌溉PH（10.35）与设定PH（6.2）偏差较大，请检查
昨天灌溉PH（10.35）与手测PH（6.5）偏差较大，请检查
进回液EC差(1892.0 vs 3318.0) 过高
上次灌溉PH（10.2）与设定值（6.0）偏差较大，请检查。
上次灌溉PH（10.2）与模型建议（6.0）偏差较大，请检查。










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:20	66	40.0	多云	假设@08:20 自动（未用传感器）
09:40	66	40.0	多云	假设@09:40 自动（未用传感器）
12:20	66	40.0	多云	假设@12:20 自动（未用传感器）
总计	198.0（3次）	120.0		建议进液EC: 2240.0, PH: 6.0

昨天灌溉PH（10.3）与设定PH（6.28）偏差较大，请检查
昨天灌溉PH（10.3）与手测PH（6.5）偏差较大，请检查
进回液EC差(2025.0 vs 3160.0)偏高
上次灌溉PH（10.3）与设定值（6.2）偏差较大，请检查。
上次灌溉PH（10.3）与模型建议（6.0）偏差较大，请检查。







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:25	53	30.0	多云	假设@08:25 自动（未用传感器）
总计	53.0（1次）	30.0		建议进液EC：2240.0， PH：6.0

昨天灌溉PH（10.29）与设定PH（6.35）偏差较大，请检查
昨天灌溉PH（10.29）与手测PH（6.5）偏差较大，请检查
昨天灌溉EC（1914.0）与手测EC（2547.0）偏差较大，请检查
上次灌溉PH（10.4）与设定值（6.2）偏差较大，请检查。
上次灌溉PH（10.4）与模型建议（6.0）偏差较大，请检查。

