

































FgArea: [' 0']


NC11 G3-1

2025-06-17 (Day 36)













Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forG3-1.0








FgDaily






















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:40	164	100.0	2.16	晴	预期@06:40 未知程序 (未用传感器)
07:40	164	100.0	2.16	晴	预期@07:40 未知程序 (未用传感器)
08:40	164	100.0	2.16	晴	预期@08:40 未知程序 (未用传感器)
09:50	164	100.0	2.16	晴	预期@09:50 未知程序 (未用传感器)
11:00	164	100.0	2.16	晴	预期@11:00 未知程序 (未用传感器)
12:00	164	100.0	2.16	晴	预期@12:00 未知程序 (未用传感器)
13:00	164	100.0	2.16	晴	预期@13:00 未知程序 (未用传感器)
14:00	164	100.0	2.16	晴	预期@14:00 未知程序 (未用传感器)
15:05	164	100.0	2.16	晴	预期@15:05 未知程序 (未用传感器)
16:25	164	100.0	2.16	晴	预期@16:25 未知程序 (未用传感器)
总计	1640.0 (10次)	1000.0			建议进液EC: 3000, PH: 6.5




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	169	100.0	2.16	多云	假设@07:00 自动（未用传感器）
15:25	169	100.0	2.16	小雨	假设@15:25 自动（未用传感器）
总计	338.0（2次）	200.0			建议进液EC：3000， PH：6.5

上次灌溉PH（10.4）与设定值（6.5）偏差较大，请检查。
上次灌溉PH（10.4）与模型建议（6.5）偏差较大，请检查。









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	175	100.0	2.16	阴	假设@08:45 自动（未用传感器）
09:45	175	100.0	2.16	阴	假设@09:45 自动（未用传感器）
总计	350.0（2次）	200.0			建议进液EC：3000， PH：6.5


上次灌溉EC（2476.0）与设定值（3000.0）偏差较大，请检查。
上次灌溉EC（2476.0）与模型建议（3000）偏差较大，请检查。
上次灌溉PH（10.4）与设定值（6.1）偏差较大，请检查。
上次灌溉PH（10.4）与模型建议（6.5）偏差较大，请检查。







m=520, FV0=0




m=610, m FV0=0




m=610, FV0=0















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:25	179	100.0	2.16	雾	假设@06:25 自动（未用传感器）
07:25	179	100.0	2.16	雾	假设@07:25 自动（未用传感器）
08:25	179	100.0	2.16	阴	假设@08:25 自动（未用传感器）
09:25	179	100.0	2.16	阴	假设@09:25 自动（未用传感器）
11:05	179	100.0	2.16	阴	假设@11:05 自动（未用传感器）
12:45	179	100.0	2.16	阴	假设@12:45 自动（未用传感器）
总计	1074.0（6次）	600.0			建议进液EC：3000， PH： 6.5

上次灌溉EC（2544.0）与模型建议（3000）偏差较大，请检查。
上次灌溉PH（10.5）与设定值（6.2）偏差较大，请检查。
上次灌溉PH（10.5）与模型建议（6.5）偏差较大，请检查。







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
05:45	200	100.0	2.16	阴	假设@05:45 自动（未用传感器）
06:45	200	100.0	2.16	多云	假设@06:45 自动（未用传感器）
07:45	200	100.0	2.16	多云	假设@07:45 自动（未用传感器）
08:45	200	100.0	2.16	多云	假设@08:45 自动（未用传感器）
09:45	200	100.0	2.16	多云	假设@09:45 自动（未用传感器）
10:45	200	100.0	2.16	阴	假设@10:45 自动（未用传感器）
12:35	200	100.0	2.16	阴	假设@12:35 自动（未用传感器）
13:40	200	100.0	2.16	阴	假设@13:40 自动（未用传感器）
14:35	200	100.0	2.16	阴	假设@14:35 自动（未用传感器）
16:20	200	100.0	2.16	阴	假设@16:20 自动（未用传感器）
总计	2000.0（10次）	1000.0			建议进液EC：3000， PH：6.5

上次灌溉流速比平时大（0.59 vs 0.53)), 可能有多阀同灌或管道漏水
默认实际灌溉100.0 ml.
large discrepancy for begining water status (381:192.0), set to 381 ml.
上次灌溉PH（10.6）与设定值（6.5）偏差较大, 请检查。
上次灌溉PH（10.6）与模型建议（6.5）偏差较大, 请检查。

