






FgArea: [' 0']


NC11 G3-3

2025-05-25 (Day 13)













Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data




Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'EC0:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forG3-3_0





FgDaily








G3-3_0













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:35	65	40.0	晴	预期@06:35 未知程序（未用传感器）
07:00	65	40.0	晴	预期@07:00 未知程序（未用传感器）
08:55	65	40.0	晴	预期@08:55 未知程序（未用传感器）
11:50	65	40.0	晴	预期@11:50 未知程序（未用传感器）
总计	260.0（4次）	160.0		建议进液EC：2160.0， PH： 6.5













昨天灌溉PH（10.3）与设定PH（6.5）偏差较大，请检查
昨天灌溉PH（10.3）与手测PH（6.5）偏差较大，请检查




时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	66	40.0	晴	假设@08:45 自动（未用传感器）
10:55	66	40.0	晴	假设@10:55 自动（未用传感器）
13:35	66	40.0	晴	假设@13:35 自动（未用传感器）
总计	198.0（3次）	120.0		建议进液EC: 2165.0, PH: 6.5

上次灌溉流速比平时小（0.56 vs 0.63），可能有多阀同灌或管道堵塞或水压不足
默认实际灌溉39.0 ml.
昨天灌溉PH（10.38）与设定PH（6.5）偏差较大，请检查
昨天灌溉PH（10.38）与手测PH（6.5）偏差较大，请检查
上次灌溉PH（10.2）与设定值（6.5）偏差较大，请检查。
上次灌溉PH（10.2）与模型建议（6.5）偏差较大，请检查。










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:55	56	30.0	阴	假设@06:55 自动（未用传感器）
08:20	56	30.0	多云	假设@08:20 自动（未用传感器）
10:35	56	30.0	多云	假设@10:35 自动（未用传感器）
12:55	56	30.0	多云	假设@12:55 自动（未用传感器）
总计	224.0（4次）	120.0		建议进液EC：2268.0， PH：6.5

昨天灌溉PH（10.28）与设定PH（6.5）偏差较大，请检查
昨天灌溉PH（10.28）与手测PH（6.5）偏差较大，请检查
上次灌溉PH（10.3）与设定值（6.5）偏差较大，请检查。
上次灌溉PH（10.3）与模型建议（6.5）偏差较大，请检查。







$m=760$, $FV0=0$




$m=825$, $FV0=0$







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	57	30.0	多云	假设@08:45 自动（未用传感器）
总计	57.0（1次）	30.0		建议进液EC: 2340.0, PH: 6.5

昨天灌溉PH（10.28）与设定PH（6.5）偏差较大，请检查
昨天灌溉PH（10.28）与手测PH（6.5）偏差较大，请检查
昨天灌溉EC（1781.0）与设定EC（2340.0）偏差较大，请检查
昨天灌溉EC（1781.0）与手测EC（2760.0）偏差较大，请检查
上次灌溉PH（10.3）与设定值（6.5）偏差较大，请检查。
上次灌溉PH（10.3）与模型建议（6.5）偏差较大，请检查。







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	56	30.0	多云	假设@08:45 自动（未用传感器）
10:55	56	30.0	多云	假设@10:55 自动（未用传感器）
总计	112.0（2次）	60.0		建议进液EC: 2466.0， PH: 6.5

昨天灌溉PH（10.26）与设定PH（6.5）偏差较大，请检查
昨天灌溉PH（10.26）与手测PH（6.5）偏差较大，请检查
昨天灌溉EC（2047.0）与设定EC（2466.0）偏差较大，请检查
昨天灌溉EC（2047.0）与手测EC（3079.0）偏差较大，请检查
上次灌溉EC（1890.0）与设定值（2340.0）偏差较大，请检查。
上次灌溉EC（1890.0）与模型建议（2466.0）偏差较大，请检查。
上次灌溉PH（10.1）与设定值（6.5）偏差较大，请检查。
上次灌溉PH（10.1）与模型建议（6.5）偏差较大，请检查。

