






FgArea: [' 0']


NC11 G3-3

2025-06-16 (Day 35)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forG3-3_0





FgDaily








G3-3_0













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	169	100.0	2.16	小雨	预期@07:00 未知程序（未用传感器）
08:00	169	100.0	2.16	小雨	预期@08:00 未知程序（未用传感器）
09:15	169	100.0	2.16	小雨	预期@09:15 未知程序（未用传感器）
11:15	169	100.0	2.16	小雨	预期@11:15 未知程序（未用传感器）
13:05	169	100.0	2.16	小雨	预期@13:05 未知程序（未用传感器）
15:00	169	100.0	2.16	小雨	预期@15:00 未知程序（未用传感器）
总计	1014.0（6次）	600.0			建议进液EC：3000， PH： 6.2


昨天施肥机的设置，输出及进液PH分别为6.2, 10.4, 6.5，偏差较大
昨天灌溉PH（10.4）与设定PH（6.5）偏差较大，请检查
昨天灌溉PH（10.4）与手测PH（6.5）偏差较大，请检查
模型建议今天进液PH 6.175
昨天进回液EC数据缺失.
模型建议今天进液EC 2712.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:40	172	100.0	2.16	阴	假设@08:40 自动（未用传感器）
09:40	172	100.0	2.16	阴	假设@09:40 自动（未用传感器）
总计	344.0（2次）	200.0			建议进液EC：3000， PH： 6.2

昨天施肥机的设置，输出及进液PH分别为6.5, 10.5, 6.5，偏差较大
昨天灌溉PH（10.5）与设定PH（6.5）偏差较大，请检查
昨天灌溉PH（10.5）与手测PH（6.5）偏差较大，请检查
模型建议今天进液PH 6.25
模型建议今天进液EC 2792.0
上次灌溉PH（10.4）与设定值（6.2）偏差较大，请检查。
上次灌溉PH（10.4）与模型建议（6.2）偏差较大，请检查。




















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:55	175	100.0	2.16	雾	假设@06:55 自动（未用传感器）
07:55	175	100.0	2.16	雾	假设@07:55 自动（未用传感器）
09:35	175	100.0	2.16	阴	假设@09:35 自动（未用传感器）
11:40	175	100.0	2.16	阴	假设@11:40 自动（未用传感器）
总计	700.0（4次）	400.0			建议进液EC：3000， PH： 6.4

昨天施肥机的设置，输出及进液PH分别为6.5, 10.5, 6.5，偏差较大
昨天灌溉PH（10.53）与设定PH（6.5）偏差较大，请检查
昨天灌溉PH（10.53）与手测PH（6.5）偏差较大，请检查
模型建议今天进液PH 6.42
模型建议今天进液EC 2875.0
上次灌溉EC（2537.0）与模型建议（3000）偏差较大，请检查。
上次灌溉PH（10.5）与设定值（6.5）偏差较大，请检查。
上次灌溉PH（10.5）与模型建议（6.4）偏差较大，请检查。










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:15	175	100.0	2.16	多云	假设@06:15 自动 (未用传感器)
07:15	175	100.0	2.16	多云	假设@07:15 自动 (未用传感器)
08:15	175	100.0	2.16	多云	假设@08:15 自动 (未用传感器)
09:15	175	100.0	2.16	多云	假设@09:15 自动 (未用传感器)
10:40	175	100.0	2.16	阴	假设@10:40 自动 (未用传感器)
13:25	175	100.0	2.16	阴	假设@13:25 自动 (未用传感器)
14:40	175	100.0	2.16	阴	假设@14:40 自动 (未用传感器)
总计	1225.0 (7次)	700.0			建议进液EC: 3000, PH: 6.5

unusual large postFgEt from yesterday (339), set to 300.0 ml.
昨天施肥机的设置, 输出及进液PH分别为6.5, 10.0, 6.5, 偏差较大
昨天灌溉PH (10.03) 与设定PH (6.5) 偏差较大, 请检查
昨天灌溉PH (10.03) 与手测PH (6.5) 偏差较大, 请检查
模型建议今天进液PH 6.5
模型建议今天进液EC 2250.0
上次灌溉PH (10.6) 与设定值 (6.5) 偏差较大, 请检查。
上次灌溉PH (10.6) 与模型建议 (6.5) 偏差较大, 请检查。







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
05:50	263	100.0	2.16	阴	假设@05:50 自动（未用传感器）
06:50	263	100.0	2.16	阴	假设@06:50 自动（未用传感器）
07:50	263	100.0	2.16	阴	假设@07:50 自动（未用传感器）
09:45	263	100.0	2.16	阴	假设@09:45 自动（未用传感器）
13:30	263	100.0	2.16	阴	假设@13:30 自动（未用传感器）
14:40	263	100.0	2.16	阴	假设@14:40 自动（未用传感器）
总计	1578.0（6次）	600.0			建议进液EC: 3000, PH: 6.5

上次灌溉时长未按模型建议(263 vs 175.0))
默认实际灌溉150.0 ml.
昨天施肥机的设置，输出及进液PH分别为6.5, 10.3, 6.5，偏差较大
昨天灌溉PH（10.29）与设定PH（6.5）偏差较大，请检查
昨天灌溉PH（10.29）与手测PH（6.5）偏差较大，请检查
模型建议今天进液PH 6.5
模型建议今天进液EC 2250.0
上次灌溉EC（2312.0）与模型建议（3000）偏差较大，请检查。
上次灌溉PH（9.8）与设定值（6.5）偏差较大，请检查。
上次灌溉PH（9.8）与模型建议（6.5）偏差较大，请检查。

