


































FgArea: [' 0']
NC11 G3-3
2025-06-17 (Day 36)













Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forG3-3.0





FgDaily








G3-3_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:55	169	100.0	2.16	晴	预期@06:55 未知程序 (未用传感器)
07:55	169	100.0	2.16	晴	预期@07:55 未知程序 (未用传感器)
09:35	169	100.0	2.16	晴	预期@09:35 未知程序 (未用传感器)
10:50	169	100.0	2.16	晴	预期@10:50 未知程序 (未用传感器)
11:55	169	100.0	2.16	晴	预期@11:55 未知程序 (未用传感器)
13:00	169	100.0	2.16	晴	预期@13:00 未知程序 (未用传感器)
14:05	169	100.0	2.16	晴	预期@14:05 未知程序 (未用传感器)
15:15	169	100.0	2.16	晴	预期@15:15 未知程序 (未用传感器)
总计	1352.0 (8次)	800.0			建议进液EC: 3000, PH: 6.5














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
15:40	169	100.0	2.16	小雨	假设@15:40 自动（未用传感器）
17:35	169	100.0	2.16	阴	假设@17:35 自动（未用传感器）
总计	338.0（2次）	200.0			建议进液EC：3000， PH： 6.5

上次灌溉PH（10.4）与设定值（6.5）偏差较大，请检查。
上次灌溉PH（10.4）与模型建议（6.5）偏差较大，请检查。













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:40	172	100.0	2.16	阴	假设@08:40 自动（未用传感器）
09:40	172	100.0	2.16	阴	假设@09:40 自动（未用传感器）
11:05	172	100.0	2.16	多云	假设@11:05 自动（未用传感器）
总计	516.0 (3次)	300.0			建议进液EC: 3000, PH: 6.5

上次灌溉PH（10.4）与设定值（6.2）偏差较大，请检查。
上次灌溉PH（10.4）与模型建议（6.5）偏差较大，请检查。




















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:30	175	100.0	2.16	雾	假设@06:30 自动（未用传感器）
07:30	175	100.0	2.16	雾	假设@07:30 自动（未用传感器）
08:30	175	100.0	2.16	阴	假设@08:30 自动（未用传感器）
09:40	175	100.0	2.16	阴	假设@09:40 自动（未用传感器）
10:50	175	100.0	2.16	阴	假设@10:50 自动（未用传感器）
11:55	175	100.0	2.16	阴	假设@11:55 自动（未用传感器）
13:10	175	100.0	2.16	阴	假设@13:10 自动（未用传感器）
总计	1225.0（7次）	700.0			建议进液EC：3000， PH：6.5

上次灌溉EC（2537.0）与模型建议（3000）偏差较大，请检查。
上次灌溉PH（10.5）与设定值（6.5）偏差较大，请检查。
上次灌溉PH（10.5）与模型建议（6.5）偏差较大，请检查。







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
05:45	175	100.0	2.16	阴	假设@05:45 自动 (未用传感器)
06:45	175	100.0	2.16	多云	假设@06:45 自动 (未用传感器)
07:45	175	100.0	2.16	多云	假设@07:45 自动 (未用传感器)
08:45	175	100.0	2.16	多云	假设@08:45 自动 (未用传感器)
09:45	175	100.0	2.16	多云	假设@09:45 自动 (未用传感器)
10:45	175	100.0	2.16	阴	假设@10:45 自动 (未用传感器)
12:05	175	100.0	2.16	阴	假设@12:05 自动 (未用传感器)
13:20	175	100.0	2.16	阴	假设@13:20 自动 (未用传感器)
14:10	175	100.0	2.16	阴	假设@14:10 自动 (未用传感器)
14:55	175	100.0	2.16	阴	假设@14:55 自动 (未用传感器)
16:15	175	100.0	2.16	阴	假设@16:15 自动 (未用传感器)
总计	1925.0 (11次)	1100.0			建议进液EC: 3000, PH: 6.5

unusual large postFgEt from yesterday (346), set to 300.0 ml.
上次灌溉PH (10.6) 与设定值 (6.5) 偏差较大, 请检查。
上次灌溉PH (10.6) 与模型建议 (6.5) 偏差较大, 请检查。

