

































FgArea: [' 0']


NC11 G3-4

2025-06-02 (Day 21)













Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt ']




Plot Sensor and FgRec Data





Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forG3-4_0








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:10	95	60.0	1.296	晴	预期@06:10 未知程序 (未用传感器)
06:50	95	60.0	1.296	晴	预期@06:50 未知程序 (未用传感器)
08:05	95	60.0	1.296	晴	预期@08:05 未知程序 (未用传感器)
09:05	95	60.0	1.296	晴	预期@09:05 未知程序 (未用传感器)
09:50	95	60.0	1.296	晴	预期@09:50 未知程序 (未用传感器)
10:35	95	60.0	1.296	晴	预期@10:35 未知程序 (未用传感器)
11:10	95	60.0	1.296	晴	预期@11:10 未知程序 (未用传感器)
11:45	95	60.0	1.296	晴	预期@11:45 未知程序 (未用传感器)
12:20	95	60.0	1.296	晴	预期@12:20 未知程序 (未用传感器)
12:55	95	60.0	1.296	晴	预期@12:55 未知程序 (未用传感器)
13:35	95	60.0	1.296	晴	预期@13:35 未知程序 (未用传感器)
14:10	95	60.0	1.296	晴	预期@14:10 未知程序 (未用传感器)
14:50	95	60.0	1.296	晴	预期@14:50 未知程序 (未用传感器)
15:35	95	60.0	1.296	晴	预期@15:35 未知程序 (未用传感器)
16:25	95	60.0	1.296	晴	预期@16:25 未知程序 (未用传感器)
总计	1425.0 (15次)	900.0			建议进液EC: 3000.0, PH: 6.5


昨天灌溉PH (10.48) 与设定PH (6.5) 偏差较大, 请检查
昨天灌溉PH (10.48) 与手测PH (6.5) 偏差较大, 请检查
昨天灌溉EC (1985.0) 与设定EC (2500.0) 偏差较大, 请检查




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	95	60.0	1.296	雾	假设@08:45 自动 (未用传感器)
09:45	95	60.0	1.296	多云	假设@09:45 自动 (未用传感器)
10:45	95	60.0	1.296	多云	假设@10:45 自动 (未用传感器)
12:25	95	60.0	1.296	阴	假设@12:25 自动 (未用传感器)
14:05	95	60.0	1.296	阴	假设@14:05 自动 (未用传感器)
15:50	95	60.0	1.296	阴	假设@15:50 自动 (未用传感器)
总计	570.0 (6次)	360.0			建议进液EC: 3000.0, PH: 6.5

昨天灌溉PH (10.39) 与设定PH (6.5) 偏差较大, 请检查
昨天灌溉PH (10.39) 与手测PH (6.5) 偏差较大, 请检查
上次灌溉PH (10.8) 与设定值 (6.5) 偏差较大, 请检查。
上次灌溉PH (10.8) 与模型建议 (6.5) 偏差较大, 请检查。










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:35	92	60.0	1.296	阴	假设@06:35 自动（未用传感器）
07:35	92	60.0	1.296	阴	假设@07:35 自动（未用传感器）
09:00	92	60.0	1.296	阴	假设@09:00 自动（未用传感器）
10:25	92	60.0	1.296	阴	假设@10:25 自动（未用传感器）
12:00	92	60.0	1.296	阴	假设@12:00 自动（未用传感器）
14:55	92	60.0	1.296	小雨	假设@14:55 自动（未用传感器）
总计	552.0（6次）	360.0			建议进液EC：3000.0， PH： 6.5

上次灌溉流速比平时小（0.47 vs 0.59），可能有多阀同灌或管道堵塞或水压不足
施肥机灌溉量与预期值不符（88.0：120.0），可能水表需要校准
上次灌溉时长未按模型建议（188 vs 94.0）
默认实际灌溉120.0 ml.
昨天灌溉PH（10.36）与设定PH（6.5）偏差较大，请检查
昨天灌溉PH（10.36）与手测PH（6.5）偏差较大，请检查
进回液EC差（1823.0 vs 2500.0）偏高
上次灌溉PH（10.4）与设定值（6.5）偏差较大，请检查。
上次灌溉PH（10.4）与模型建议（6.5）偏差较大，请检查。











时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:35	92	60.0	1.296	阴	假设@06:35 自动 (未用传感器)
08:05	92	60.0	1.296	阴	假设@08:05 自动 (未用传感器)
10:00	92	60.0	1.296	阴	假设@10:00 自动 (未用传感器)
11:30	92	60.0	1.296	阴	假设@11:30 自动 (未用传感器)
12:45	92	60.0	1.296	阴	假设@12:45 自动 (未用传感器)
14:10	92	60.0	1.296	阴	假设@14:10 自动 (未用传感器)
16:30	92	60.0	1.296	阴	假设@16:30 自动 (未用传感器)
总计	644.0 (7次)	420.0			建议进液EC: 3000.0, PH: 6.5

上次灌溉时长未按模型建议 (123 vs 92.0))
默认实际灌溉80.0 ml.
昨天灌溉PH (10.35) 与设定PH (6.5) 偏差较大, 请检查
昨天灌溉PH (10.35) 与手测PH (6.5) 偏差较大, 请检查
进回液EC差 (1877.0 vs 2987.0) 偏高
上次灌溉PH (10.4) 与设定值 (6.5) 偏差较大, 请检查。
上次灌溉PH (10.4) 与模型建议 (6.5) 偏差较大, 请检查。









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:35	91	60.0	1.296	晴	假设@06:35 自动 (未用传感器)
07:35	91	60.0	1.296	晴	假设@07:35 自动 (未用传感器)
09:05	91	60.0	1.296	多云	假设@09:05 自动 (未用传感器)
10:35	91	60.0	1.296	多云	假设@10:35 自动 (未用传感器)
12:05	91	60.0	1.296	多云	假设@12:05 自动 (未用传感器)
13:35	91	60.0	1.296	晴	假设@13:35 自动 (未用传感器)
14:55	91	60.0	1.296	晴	假设@14:55 自动 (未用传感器)
16:35	91	60.0	1.296	多云	假设@16:35 自动 (未用传感器)
总计	728.0 (8次)	480.0			建议进液EC: 3000.0, PH: 6.5

昨天灌溉PH (10.28) 与设定PH (6.5) 偏差较大, 请检查
昨天灌溉PH (10.28) 与手测PH (6.5) 偏差较大, 请检查
进回液EC差(1938.0 vs 3305.0) 过高
上次灌溉PH (10.3) 与设定值 (6.5) 偏差较大, 请检查。
上次灌溉PH (10.3) 与模型建议 (6.5) 偏差较大, 请检查。

