

































FgArea: [' 0']


NC11 G3-4

2025-06-17 (Day 36)













Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'slSetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'EC0:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forG3-4.0








FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:30	161	100.0	2.16	晴	预期@06:30 未知程序 (未用传感器)
08:00	161	100.0	2.16	晴	预期@08:00 未知程序 (未用传感器)
09:50	161	100.0	2.16	晴	预期@09:50 未知程序 (未用传感器)
11:10	161	100.0	2.16	晴	预期@11:10 未知程序 (未用传感器)
12:25	161	100.0	2.16	晴	预期@12:25 未知程序 (未用传感器)
13:40	161	100.0	2.16	晴	预期@13:40 未知程序 (未用传感器)
15:00	161	100.0	2.16	晴	预期@15:00 未知程序 (未用传感器)
总计	1127.0 (7次)	700.0			建议进液EC: 3000, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:50	164	100.0	2.16	多云	假设@06:50 自动（未用传感器）
07:50	164	100.0	2.16	多云	假设@07:50 自动（未用传感器）
13:10	164	100.0	2.16	大雨	假设@13:10 自动（未用传感器）
总计	492.0 (3次)	300.0			建议进液EC: 3000, PH: 6.5

上次灌溉PH（10.3）与设定值（6.5）偏差较大，请检查。
上次灌溉PH（10.3）与模型建议（6.5）偏差较大，请检查。










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	169	100.0	2.16	阴	假设@08:20 自动（未用传感器）
09:20	169	100.0	2.16	阴	假设@09:20 自动（未用传感器）
10:20	169	100.0	2.16	多云	假设@10:20 自动（未用传感器）
13:20	169	100.0	2.16	小雨	假设@13:20 自动（未用传感器）
总计	676.0（4次）	400.0			建议进液EC：3000， PH： 6.5



上次灌溉PH（10.4）与设定值（6.4）偏差较大，请检查。
上次灌溉PH（10.4）与模型建议（6.5）偏差较大，请检查。




m=455, FV0=0




m=515, FV0=0




m=455, m FV0=0

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:05	169	100.0	2.16	雾	假设@06:05 自动（未用传感器）
07:05	169	100.0	2.16	雾	假设@07:05 自动（未用传感器）
08:05	169	100.0	2.16	阴	假设@08:05 自动（未用传感器）
09:05	169	100.0	2.16	阴	假设@09:05 自动（未用传感器）
10:05	169	100.0	2.16	阴	假设@10:05 自动（未用传感器）
11:05	169	100.0	2.16	阴	假设@11:05 自动（未用传感器）
12:05	169	100.0	2.16	阴	假设@12:05 自动（未用传感器）
13:05	169	100.0	2.16	阴	假设@13:05 自动（未用传感器）
14:05	169	100.0	2.16	阴	假设@14:05 自动（未用传感器）
总计	1521.0（9次）	900.0			建议进液EC：3000， PH： 6.5

上次灌溉PH（10.5）与设定值（6.4）偏差较大，请检查。
上次灌溉PH（10.5）与模型建议（6.5）偏差较大，请检查。







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
05:35	254	100.0	2.16	阴	假设@05:35 自动（未用传感器）
06:35	254	100.0	2.16	多云	假设@06:35 自动（未用传感器）
07:35	254	100.0	2.16	多云	假设@07:35 自动（未用传感器）
08:35	254	100.0	2.16	多云	假设@08:35 自动（未用传感器）
09:35	254	100.0	2.16	多云	假设@09:35 自动（未用传感器）
10:35	254	100.0	2.16	阴	假设@10:35 自动（未用传感器）
11:35	254	100.0	2.16	阴	假设@11:35 自动（未用传感器）
13:05	254	100.0	2.16	阴	假设@13:05 自动（未用传感器）
14:00	254	100.0	2.16	阴	假设@14:00 自动（未用传感器）
14:50	254	100.0	2.16	阴	假设@14:50 自动（未用传感器）
16:15	254	100.0	2.16	阴	假设@16:15 自动（未用传感器）
总计	2794.0（11次）	1100.0			建议进液EC：3000， PH：6.5

large discrepancy for begining water status (332:144.0), set to 332 ml.
上次灌溉PH（10.6）与设定值（6.3）偏差较大，请检查。
上次灌溉PH（10.6）与模型建议（6.5）偏差较大，请检查。

