
Phenotype Data Analysis Plots
PhenoData day range = 18 - 160
Analysis cutoff day = 160
NC11 P10
2026-03-28 (Day 161)


avg1=6.0≈0% avg2=na
P10AE TrimTruss
P10AE
Object Number
page 1
0
1
2
3
4
5
6


avg1=5.0~18% avg2=na
avg1=6.0~0% avg2=na
P10AE TrimFruit
P10AE
Object Number
page 1


FrV_avgAbsY (Def=na Set=132.53)
avg1=132.53~25% avg2=na
P10AE
Object Number
LfW_Q90AbsY (Def=30 Set=50.0)
avg1=50.0~7% avg2=na
P10AE Thermostat
Object Number
FrV_Q90AbsY (Def=179.5 Set=147.09)
avg1=147.09~31% avg2=na
Object Number


LfA_Q90AbsY (Def=0.04 Set=0.04)
avg1=0.07~4% avg2=na
Object Number
LfL_avgAbsY (Def=na Set=32.25)
avg1=32.25~32% avg2=na
Object Number
LfL_Q90AbsY (Def=40 Set=41.5)
avg1=41.5~7% avg2=na
page 1
Object Number

NdL_avgAbsY (Def=na Set=6.6)
avg1=6.6~47% avg2=na



FrD_Q90AbsY (Def=70 Set=65.6)
avg1=65.6~11% avg2=na



FrD_avgAbsY (Def=na Set=63.4)
avg1=63.4~9% avg2=na



NdD_Q90AbsY (Def=18 Set=16.09)
avg1=16.09~10% avg2=na



NdD_avgAbsY (Def=na Set=14.34)
avg1=14.34~18% avg2=na



LfA_avgAbsY (Def=na Set=0.03)
avg1=0.03~63% avg2=na




LtW_avgAbsY (Def=na Set=33.0)
avg1=33.0~35% avg2=na
0
20
40
0
20
40
60
80
100
Object Number


NdL_Q90AbsY (Def=5 Set=7.82)
avg1=7.82~13% avg2=na
0
2
4
6
8
10
0
20
40
60
80
100
Object Number


NdV_Q90AbsY (Def=12.72 Set=13.9)
avg1=13.9~18% avg2=na
0
5
10
15
0
20
40
60
80
100
Object Number


NdV_avgAbsY (Def=na Set=10.8)
avg1=10.8~34% avg2=na
0
5
10
15
20
0
20
40
60
80
100
Object Number


P10AE-081-12 (fit failed)
BDL [0.72, 9.7, 55.2, 1.0]
UF


P10AE-087-27 (fit failed)
BDL [0.58, 9.55, 21.76, 1.0]
UF


P10AE-095-20 (fit failed)


P10AE-103-32 (fit failed)
BDL [0.65, 0.1, 61.0, 0.99]
UF


P10AE-114-7 (fit failed)
BDL [0.62, 16.04, 18.27, 1.0]
UF


P10AEavg (fit failed)
NdN
BDL [0.68, 0.56, 60.51, 1.0]
25
20
15
10
5
0
0
0
-1
UF
page 1
0
20
40
60
80


avg1=0.64(fall) avg2=0.68
P10AE
Object Number
avg1=8.85(fall) avg2=0.56
P10AE NdN
Object Number
avg1=39.06(fall) avg2=60.51
page 1
Object Number


P10AE InitDev
avg1=0.61~0% avg2=0.61
avg1=66.45~0% avg2=66.45
P10AE
Object Number
page 1


P10AE-081-12
Linear [0.52, 4.35, -8.39, 0.99]
UF
LIN


P10AE-087-27
Linear [0.41, 7.84, -19.16, 0.99]
UF
LIN


P10AE-103-32
Linear [0.45, 6.01, -13.51, 0.99]
UF
LIN


P10AE-114-7
Linear [0.45, 6.27, -13.82, 0.99]
UF
LIN
page 1


P10AEavg
LfN
Linear [0.48, 5.73, -11.96, 1.0]
20
15
10
5
0
0
0
-1
UF
page 1
0
20
40
60
80


avg1=0.45≈10% avg2=0.48≈4%
P10AE LfN
0.5
0.4
0.3
0.2
0.1
0.0
P10AE
page 1
0
1
2
3
4
5
6
Object Number


LfN
By Start Date
By Plant/Organ Age
P10AE
1.0
0.5
0.0
-0.5
-1.0
40
50
60
70
80
90
100
0
20
page 2


P10AE-081-12
Linear [3.67, -30.16, 8.22, 1.0]
UF


P10AE-087-27
Linear [2.77, -2.99, 1.08, 0.99]
UF


P10AE-095-20
Linear [2.94, -9.42, 3.21, 0.99]
UF


P10AE-103-32
Linear [2.76, -4.33, 1.57, 0.99]
UF


P10AE-114-7
Linear [3.78, -26.7, 7.07, 1.0]
UF


avg1=2.94≈17% avg2=na
P10AE StH
P10AE
Object Number
page 1
0
1
2
3
4
5
6

StH


By Start Date
By Plant/Organ Age
P10AE
1.0
0.5
0.0
-0.5
-1.0
30
40
50
60
70
80
90
100
0
20
40
60
80
100
page 2


P10AE-081-12
Linear [0.2, -1.44, 7.33, 0.99]
P10AE-087-27
Linear [0.19, -1.21, 6.37, 0.98]
P10AE-103-32
Linear [0.19, -1.18, 6.1, 0.99]
P10AE-114-7
Linear [0.18, -0.96, 5.27, 0.99]
TSN
UF
page 1


P10AEavg
IsN
Linear [0.19, -1.17, 6.07, 1.0]
5
4
3
2
1
0
UF
page 1
0
-1
0
20
40
60
80


avg1=0.19~3% avg2=0.19~5%
P10AE TsN
0.20
0.15
0.10
0.05
0.00
page 1
0
1
2
3
4
5
6


TsN
By Start Date
By Plant/Organ Age
P10AE
1.0
0.5
0.0
-0.5
-1.0
30
40
50
60
70
80
90
100
0
20
page 2


ErN
P10AE-081-12T1
Linear [0.83, -13.12, 15.82, 1.0]
P10AE-081-12T2
Linear [0.67, -13.67, 20.47, 0.99]
P10AE-081-12T3
Linear [0.66, -16.46, 25.12, 0.99]
P10AE-081-12T4
Linear [0.64, -18.74, 29.23, 0.96]
P10AE-081-12T5
Linear [0.3, -10.17, 33.56, 0.99]
P10AE-087-27T1
Linear [0.52, -6.66, 12.76, 0.93]
P10AE-087-27T2
Linear [0.84, -15.4, 18.37, 0.98]
P10AE-087-27T3
Linear [0.63, -14.73, 23.39, 0.99]
P10AE-087-27T4 (fit failed)
UF

P10AE-087-27T5 (fit failed)



P10AE-095-20T1



P10AE-095-20T2



P10AE-095-20T3



P10AE-095-20T4



P10AE-095-20T5



P10AE-095-20T6 (fit failed)



P10AE-103-32T1



P10AE-103-32T2




P10AE-103-32T3
Linear [0.78, -18.2, 23.28, 0.92]
P10AE-103-32T4
Linear [0.9, -26.21, 28.99, 0.97]
P10AE-103-32T5
Linear [0.34, -10.41, 30.55, 0.99]
P10AE-103-32T6 (fit failed)
P10AE-114-7T1
Linear [0.71, -9.31, 13.16, 0.99]
P10AE-114-7T2
Linear [0.53, -9.08, 17.1, 0.94]
P10AE-114-7T3
Linear [0.76, -18.19, 23.9, 0.94]
P10AE-114-7T4
Linear [0.73, -21.34, 29.42, 0.93]
P10AE-114-7T5
Linear [0.41, -15.07, 37.01, 1.0]
UF


P10AE-114-7T6
Linear [0.29, -11.89, 40.62, 0.99]
UF
page 4
4
3
2
1
0
0
-1
0
25
50
75
100
125

FrN


avg1=0.64≈30% avg2=na
P10AE FrN
1.0
0.8
0.6
0.4
0.2
0.0
P10AE
page 1
0
5
10
15
20
25

FrN




P10AE-081-12T1Fr1
BetaS [0.56, 25.0, 21.62, 7.59, 0.99]
P10AE-081-12T1Fr5
BetaS [0.77, 46.0, 14.21, 11.91, 0.99]
P10AE-081-12T2Fr1
BetaS [0.65, 52.0, 17.37, 13.49, 0.99]
P10AE-081-12T2Fr5
BetaS [0.82, 64.0, 14.85, 17.99, 1.0]
P10AE-081-12T3Fr1
BetaS [1.0, 58.0, 19.09, 10.39, 0.99]
P10AE-081-12T3Fr5
BetaS [0.87, 69.5, 17.5, 12.84, 1.0]
P10AE-081-12T4Fr1
BetaS [1.06, 70.5, 18.8, 10.91, 1.0]
P10AE-081-12T4Fr5
BetaS [0.86, 83.5, 18.78, 10.7, 1.0]
P10AE-081-12T5Fr1
BetaS [0.74, 93.5, 19.24, 11.63, 0.99]
UF


P10AE-081-12T6Fr1
BetaS [0.7, 103.0, 23.14, 8.93, 0.99]
P10AE-087-27T1Fr1
BetaS [0.33, 27.0, 17.28, 4.5, 0.99]
P10AE-087-27T1Fr5
BetaS [0.58, 48.0, 12.36, 9.7, 0.99]
P10AE-087-27T2Fr1 (fit failed)
BetaS [2.16, 47.5, 14.93, 5.14, 0.99]
P10AE-087-27T2Fr5
BetaS [0.49, 61.0, 11.96, 10.11, 0.99]
P10AE-087-27T3Fr1
BetaS [0.88, 64.5, 17.22, 15.49, 0.99]
P10AE-087-27T3Fr5 (fit failed)
BetaS [1.54, 78.0, 31.24, 45.0, 1.0]
P10AE-087-27T4Fr1
BetaS [0.18, 79.0, 11.61, 10.43, 1.0]
P10AE-087-27T4Fr5 (fit failed)
BetaS [0.32, 71.5, 33.77, 11.35, 0.98]
UF


P10AE-087-27T5Fr1 (fit failed)
P10AE-095-20T1Fr1
BetaS [0.71, 35.0, 15.92, 7.73, 0.98]
P10AE-095-20T1Fr5
BetaS [0.69, 45.0, 13.21, 11.71, 0.98]
P10AE-095-20T2Fr1
BetaS [1.17, 50.0, 17.69, 15.17, 0.99]
P10AE-095-20T2Fr5
BetaS [0.9, 55.5, 16.15, 14.64, 0.99]
P10AE-095-20T3Fr1
BetaS [1.02, 58.0, 18.63, 9.86, 1.0]
P10AE-095-20T3Fr5
BetaS [0.7, 74.5, 14.77, 10.17, 1.0]
P10AE-095-20T4Fr1
BetaS [0.73, 78.0, 14.81, 9.97, 1.0]
P10AE-095-20T4Fr5
BetaS [0.54, 88.0, 13.94, 12.65, 1.0]
UF


P10AE-095-20T5Fr1
BetaS [0.57, 80.5, 19.05, 7.14, 1.0]
P10AE-095-20T5Fr5
BetaS [0.85, 103.5, 17.82, 8.58, 1.0]
P10AE-095-20T6Fr1 (fit failed)
P10AE-095-20T6Fr5 (fit failed)
BetaS [1.12, 111.5, 22.32, 7.51, 1.0]
P10AE-103-32T1Fr1
BetaS [1.18, 32.0, 13.88, 5.67, 0.99]
P10AE-103-32T1Fr5
BetaS [1.02, 33.5, 15.73, 7.98, 0.99]
P10AE-103-32T2Fr1
BetaS [0.79, 45.0, 15.17, 7.82, 0.99]
P10AE-103-32T2Fr5
BetaS [0.91, 55.5, 15.02, 12.41, 0.99]
P10AE-103-32T3Fr1
BetaS [1.75, 63.0, 15.18, 11.63, 1.0]
UF


P10AE-103-32T3Fr5
BetaS [2.05, 74.0, 12.43, 12.71, 1.0]
P10AE-103-32T4Fr1
BetaS [0.97, 68.5, 21.81, 9.27, 1.0]
P10AE-103-32T4Fr5
BetaS [1.46, 84.5, 19.45, 10.5, 1.0]
P10AE-103-32T5Fr1
BetaS [1.08, 81.5, 21.72, 9.89, 1.0]
P10AE-103-32T5Fr5
BetaS [0.48, 94.5, 18.8, 6.89, 1.0]
P10AE-103-32T6Fr5
BetaS [0.64, 117.0, 17.23, 7.61, 1.0]
P10AE-114-7T1Fr1
BetaS [1.31, 34.0, 14.8, 9.93, 0.99]
P10AE-114-7T1Fr5
BetaS [0.89, 45.0, 14.55, 12.28, 0.99]
P10AE-114-7T2Fr1
BetaS [0.75, 50.0, 15.7, 11.35, 0.99]
UF


P10AE-114-7T2Fr5
BetaS [0.86, 55.5, 15.34, 14.04, 1.0]
P10AE-114-7T3Fr1
BetaS [0.89, 58.0, 18.98, 11.53, 0.99]
P10AE-114-7T3Fr5
BetaS [1.03, 69.5, 15.9, 12.85, 1.0]
P10AE-114-7T4Fr1
BetaS [0.8, 78.0, 16.93, 12.78, 1.0]
P10AE-114-7T4Fr5
BetaS [0.63, 88.5, 14.38, 11.65, 1.0]
P10AE-114-7T5Fr1
BetaS [0.33, 77.5, 26.46, 6.65, 0.99]
P10AE-114-7T5Fr5
BetaS [0.32, 108.0, 20.73, 7.75, 1.0]
P10AE-114-7T6Fr1
BetaS [0.56, 106.5, 19.92, 8.46, 0.99]
P10AE-114-7T6Fr5
BetaS [0.41, 106.5, 23.04, 4.74, 1.0]
UF


Ymax (Def=1 Set=0.78)
avg1=0.78~34% avg2=na
P10AE
Object Number


tb (Def=na Set=na)
avg1=69.01~34% avg2=na
Object Number


dm (Def=18 Set=16.93)
avg1=16.93~18% avg2=na
Object Number


de (Def=15 Set=10.39)
avg1=10.39~27% avg2=na
page 1
Object Number


By Start Date
By Plant/Organ Age
P10AE
1.0
0.5
0.0
-0.5
-1.0
60
80
100
120
140
0
20
40
60
80
100
page 2


P10AE-081-12L10 (fit failed)
BetaS [1.96, 26.0, 6.15, 4.46, 0.63]
P10AE-081-12L13 (fit failed)
BetaS [0.75, 32.5, 8.86, 4.37, 0.61]
P10AE-081-12L16 (fit failed)
BetaS [1.13, 48.0, 5.57, 3.6, 0.65]
P10AE-081-12L19 (fit failed)
BetaS [0.53, 40.5, 3.6, 16.75, 0.9]
P10AE-081-12L22 (fit failed)
BetaS [0.48, 57.5, 3.88, 19.92, 0.94]
P10AE-081-12L7 (fit failed)
BetaS [1.51, 2.5, 3.62, 15.43, 0.98]
P10AE-087-27L11 (fit failed)
BetaS [1.69, 24.0, 4.02, 8.99, 0.99]
P10AE-087-27L14 (fit failed)
BetaS [0.57, 34.5, 3.66, 9.08, 0.89]
P10AE-087-27L17
BetaS [0.51, 31.5, 7.62, 7.09, 0.95]
UF


P10AE-087-27L20
BetaS [0.25, 49.5, 3.6, 8.11, 0.78]
P10AE-087-27L23 (fit failed)
P10AE-087-27L8 (fit failed)
BetaS [1.16, 0.5, 3.6, 14.35, 0.96]
P10AE-095-20L10 (fit failed)
BetaS [1.38, 22.0, 7.72, 4.86, 0.86]
P10AE-095-20L13 (fit failed)
BetaS [0.97, 34.0, 4.9, 9.81, 0.97]
P10AE-095-20L16 (fit failed)
BetaS [0.89, 41.5, 5.26, 7.25, 0.9]
P10AE-095-20L19 (fit failed)
BetaS [0.52, 59.0, 4.4, 9.69, 0.96]
P10AE-095-20L22 (fit failed)
BetaS [0.18, 56.0, 3.6, 14.37, 0.94]
P10AE-095-20L7 (fit failed)
BetaS [1.33, 0.5, 4.06, 14.64, 0.98]
UF


P10AE-103-32L10 (fit failed)
BetaS [1.6, 2.0, 3.6, 14.99, 0.92]
UF


P10AE-103-32L13 (fit failed)
BetaS [0.76, 34.0, 6.85, 4.0, 0.9]
UF


P10AE-103-32L16 (fit failed)
BetaS [0.59, 30.0, 9.26, 6.34, 0.35]
UF


P10AE-103-32L19 (fit failed)
BetaS [0.36, 50.5, 5.48, 5.39, 0.13]
UF


P10AE-103-32L22 (fit failed)
BetaS [0.19, 76.5, 3.6, 17.68, 0.96]
UF


P10AE-103-32L7 (fit failed)
BetaS [1.67, 3.5, 4.1, 14.34, 0.99]
UF


P10AE-114-7L10 (fit failed)
BetaS [1.4, 22.0, 7.33, 6.07, 0.96]
UF


P10AE-114-7L13 (fit failed)
BetaS [1.7, 34.0, 5.63, 5.14, 0.52]
UF


P10AE-114-7L16 (fit failed)
BetaS [1.12, 41.5, 7.06, 3.65, 0.5]
UF


P10AE-114-7L19 (fit failed)
BetaS [0.54, 59.0, 4.36, 10.94, 0.96]
UF
0.4
0.2
0.0
0
-1
0
50
100
150


P10AE-114-7L22 (fit failed)
BetaS [0.47, 54.5, 3.62, 19.84, 0.91]
UF
0.4
0.2
0.0
0
-1
0
50
100
150


P10AE-114-7L7
BetaS [1.33, -16.0, 12.82, 6.04, 0.97]
UF
1.0
0.5
0.0
0
-1
0
20
40
60
80
100

Ymax (Def=1 Set=0.89)
avg1=0.89~59% avg2=na



tb (Def=na Set=na)
avg1=34.0~72% avg2=na



dm (Def=12 Set=12)
avg1=5.61~78% avg2=na



de (Def=12 Set=9.75)
avg1=9.75~43% avg2=na




LfA
By Start Date
By Plant/Organ Age
P10AE
1.0
0.5
0.0
-0.5
-1.0
40
60
80
100
120
0
20
page 2


Fr_dm (Def=5 Set=4.39)
avg1=4.39~15% avg2=4.44~13%
Fr_de (Def=5 Set=4.39)
avg1=4.39~15% avg2=4.44~13%
FrV_dm (Def=18 Set=18.59)
avg1=18.59~9% avg2=18.08~5%
P10AE
Object Number
FrV_de (Def=15 Set=11.41)
avg1=11.41~9% avg2=11.1~5%
FrN_a (Def=0.45 Set=0.71)
avg1=0.71~43% avg2=0.79~38%
FSDdevStage (Def=0.01 Set=0.01)
avg1=0.04~116% avg2=0.07~119%
page 1

FGDdevStage (Def=0.7 Set=0.7)
avg1=na avg2=na



FMBDdevStage (Def=1.3 Set=1.3)
avg1=na avg2=na



FMEDdevStage (Def=1.8 Set=1.8)
avg1=na avg2=na



FHDdevStage (Def=1.5 Set=1.45)
avg1=1.45~16% avg2=1.37~13%



NNgen (Def=10 Set=8)
avg1=8.0~0% avg2=8.2




LfA: avg vs. d at each age group
age=25
avg
0.0038
0.0036
0.0034
0.0032
0.0030
100
101
102
103
104
105
d
page 1
age=30
avg
0.04
0.03
0.02
0.01
50
60
70
80
90
100
110
d


LfA: model est vs obsOv@Q50
q50
est
0.014
0.012
0.010
0.008
0.006
0.004
25
26
27
28
29
30


P10AE LfA: D_5d_LfA
DeltaTypeAbbr=GrpByAge
DeltaTypeAbbr=GrpByDay
DeltaTypeAbbr=WeiAvgByD
page 3
pcrDelta_avg
pcrDeltaAdj_avg
d


P10AE LfA: D_15d_LfA
DeltaTypeAbbr=GrpByAge
DeltaTypeAbbr=GrpByDay
DeltaTypeAbbr=WeiAvgByD
page 4
pcrDelta_avg
pcrDeltaAdj_avg
d

P10AE LfA: D_Q50_LfA







P10AE LfA: D_Est_LfA

DeltaTypeAbbr=GrpByAge



DeltaTypeAbbr=GrpByDay



DeltaTypeAbbr=WeiAvgByD




LfA: sfDem
2.0
1.5
1.0
0.5
0.0
40
50
60
70
80
90
100
d
sfDem


d
45
48
51
54
57
60
63
66
69
72
75
78
81
84
87
90
93
96
99
102
105
108
40
20
0
-20
-40

NdD: avg vs. d at each age group










NdD: model est vs obsOv@Q50
q50
est
10
8
6
4
2
26
28
30
32
34
36
38
40


P10AE NdD: D_5d_NdD
DeltaTypeAbbr=GrpByAge
DeltaTypeAbbr=GrpByDay
DeltaTypeAbbr=WeiAvgByD
pcrDelta_avg
pcrDeltaAdj_avg
d
page 11


P10AE NdD: D_15d_NdD
DeltaTypeAbbr=GrpByAge
DeltaTypeAbbr=GrpByDay
DeltaTypeAbbr=WeiAvgByD
pcrDelta_avg
pcrDeltaAdj_avg
d
page 12

P10AE NdD: D_Q50_NdD

DeltaTypeAbbr=GrpByAge



DeltaTypeAbbr=GrpByDay



DeltaTypeAbbr=WeiAvgByD



P10AE NdD: D_Est_NdD

DeltaTypeAbbr=GrpByAge



DeltaTypeAbbr=GrpByDay



DeltaTypeAbbr=WeiAvgByD




NdD: sfDem
2.0
1.5
1.0
0.5
0.0
20
40
60
80
100
d
sfDem


d
30
34
38
42
46
50
54
58
62
66
70
74
78
82
86
90
94
98
102
106
110
114
118
40
20
0
-20
-40


dStH: avg vs. d
avg
2.0
1.5
1.0
20
40
60
80
100
d


dStH: obsAvg vs obsOv@Q50
q50
est
avg
2.0
1.5
1.0
0.5
20
40
60
80
100
d


dStH: D_5d_StH
pcrDelta_avg
40
20
0
-20
20
40
60
80
100
d


dStH: D_15d_StH
pcrDelta_avg
40
20
0
-20
-40
20
40
60
80
100
d


dStH: D_Q50_StH
pcrDelta_avg
40
30
20
10
0
-10
-20
20
40
60
80
100
d


dStH: D_Est_StH
pcrDelta_avg
300
250
200
150
100
50
0
-50
20
40
60
80
100
d


dStH: sfDem
2.0
1.5
1.0
0.5
0.0
sfDem
20
40
60
80
100
d


page 24
d
20
24
28
32
36
40
44
48
52
56
60
64
68
72
76
80
84
88
92
96
100
104
108
40
20
0
-20
-40


FrV: Fr01 vs Fr05 at each truss
organID=T01
organID=T02
organID=T03
organID=T04
organID=T05
organID=T06
Fr01avg
Fr05avg
age


FrV trend at each age
age=15
age=20
age=25
age=30
age=35
age=40
Fr01avg
Fr05avg
organID
T01
T02
T03
T04
T05
T06
page 26


FrV: model Est vs obsFrV at Q90
q50
Fr01_est
Fr05_est
0
20
40
60
80
15
20
25
30
35
40
age


FrV: obsFrV vs obsFrV@Q90
q50
Fr01_avg
Fr05_avg
0
20
40
60
15
20
25
30
35
40
age


FrV: D_Fr1_FrV
organID=1
organID=2
organID=3
organID=4
organID=5
organID=6
d1avg
d1aavg
age


P10AE FrV: D_Fr1_FrV
pcrDelta_avg
pcrDeltaAdj_avg
600
400
200
0
40
60
80
100
120
140
d


FrV: D_Ts_FrV
organID=1
organID=2
organID=3
organID=4
organID=5
organID=6
d2avg
d2aavg
age


P10AE FrV: D_Ts_FrV
pcrDelta_avg
pcrDeltaAdj_avg
1200
1000
800
600
400
200
0
60
80
100
120
140
d


FrV: D_Q50_FrV
organID=1
organID=2
organID=3
organID=4
organID=5
organID=6
d3avg
d3aavg
age


P10AE FrV: D_Q50_FrV
pcrDelta_avg
pcrDeltaAdj_avg
300
200
100
0
40
60
80
100
120
140
d


FrV: D_Est_FrV
organID=1
organID=2
organID=3
organID=4
organID=5
organID=6
d4avg
d4aavg
age

e 36


P10AE FrV: D_Est_FrV
pcrDelta_avg
pcrDeltaAdj_avg
50
25
0
-25
-50
-75
-100
60
80
100
120
140
d


P10AE FrV: sfDem
sfDem
2.0
1.5
1.0
0.5
0.0
40
60
80
100
120
d


page 38
d
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
40
20
0
-20
-40


d
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
40
20
0
-20
-40