





FgArea: [' 0']
NC11 P2-10
2026-01-01 (Day 117)


fgNum 1 (at_row = 60)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot ['ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa



Trend plot forP2-10_0



FgDaily











d





0
6
12
18
24
30
36
42
48
54
60
66
72
78
84
90
96
102
108
114

回液PH差
设置PH
回液EC差
进液PH
PH执行
设置EC
回液EC
回液PH
母液EC
进液EC
EC执行
母液PH
排灌比
流量比较
scTgtEC0
scSum


100
80
60
40
20
0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:00	91	20.0	0.206	晴	预期@10:00 手动 (未用传感器)
11:00	91	20.0	0.206	晴	预期@11:00 手动 (未用传感器)
12:25	91	20.0	0.206	晴	预期@12:25 手动 (未用传感器)
13:50	91	20.0	0.206	晴	预期@13:50 手动 (未用传感器)
总计	364.0 (4次)	80.0			建议进液EC: 1990, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	91	20.0	0.206	晴	假设@10:05 未知程序 (未用传感器)
11:05	91	20.0	0.206	晴	假设@11:05 未知程序 (未用传感器)
12:20	91	20.0	0.206	晴	假设@12:20 未知程序 (未用传感器)
13:30	91	20.0	0.206	晴	假设@13:30 未知程序 (未用传感器)
总计	364.0 (4次)	80.0			建议进液EC: 1960, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:45	91	20.0	0.206	晴	假设@10:45 未知程序 (未用传感器)
11:35	91	20.0	0.206	晴	假设@11:35 未知程序 (未用传感器)
12:40	91	20.0	0.206	晴	假设@12:40 未知程序 (未用传感器)
13:50	91	20.0	0.206	晴	假设@13:50 未知程序 (未用传感器)
总计	364.0 (4次)	80.0			建议进液EC: 1930, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:35	91	20.0	0.206	雾	假设@09:35 未知程序 (未用传感器)
10:35	91	20.0	0.206	晴	假设@10:35 未知程序 (未用传感器)
11:55	91	20.0	0.206	晴	假设@11:55 未知程序 (未用传感器)
13:00	91	20.0	0.206	晴	假设@13:00 未知程序 (未用传感器)
总计	364.0 (4次)	80.0			建议进液EC: 1960, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:30	91	20.0	0.206	多云	假设@09:30 未知程序 (未用传感器)
总计	91.0 (1次)	20.0			建议进液EC: 1960, PH: 6.0

