





FgArea: [' 0']
NC11 P2-10
2026-01-20 (Day 136)


fgNum 1 (at_row = 60)

















1 (fgArea = NA)








Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot forP2-10_0







FgDaily















| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:25 | 45 | 10.0 | 0.103 | 晴 | 预期@08:25 手动 (未用传感器) |
| 09:40 | 45 | 10.0 | 0.103 | 晴 | 预期@09:40 手动 (未用传感器) |
| 10:10 | 45 | 10.0 | 0.103 | 晴 | 预期@10:10 手动 (未用传感器) |
| 11:40 | 45 | 10.0 | 0.103 | 晴 | 预期@11:40 手动 (未用传感器) |
| 12:45 | 45 | 10.0 | 0.103 | 晴 | 预期@12:45 手动 (未用传感器) |
| 13:55 | 45 | 10.0 | 0.103 | 晴 | 预期@13:55 手动 (未用传感器) |
| 总计 | 270.0 (6次) | 60.0 | | | 建议进液EC: 2020, PH: 6.0 |






| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:30 | 45 | 10.0 | 0.103 | 晴 | 假设@08:30 未知程序 (未用传感器) |
| 10:10 | 45 | 10.0 | 0.103 | 晴 | 假设@10:10 未知程序 (未用传感器) |
| 10:45 | 45 | 10.0 | 0.103 | 晴 | 假设@10:45 未知程序 (未用传感器) |
| 11:40 | 45 | 10.0 | 0.103 | 晴 | 假设@11:40 未知程序 (未用传感器) |
| 12:25 | 45 | 10.0 | 0.103 | 晴 | 假设@12:25 未知程序 (未用传感器) |
| 13:10 | 45 | 10.0 | 0.103 | 晴 | 假设@13:10 未知程序 (未用传感器) |
| 13:55 | 45 | 10.0 | 0.103 | 晴 | 假设@13:55 未知程序 (未用传感器) |
| 14:45 | 45 | 10.0 | 0.103 | 晴 | 假设@14:45 未知程序 (未用传感器) |
| 总计 | 360.0 (8次) | 80.0 | | | 建议进液EC: 1980, PH: 6.0 |







| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:30 | 45 | 10.0 | 0.103 | 雾 | 假设@08:30 未知程序 (未用传感器) |
| 12:15 | 45 | 10.0 | 0.103 | 多云 | 假设@12:15 未知程序 (未用传感器) |
| 12:50 | 45 | 10.0 | 0.103 | 多云 | 假设@12:50 未知程序 (未用传感器) |
| 13:50 | 45 | 10.0 | 0.103 | 阴 | 假设@13:50 未知程序 (未用传感器) |
| 总计 | 180.0 (4次) | 40.0 | | | 建议进液EC: 1970, PH: 6.0 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:30 | 45 | 10.0 | 0.103 | 多云 | 假设@08:30 未知程序 (未用传感器) |
| 10:55 | 45 | 10.0 | 0.103 | 阴 | 假设@10:55 未知程序 (未用传感器) |
| 11:40 | 45 | 10.0 | 0.103 | 多云 | 假设@11:40 未知程序 (未用传感器) |
| 13:15 | 45 | 10.0 | 0.103 | 晴 | 假设@13:15 未知程序 (未用传感器) |
| 总计 | 180.0 (4次) | 40.0 | | | 建议进液EC: 2010, PH: 6.0 |



| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:30 | 45 | 10.0 | 0.103 | 多云 | 假设@08:30 未知程序 (未用传感器) |
| 10:10 | 45 | 10.0 | 0.103 | 多云 | 假设@10:10 未知程序 (未用传感器) |
| 11:00 | 45 | 10.0 | 0.103 | 晴 | 假设@11:00 未知程序 (未用传感器) |
| 12:00 | 45 | 10.0 | 0.103 | 晴 | 假设@12:00 未知程序 (未用传感器) |
| 13:10 | 45 | 10.0 | 0.103 | 晴 | 假设@13:10 未知程序 (未用传感器) |
| 14:05 | 45 | 10.0 | 0.103 | 晴 | 假设@14:05 未知程序 (未用传感器) |
| 总计 | 270.0 (6次) | 60.0 | | | 建议进液EC: 1940, PH: 6.0 |

