





FgArea: [' 0']
NC11 P2-10
2026-03-26 (Day 201)


fgNum 1 (at_row = 60)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']





P2-10_0: M_E




P2-10_0: M_W




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot ['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa






Trend plot for P2-10_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	71	20.0	0.206	晴	预期@07:30 手动 (未用传感器)
09:15	71	20.0	0.206	晴	预期@09:15 手动 (未用传感器)
10:45	71	20.0	0.206	晴	预期@10:45 手动 (未用传感器)
11:50	71	20.0	0.206	晴	预期@11:50 手动 (未用传感器)
12:50	71	20.0	0.206	晴	预期@12:50 手动 (未用传感器)
13:55	71	20.0	0.206	晴	预期@13:55 手动 (未用传感器)
总计	426.0 (6次)	120.0			建议进液EC: 1500, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	71	20.0	0.206	雾	假设@07:30 未知程序 (未用传感器)
08:50	71	20.0	0.206	晴	假设@08:50 未知程序 (未用传感器)
10:00	71	20.0	0.206	晴	假设@10:00 未知程序 (未用传感器)
10:55	71	20.0	0.206	晴	假设@10:55 未知程序 (未用传感器)
11:50	71	20.0	0.206	晴	假设@11:50 未知程序 (未用传感器)
12:40	71	20.0	0.206	晴	假设@12:40 未知程序 (未用传感器)
13:30	71	20.0	0.206	晴	假设@13:30 未知程序 (未用传感器)
14:20	71	20.0	0.206	晴	假设@14:20 未知程序 (未用传感器)
15:15	71	20.0	0.206	晴	假设@15:15 未知程序 (未用传感器)
总计	639.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0











时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	71	20.0	0.206	晴	假设@07:35 未知程序 (未用传感器)
09:05	71	20.0	0.206	晴	假设@09:05 未知程序 (未用传感器)
10:25	71	20.0	0.206	晴	假设@10:25 未知程序 (未用传感器)
11:25	71	20.0	0.206	晴	假设@11:25 未知程序 (未用传感器)
12:25	71	20.0	0.206	晴	假设@12:25 未知程序 (未用传感器)
13:15	71	20.0	0.206	晴	假设@13:15 未知程序 (未用传感器)
14:05	71	20.0	0.206	晴	假设@14:05 未知程序 (未用传感器)
15:00	71	20.0	0.206	晴	假设@15:00 未知程序 (未用传感器)
总计	568.0 (8次)	160.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	71	20.0	0.206	晴	假设@07:35 未知程序 (未用传感器)
09:05	71	20.0	0.206	阴	假设@09:05 未知程序 (未用传感器)
10:25	71	20.0	0.206	阴	假设@10:25 未知程序 (未用传感器)
11:30	71	20.0	0.206	阴	假设@11:30 未知程序 (未用传感器)
12:25	71	20.0	0.206	阴	假设@12:25 未知程序 (未用传感器)
13:25	71	20.0	0.206	阴	假设@13:25 未知程序 (未用传感器)
14:30	71	20.0	0.206	阴	假设@14:30 未知程序 (未用传感器)
总计	497.0 (7次)	140.0			建议进液EC: 1500, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	71	20.0	0.206	雾	假设@07:40 未知程序 (未用传感器)
09:05	71	20.0	0.206	晴	假设@09:05 未知程序 (未用传感器)
10:20	71	20.0	0.206	晴	假设@10:20 未知程序 (未用传感器)
11:25	71	20.0	0.206	晴	假设@11:25 未知程序 (未用传感器)
12:25	71	20.0	0.206	晴	假设@12:25 未知程序 (未用传感器)
13:25	71	20.0	0.206	晴	假设@13:25 未知程序 (未用传感器)
14:25	71	20.0	0.206	晴	假设@14:25 未知程序 (未用传感器)
总计	497.0 (7次)	140.0			建议进液EC: 1490, PH: 6.0

