





FgArea: [' 0']
NC11 P2-10
2026-04-14 (Day 220)


fgNum 1 (at_row = 60.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']





P2-10_0: M_E




P2-10_0: M_W




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]







Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot [['FRV:b-o', 'VI_ws:r-o', 'VI:g-o']]




Plot [['V0_ws:r-o', 'V0:g-o']]




Plot [['delta_drain:ro', 'adjV0:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]




Plot ET/VN






Plot Fv and fertilizer usage






Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot for P2-10_0








d


FgDaily















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:55	61	20.0	0.206	多云	预期@06:55 手动 (未用传感器)
08:40	61	20.0	0.206	多云	预期@08:40 手动 (未用传感器)
10:10	61	20.0	0.206	多云	预期@10:10 手动 (未用传感器)
11:15	61	20.0	0.206	多云	预期@11:15 手动 (未用传感器)
12:10	61	20.0	0.206	多云	预期@12:10 手动 (未用传感器)
13:05	61	20.0	0.206	多云	预期@13:05 手动 (未用传感器)
14:05	61	20.0	0.206	多云	预期@14:05 手动 (未用传感器)
15:20	61	20.0	0.206	多云	预期@15:20 手动 (未用传感器)
总计	488.0 (8次)	160.0			建议进液EC: 1440, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	67	20.0	0.206	阴	假设@07:00 未知程序 (未用传感器)
08:45	67	20.0	0.206	阴	假设@08:45 未知程序 (未用传感器)
10:25	67	20.0	0.206	阴	假设@10:25 未知程序 (未用传感器)
11:40	67	20.0	0.206	阴	假设@11:40 未知程序 (未用传感器)
12:45	67	20.0	0.206	阴	假设@12:45 未知程序 (未用传感器)
13:55	67	20.0	0.206	阴	假设@13:55 未知程序 (未用传感器)
15:10	67	20.0	0.206	阴	假设@15:10 未知程序 (未用传感器)
总计	469.0 (7次)	140.0			建议进液EC: 1440, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	71	20.0	0.206	阴	假设@07:00 未知程序 (未用传感器)
08:40	71	20.0	0.206	阴	假设@08:40 未知程序 (未用传感器)
09:55	71	20.0	0.206	阴	假设@09:55 未知程序 (未用传感器)
10:55	71	20.0	0.206	阴	假设@10:55 未知程序 (未用传感器)
12:00	71	20.0	0.206	阴	假设@12:00 未知程序 (未用传感器)
12:55	71	20.0	0.206	阴	假设@12:55 未知程序 (未用传感器)
13:45	71	20.0	0.206	多云	假设@13:45 未知程序 (未用传感器)
14:35	71	20.0	0.206	多云	假设@14:35 未知程序 (未用传感器)
15:30	71	20.0	0.206	多云	假设@15:30 未知程序 (未用传感器)
总计	639.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	71	20.0	0.206	晴	假设@07:05 未知程序 (未用传感器)
08:25	71	20.0	0.206	晴	假设@08:25 未知程序 (未用传感器)
09:35	71	20.0	0.206	晴	假设@09:35 未知程序 (未用传感器)
10:30	71	20.0	0.206	晴	假设@10:30 未知程序 (未用传感器)
11:20	71	20.0	0.206	晴	假设@11:20 未知程序 (未用传感器)
12:05	71	20.0	0.206	晴	假设@12:05 未知程序 (未用传感器)
12:45	71	20.0	0.206	晴	假设@12:45 未知程序 (未用传感器)
13:25	71	20.0	0.206	晴	假设@13:25 未知程序 (未用传感器)
14:10	71	20.0	0.206	晴	假设@14:10 未知程序 (未用传感器)
14:55	71	20.0	0.206	晴	假设@14:55 未知程序 (未用传感器)
15:45	71	20.0	0.206	晴	假设@15:45 未知程序 (未用传感器)
总计	781.0 (11次)	220.0			建议进液EC: 1560, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	71	20.0	0.206	晴	假设@07:05 未知程序 (未用传感器)
08:25	71	20.0	0.206	晴	假设@08:25 未知程序 (未用传感器)
09:35	71	20.0	0.206	晴	假设@09:35 未知程序 (未用传感器)
10:30	71	20.0	0.206	晴	假设@10:30 未知程序 (未用传感器)
11:15	71	20.0	0.206	晴	假设@11:15 未知程序 (未用传感器)
12:00	71	20.0	0.206	晴	假设@12:00 未知程序 (未用传感器)
12:40	71	20.0	0.206	晴	假设@12:40 未知程序 (未用传感器)
13:20	71	20.0	0.206	晴	假设@13:20 未知程序 (未用传感器)
14:05	71	20.0	0.206	晴	假设@14:05 未知程序 (未用传感器)
14:50	71	20.0	0.206	晴	假设@14:50 未知程序 (未用传感器)
15:40	71	20.0	0.206	晴	假设@15:40 未知程序 (未用传感器)
总计	781.0 (11次)	220.0			建议进液EC: 1670, PH: 6.0

