





FgArea: [ ' 0' ]  
NC11 P2-11  
2026-01-28 (Day 144)


fgNum 1 (at\_row = 53)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [ ' ECopt' ]




P2-11\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN









Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-11\_0







# FgDaily


















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:35	95	20.0	0.143	晴	预期@09:35 手动 (未用传感器)
10:25	95	20.0	0.143	晴	预期@10:25 手动 (未用传感器)
11:45	95	20.0	0.143	晴	预期@11:45 手动 (未用传感器)
12:50	95	20.0	0.143	晴	预期@12:50 手动 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 2070, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:35	91	20.0	0.143	晴	假设@09:35 未知程序 (未用传感器)
10:20	91	20.0	0.143	晴	假设@10:20 未知程序 (未用传感器)
11:25	91	20.0	0.143	晴	假设@11:25 未知程序 (未用传感器)
12:20	91	20.0	0.143	晴	假设@12:20 未知程序 (未用传感器)
13:15	91	20.0	0.143	晴	假设@13:15 未知程序 (未用传感器)
总计	455.0 (5次)	100.0			建议进液EC: 1690, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:30	91	20.0	0.143	晴	假设@09:30 未知程序 (未用传感器)
10:25	91	20.0	0.143	晴	假设@10:25 未知程序 (未用传感器)
11:25	91	20.0	0.143	晴	假设@11:25 未知程序 (未用传感器)
12:15	91	20.0	0.143	晴	假设@12:15 未知程序 (未用传感器)
13:10	91	20.0	0.143	晴	假设@13:10 未知程序 (未用传感器)
总计	455.0 (5次)	100.0			建议进液EC: 1870, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:30	91	20.0	0.143	晴	假设@09:30 未知程序 (未用传感器)
10:20	91	20.0	0.143	晴	假设@10:20 未知程序 (未用传感器)
11:30	91	20.0	0.143	晴	假设@11:30 未知程序 (未用传感器)
12:35	91	20.0	0.143	多云	假设@12:35 未知程序 (未用传感器)
总计	364.0 (4次)	80.0			建议进液EC: 2110, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:25	91	20.0	0.143	多云	假设@09:25 未知程序 (未用传感器)
10:15	91	20.0	0.143	晴	假设@10:15 未知程序 (未用传感器)
11:25	91	20.0	0.143	晴	假设@11:25 未知程序 (未用传感器)
12:20	91	20.0	0.143	晴	假设@12:20 未知程序 (未用传感器)
13:15	91	20.0	0.143	晴	假设@13:15 未知程序 (未用传感器)
总计	455.0 (5次)	100.0			建议进液EC: 2160, PH: 6.0

