





FgArea: [' 0']
NC11 P2-11
2026-03-10 (Day 185)


fgNum 1 (at_row = 53.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt']




P2-11_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot forP2-11_0






FgDaily












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	67	20.0	0.143	晴	预期@07:35 手动 (未用传感器)
08:50	67	20.0	0.143	晴	预期@08:50 手动 (未用传感器)
10:25	67	20.0	0.143	晴	预期@10:25 手动 (未用传感器)
11:25	67	20.0	0.143	晴	预期@11:25 手动 (未用传感器)
12:20	67	20.0	0.143	晴	预期@12:20 手动 (未用传感器)
13:15	67	20.0	0.143	晴	预期@13:15 手动 (未用传感器)
14:10	67	20.0	0.143	晴	预期@14:10 手动 (未用传感器)
总计	469.0 (7次)	140.0			建议进液EC: 1440, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	74	20.0	0.143	晴	假设@08:00 未知程序 (未用传感器)
09:00	74	20.0	0.143	晴	假设@09:00 未知程序 (未用传感器)
10:00	74	20.0	0.143	晴	假设@10:00 未知程序 (未用传感器)
10:50	74	20.0	0.143	晴	假设@10:50 未知程序 (未用传感器)
11:35	74	20.0	0.143	晴	假设@11:35 未知程序 (未用传感器)
12:15	74	20.0	0.143	晴	假设@12:15 未知程序 (未用传感器)
12:55	74	20.0	0.143	晴	假设@12:55 未知程序 (未用传感器)
13:35	74	20.0	0.143	晴	假设@13:35 未知程序 (未用传感器)
14:15	74	20.0	0.143	晴	假设@14:15 未知程序 (未用传感器)
15:00	74	20.0	0.143	晴	假设@15:00 未知程序 (未用传感器)
15:50	74	20.0	0.143	晴	假设@15:50 未知程序 (未用传感器)
总计	814.0 (11次)	220.0			建议进液EC: 1460, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	77	20.0	0.143	雾	假设@08:00 未知程序 (未用传感器)
09:05	77	20.0	0.143	雾	假设@09:05 未知程序 (未用传感器)
10:10	77	20.0	0.143	阴	假设@10:10 未知程序 (未用传感器)
11:00	77	20.0	0.143	晴	假设@11:00 未知程序 (未用传感器)
11:45	77	20.0	0.143	晴	假设@11:45 未知程序 (未用传感器)
12:25	77	20.0	0.143	晴	假设@12:25 未知程序 (未用传感器)
13:05	77	20.0	0.143	晴	假设@13:05 未知程序 (未用传感器)
13:45	77	20.0	0.143	晴	假设@13:45 未知程序 (未用传感器)
14:30	77	20.0	0.143	晴	假设@14:30 未知程序 (未用传感器)
15:15	77	20.0	0.143	晴	假设@15:15 未知程序 (未用传感器)
总计	770.0 (10次)	200.0			建议进液EC: 1460, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	77	20.0	0.143	雾	假设@08:05 未知程序 (未用传感器)
09:15	77	20.0	0.143	雾	假设@09:15 未知程序 (未用传感器)
10:15	77	20.0	0.143	晴	假设@10:15 未知程序 (未用传感器)
11:05	77	20.0	0.143	晴	假设@11:05 未知程序 (未用传感器)
11:50	77	20.0	0.143	晴	假设@11:50 未知程序 (未用传感器)
12:30	77	20.0	0.143	晴	假设@12:30 未知程序 (未用传感器)
13:10	77	20.0	0.143	晴	假设@13:10 未知程序 (未用传感器)
13:55	77	20.0	0.143	晴	假设@13:55 未知程序 (未用传感器)
14:40	77	20.0	0.143	多云	假设@14:40 未知程序 (未用传感器)
15:35	77	20.0	0.143	多云	假设@15:35 未知程序 (未用传感器)
总计	770.0 (10次)	200.0			建议进液EC: 1500, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	77	20.0	0.143	多云	假设@08:05 未知程序 (未用传感器)
09:35	77	20.0	0.143	多云	假设@09:35 未知程序 (未用传感器)
10:30	77	20.0	0.143	晴	假设@10:30 未知程序 (未用传感器)
11:15	77	20.0	0.143	多云	假设@11:15 未知程序 (未用传感器)
11:55	77	20.0	0.143	多云	假设@11:55 未知程序 (未用传感器)
12:35	77	20.0	0.143	多云	假设@12:35 未知程序 (未用传感器)
13:15	77	20.0	0.143	晴	假设@13:15 未知程序 (未用传感器)
14:00	77	20.0	0.143	晴	假设@14:00 未知程序 (未用传感器)
14:45	77	20.0	0.143	晴	假设@14:45 未知程序 (未用传感器)
15:40	77	20.0	0.143	晴	假设@15:40 未知程序 (未用传感器)
总计	770.0 (10次)	200.0			建议进液EC: 1500, PH: 6.0

