





FgArea: [' 0']
NC11 P2-11
2026-03-14 (Day 189)


fgNum 1 (at_row = 53.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt ']




P2-11_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-11_0














| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:50 | 71 | 20.0 | 0.143 | 多云 | 预期@07:50 手动 (未用传感器) |
| 09:25 | 71 | 20.0 | 0.143 | 多云 | 预期@09:25 手动 (未用传感器) |
| 10:50 | 71 | 20.0 | 0.143 | 阴 | 预期@10:50 手动 (未用传感器) |
| 11:50 | 71 | 20.0 | 0.143 | 阴 | 预期@11:50 手动 (未用传感器) |
| 12:45 | 71 | 20.0 | 0.143 | 阴 | 预期@12:45 手动 (未用传感器) |
| 13:40 | 71 | 20.0 | 0.143 | 阴 | 预期@13:40 手动 (未用传感器) |
| 14:50 | 71 | 20.0 | 0.143 | 阴 | 预期@14:50 手动 (未用传感器) |
| 总计 | 497.0 (7次) | 140.0 | | | 建议进液EC: 1450, PH: 6.0 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:55 | 74 | 20.0 | 0.143 | 多云 | 假设@07:55 未知程序(未用传感器) |
| 10:00 | 74 | 20.0 | 0.143 | 阴 | 假设@10:00 未知程序(未用传感器) |
| 13:25 | 74 | 20.0 | 0.143 | 阴 | 假设@13:25 未知程序(未用传感器) |
| 总计 | 222.0 (3次) | 60.0 | | | 建议进液EC: 1540, PH: 6.0 |







| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|-------------|-----------|-----------|----|-----------------------|
| 07:55 | 71 | 20.0 | 0.143 | 多云 | 假设@07:55 未知程序 (未用传感器) |
| 08:50 | 71 | 20.0 | 0.143 | 多云 | 假设@08:50 未知程序 (未用传感器) |
| 09:55 | 71 | 20.0 | 0.143 | 阴 | 假设@09:55 未知程序 (未用传感器) |
| 10:45 | 71 | 20.0 | 0.143 | 阴 | 假设@10:45 未知程序 (未用传感器) |
| 11:30 | 71 | 20.0 | 0.143 | 阴 | 假设@11:30 未知程序 (未用传感器) |
| 12:15 | 71 | 20.0 | 0.143 | 阴 | 假设@12:15 未知程序 (未用传感器) |
| 12:55 | 71 | 20.0 | 0.143 | 阴 | 假设@12:55 未知程序 (未用传感器) |
| 13:35 | 71 | 20.0 | 0.143 | 晴 | 假设@13:35 未知程序 (未用传感器) |
| 14:20 | 71 | 20.0 | 0.143 | 晴 | 假设@14:20 未知程序 (未用传感器) |
| 15:10 | 71 | 20.0 | 0.143 | 晴 | 假设@15:10 未知程序 (未用传感器) |
| 总计 | 710.0 (10次) | 200.0 | | | 建议进液EC: 1470, PH: 6.0 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|-------------|-----------|-----------|----|-----------------------|
| 07:55 | 69 | 20.0 | 0.143 | 晴 | 假设@07:55 未知程序 (未用传感器) |
| 08:55 | 69 | 20.0 | 0.143 | 多云 | 假设@08:55 未知程序 (未用传感器) |
| 10:00 | 69 | 20.0 | 0.143 | 晴 | 假设@10:00 未知程序 (未用传感器) |
| 10:50 | 69 | 20.0 | 0.143 | 晴 | 假设@10:50 未知程序 (未用传感器) |
| 11:35 | 69 | 20.0 | 0.143 | 晴 | 假设@11:35 未知程序 (未用传感器) |
| 12:20 | 69 | 20.0 | 0.143 | 晴 | 假设@12:20 未知程序 (未用传感器) |
| 13:00 | 69 | 20.0 | 0.143 | 晴 | 假设@13:00 未知程序 (未用传感器) |
| 13:40 | 69 | 20.0 | 0.143 | 晴 | 假设@13:40 未知程序 (未用传感器) |
| 14:25 | 69 | 20.0 | 0.143 | 晴 | 假设@14:25 未知程序 (未用传感器) |
| 15:15 | 69 | 20.0 | 0.143 | 晴 | 假设@15:15 未知程序 (未用传感器) |
| 总计 | 690.0 (10次) | 200.0 | | | 建议进液EC: 1440, PH: 6.0 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|-------------|-----------|-----------|----|-----------------------|
| 08:00 | 69 | 20.0 | 0.143 | 晴 | 假设@08:00 未知程序 (未用传感器) |
| 09:10 | 69 | 20.0 | 0.143 | 晴 | 假设@09:10 未知程序 (未用传感器) |
| 10:25 | 69 | 20.0 | 0.143 | 晴 | 假设@10:25 未知程序 (未用传感器) |
| 11:15 | 69 | 20.0 | 0.143 | 晴 | 假设@11:15 未知程序 (未用传感器) |
| 12:00 | 69 | 20.0 | 0.143 | 晴 | 假设@12:00 未知程序 (未用传感器) |
| 12:40 | 69 | 20.0 | 0.143 | 晴 | 假设@12:40 未知程序 (未用传感器) |
| 13:20 | 69 | 20.0 | 0.143 | 晴 | 假设@13:20 未知程序 (未用传感器) |
| 14:00 | 69 | 20.0 | 0.143 | 晴 | 假设@14:00 未知程序 (未用传感器) |
| 14:40 | 69 | 20.0 | 0.143 | 晴 | 假设@14:40 未知程序 (未用传感器) |
| 15:25 | 69 | 20.0 | 0.143 | 晴 | 假设@15:25 未知程序 (未用传感器) |
| 总计 | 690.0 (10次) | 200.0 | | | 建议进液EC: 1440, PH: 6.0 |

