





FgArea: [ ' 0' ]  
NC11 P2-11  
2026-03-16 (Day 191)


fgNum 1 (at\_row = 53.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [ 'ECopt' ]




P2-11\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Warning: col ['ECC', 'FVIEC'] is missing


Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]










Plot [[' FVOPH:r-o', ' PHO:g-o' ]]




Plot ET/VN










Trend plot forP2-11\_0







# FgDaily















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:15	74	20.0	0.143	晴	预期@07:15 手动 (未用传感器)
08:30	74	20.0	0.143	晴	预期@08:30 手动 (未用传感器)
10:05	74	20.0	0.143	晴	预期@10:05 手动 (未用传感器)
11:05	74	20.0	0.143	晴	预期@11:05 手动 (未用传感器)
11:55	74	20.0	0.143	晴	预期@11:55 手动 (未用传感器)
12:40	74	20.0	0.143	晴	预期@12:40 手动 (未用传感器)
13:25	74	20.0	0.143	晴	预期@13:25 手动 (未用传感器)
14:15	74	20.0	0.143	晴	预期@14:15 手动 (未用传感器)
15:20	74	20.0	0.143	晴	预期@15:20 手动 (未用传感器)
总计	666.0 (9次)	180.0			建议进液EC: 1450, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	74	20.0	0.143	多云	假设@07:50 未知程序 (未用传感器)
09:05	74	20.0	0.143	晴	假设@09:05 未知程序 (未用传感器)
10:00	74	20.0	0.143	晴	假设@10:00 未知程序 (未用传感器)
10:45	74	20.0	0.143	晴	假设@10:45 未知程序 (未用传感器)
11:25	74	20.0	0.143	晴	假设@11:25 未知程序 (未用传感器)
12:05	74	20.0	0.143	晴	假设@12:05 未知程序 (未用传感器)
12:40	74	20.0	0.143	晴	假设@12:40 未知程序 (未用传感器)
13:15	74	20.0	0.143	晴	假设@13:15 未知程序 (未用传感器)
13:50	74	20.0	0.143	晴	假设@13:50 未知程序 (未用传感器)
14:30	74	20.0	0.143	晴	假设@14:30 未知程序 (未用传感器)
15:10	74	20.0	0.143	晴	假设@15:10 未知程序 (未用传感器)
15:55	74	20.0	0.143	晴	假设@15:55 未知程序 (未用传感器)
总计	888.0 (12次)	240.0			建议进液EC: 1440, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	71	20.0	0.143	阴	假设@07:50 未知程序 (未用传感器)
09:10	71	20.0	0.143	阴	假设@09:10 未知程序 (未用传感器)
10:15	71	20.0	0.143	阴	假设@10:15 未知程序 (未用传感器)
11:05	71	20.0	0.143	阴	假设@11:05 未知程序 (未用传感器)
11:50	71	20.0	0.143	阴	假设@11:50 未知程序 (未用传感器)
12:35	71	20.0	0.143	阴	假设@12:35 未知程序 (未用传感器)
13:20	71	20.0	0.143	阴	假设@13:20 未知程序 (未用传感器)
14:05	71	20.0	0.143	阴	假设@14:05 未知程序 (未用传感器)
14:55	71	20.0	0.143	阴	假设@14:55 未知程序 (未用传感器)
总计	639.0 (9次)	180.0			建议进液EC: 1450, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	74	20.0	0.143	多云	假设@07:55 未知程序(未用传感器)
10:00	74	20.0	0.143	阴	假设@10:00 未知程序(未用传感器)
13:25	74	20.0	0.143	阴	假设@13:25 未知程序(未用传感器)
总计	222.0 (3次)	60.0			建议进液EC: 1540, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	71	20.0	0.143	多云	假设@07:55 未知程序 (未用传感器)
08:55	71	20.0	0.143	多云	假设@08:55 未知程序 (未用传感器)
10:00	71	20.0	0.143	阴	假设@10:00 未知程序 (未用传感器)
10:50	71	20.0	0.143	阴	假设@10:50 未知程序 (未用传感器)
11:40	71	20.0	0.143	阴	假设@11:40 未知程序 (未用传感器)
12:20	71	20.0	0.143	阴	假设@12:20 未知程序 (未用传感器)
13:05	71	20.0	0.143	晴	假设@13:05 未知程序 (未用传感器)
13:50	71	20.0	0.143	晴	假设@13:50 未知程序 (未用传感器)
14:35	71	20.0	0.143	晴	假设@14:35 未知程序 (未用传感器)
15:30	71	20.0	0.143	晴	假设@15:30 未知程序 (未用传感器)
总计	710.0 (10次)	200.0			建议进液EC: 1470, PH: 6.0

