





FgArea: [' 0']
NC11 P2-11
2026-04-13 (Day 219)


fgNum 1 (at_row = 53.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt']




P2-11_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]







Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot [['FRV:b-o', 'VI_ws:r-o', 'VI:g-o']]




Plot [['V0_ws:r-o', 'V0:g-o']]




Plot [['delta_drain:ro', 'adjV0:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot for P2-11_0

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	97	30.0	0.214	多云	预期@07:00 手动 (未用传感器)
08:50	97	30.0	0.214	多云	预期@08:50 手动 (未用传感器)
10:15	97	30.0	0.214	多云	预期@10:15 手动 (未用传感器)
11:15	97	30.0	0.214	多云	预期@11:15 手动 (未用传感器)
12:10	97	30.0	0.214	多云	预期@12:10 手动 (未用传感器)
13:00	97	30.0	0.214	多云	预期@13:00 手动 (未用传感器)
13:55	97	30.0	0.214	多云	预期@13:55 手动 (未用传感器)
15:00	97	30.0	0.214	晴	预期@15:00 手动 (未用传感器)
总计	776.0 (8次)	240.0			建议进液EC: 1450, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	100	30.0	0.214	阴	假设@07:00 未知程序 (未用传感器)
08:15	100	30.0	0.214	阴	假设@08:15 未知程序 (未用传感器)
09:40	100	30.0	0.214	阴	假设@09:40 未知程序 (未用传感器)
10:40	100	30.0	0.214	阴	假设@10:40 未知程序 (未用传感器)
11:40	100	30.0	0.214	阴	假设@11:40 未知程序 (未用传感器)
12:35	100	30.0	0.214	阴	假设@12:35 未知程序 (未用传感器)
13:20	100	30.0	0.214	多云	假设@13:20 未知程序 (未用传感器)
14:05	100	30.0	0.214	多云	假设@14:05 未知程序 (未用传感器)
14:50	100	30.0	0.214	多云	假设@14:50 未知程序 (未用传感器)
15:45	100	30.0	0.214	多云	假设@15:45 未知程序 (未用传感器)
16:50	100	30.0	0.214	晴	假设@16:50 未知程序 (未用传感器)
总计	1100.0 (11次)	330.0			建议进液EC: 1480, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	100	30.0	0.214	晴	假设@07:05 未知程序 (未用传感器)
08:50	100	30.0	0.214	晴	假设@08:50 未知程序 (未用传感器)
09:45	100	30.0	0.214	晴	假设@09:45 未知程序 (未用传感器)
10:35	100	30.0	0.214	晴	假设@10:35 未知程序 (未用传感器)
11:20	100	30.0	0.214	晴	假设@11:20 未知程序 (未用传感器)
12:00	100	30.0	0.214	晴	假设@12:00 未知程序 (未用传感器)
12:40	100	30.0	0.214	晴	假设@12:40 未知程序 (未用传感器)
13:20	100	30.0	0.214	晴	假设@13:20 未知程序 (未用传感器)
14:00	100	30.0	0.214	晴	假设@14:00 未知程序 (未用传感器)
14:40	100	30.0	0.214	晴	假设@14:40 未知程序 (未用传感器)
15:25	100	30.0	0.214	晴	假设@15:25 未知程序 (未用传感器)
16:15	100	30.0	0.214	晴	假设@16:15 未知程序 (未用传感器)
总计	1200.0 (12次)	360.0			建议进液EC: 1560, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	107	30.0	0.214	晴	假设@07:05 未知程序 (未用传感器)
08:50	107	30.0	0.214	晴	假设@08:50 未知程序 (未用传感器)
09:45	107	30.0	0.214	晴	假设@09:45 未知程序 (未用传感器)
10:35	107	30.0	0.214	晴	假设@10:35 未知程序 (未用传感器)
11:20	107	30.0	0.214	晴	假设@11:20 未知程序 (未用传感器)
12:05	107	30.0	0.214	晴	假设@12:05 未知程序 (未用传感器)
12:45	107	30.0	0.214	晴	假设@12:45 未知程序 (未用传感器)
13:25	107	30.0	0.214	晴	假设@13:25 未知程序 (未用传感器)
14:05	107	30.0	0.214	晴	假设@14:05 未知程序 (未用传感器)
14:50	107	30.0	0.214	晴	假设@14:50 未知程序 (未用传感器)
15:35	107	30.0	0.214	晴	假设@15:35 未知程序 (未用传感器)
16:30	107	30.0	0.214	晴	假设@16:30 未知程序 (未用传感器)
总计	1284.0 (12次)	360.0			建议进液EC: 1680, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	103	30.0	0.214	大雨	假设@07:05 未知程序 (未用传感器)
10:15	103	30.0	0.214	大雨	假设@10:15 未知程序 (未用传感器)
总计	206.0 (2次)	60.0			建议进液EC: 1730, PH: 6.0

