





FgArea: [ ' 0' ]  
NC11 P2-11  
2025-12-04 (Day 89)


fgNum 1 (at\_row = 53)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcl', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Warning: col ['ECC', 'FVIEC'] is missing


Plot [[' FVOEC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa










Trend plot forP2-11\_0







# FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	95	20.0	0.143	晴	预期@08:20 手动 (未用传感器)
08:55	95	20.0	0.143	晴	预期@08:55 手动 (未用传感器)
09:35	95	20.0	0.143	晴	预期@09:35 手动 (未用传感器)
10:10	95	20.0	0.143	晴	预期@10:10 手动 (未用传感器)
10:45	95	20.0	0.143	晴	预期@10:45 手动 (未用传感器)
11:40	95	20.0	0.143	晴	预期@11:40 手动 (未用传感器)
12:45	95	20.0	0.143	晴	预期@12:45 手动 (未用传感器)
13:55	95	20.0	0.143	晴	预期@13:55 手动 (未用传感器)
总计	760.0 (8次)	160.0			建议进液EC: 2000, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:15	100	20.0	0.143	晴	假设@08:15 未知程序 (未用传感器)
09:00	100	20.0	0.143	晴	假设@09:00 未知程序 (未用传感器)
09:45	100	20.0	0.143	晴	假设@09:45 未知程序 (未用传感器)
10:30	100	20.0	0.143	晴	假设@10:30 未知程序 (未用传感器)
11:15	100	20.0	0.143	晴	假设@11:15 未知程序 (未用传感器)
12:00	100	20.0	0.143	晴	假设@12:00 未知程序 (未用传感器)
13:10	100	20.0	0.143	晴	假设@13:10 未知程序 (未用传感器)
总计	700.0 (7次)	140.0			建议进液EC: 2050, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	100	20.0	0.143	晴	假设@08:10 未知程序 (未用传感器)
08:55	100	20.0	0.143	晴	假设@08:55 未知程序 (未用传感器)
09:40	100	20.0	0.143	晴	假设@09:40 未知程序 (未用传感器)
10:25	100	20.0	0.143	晴	假设@10:25 未知程序 (未用传感器)
11:10	100	20.0	0.143	晴	假设@11:10 未知程序 (未用传感器)
11:55	100	20.0	0.143	晴	假设@11:55 未知程序 (未用传感器)
13:05	100	20.0	0.143	晴	假设@13:05 未知程序 (未用传感器)
总计	700.0 (7次)	140.0			建议进液EC: 2120, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:15	100	20.0	0.143	多云	假设@08:15 未知程序 (未用传感器)
09:00	100	20.0	0.143	多云	假设@09:00 未知程序 (未用传感器)
09:45	100	20.0	0.143	多云	假设@09:45 未知程序 (未用传感器)
10:30	100	20.0	0.143	多云	假设@10:30 未知程序 (未用传感器)
11:15	100	20.0	0.143	晴	假设@11:15 未知程序 (未用传感器)
12:00	100	20.0	0.143	晴	假设@12:00 未知程序 (未用传感器)
13:30	100	20.0	0.143	晴	假设@13:30 未知程序 (未用传感器)
总计	700.0 (7次)	140.0			建议进液EC: 2090, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	100	20.0	0.143	阴	假设@08:20 未知程序 (未用传感器)
09:10	100	20.0	0.143	阴	假设@09:10 未知程序 (未用传感器)
10:45	100	20.0	0.143	阴	假设@10:45 未知程序 (未用传感器)
11:30	100	20.0	0.143	阴	假设@11:30 未知程序 (未用传感器)
12:10	100	20.0	0.143	多云	假设@12:10 未知程序 (未用传感器)
13:40	100	20.0	0.143	多云	假设@13:40 未知程序 (未用传感器)
总计	600.0 (6次)	120.0			建议进液EC: 2100, PH: 6.0

