





FgArea: [' 0']
NC11 P2-11
2025-12-07 (Day 92)


fgNum 1 (at_row = 53)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot ['ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Warning: col ['ECC', 'FVIEC'] is missing


Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-11_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	95	20.0	0.143	晴	预期@08:10 手动 (未用传感器)
08:50	95	20.0	0.143	晴	预期@08:50 手动 (未用传感器)
09:25	95	20.0	0.143	晴	预期@09:25 手动 (未用传感器)
10:00	95	20.0	0.143	晴	预期@10:00 手动 (未用传感器)
10:35	95	20.0	0.143	晴	预期@10:35 手动 (未用传感器)
11:20	95	20.0	0.143	晴	预期@11:20 手动 (未用传感器)
12:20	95	20.0	0.143	晴	预期@12:20 手动 (未用传感器)
13:20	95	20.0	0.143	晴	预期@13:20 手动 (未用传感器)
14:25	95	20.0	0.143	晴	预期@14:25 手动 (未用传感器)
总计	855.0 (9次)	180.0			建议进液EC: 2060, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	95	20.0	0.143	晴	假设@08:35 未知程序 (未用传感器)
09:20	95	20.0	0.143	晴	假设@09:20 未知程序 (未用传感器)
10:50	95	20.0	0.143	晴	假设@10:50 未知程序 (未用传感器)
11:25	95	20.0	0.143	晴	假设@11:25 未知程序 (未用传感器)
12:00	95	20.0	0.143	晴	假设@12:00 未知程序 (未用传感器)
12:35	95	20.0	0.143	晴	假设@12:35 未知程序 (未用传感器)
总计	570.0 (6次)	120.0			建议进液EC: 2160, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:50	95	20.0	0.143	晴	假设@08:50 未知程序 (未用传感器)
09:45	95	20.0	0.143	多云	假设@09:45 未知程序 (未用传感器)
10:40	95	20.0	0.143	阴	假设@10:40 未知程序 (未用传感器)
11:35	95	20.0	0.143	多云	假设@11:35 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 2080, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	95	20.0	0.143	晴	假设@08:35 未知程序 (未用传感器)
09:20	95	20.0	0.143	晴	假设@09:20 未知程序 (未用传感器)
10:05	95	20.0	0.143	晴	假设@10:05 未知程序 (未用传感器)
10:45	95	20.0	0.143	晴	假设@10:45 未知程序 (未用传感器)
11:25	95	20.0	0.143	晴	假设@11:25 未知程序 (未用传感器)
12:05	95	20.0	0.143	晴	假设@12:05 未知程序 (未用传感器)
13:25	95	20.0	0.143	晴	假设@13:25 未知程序 (未用传感器)
总计	665.0 (7次)	140.0			建议进液EC: 2000, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:15	100	20.0	0.143	晴	假设@08:15 未知程序 (未用传感器)
09:00	100	20.0	0.143	晴	假设@09:00 未知程序 (未用传感器)
09:45	100	20.0	0.143	晴	假设@09:45 未知程序 (未用传感器)
10:30	100	20.0	0.143	晴	假设@10:30 未知程序 (未用传感器)
11:15	100	20.0	0.143	晴	假设@11:15 未知程序 (未用传感器)
12:00	100	20.0	0.143	晴	假设@12:00 未知程序 (未用传感器)
13:10	100	20.0	0.143	晴	假设@13:10 未知程序 (未用传感器)
总计	700.0 (7次)	140.0			建议进液EC: 2050, PH: 6.0

