





FgArea: [' 0']
NC11 P2-12
2025-12-09 (Day 100)


fgNum 1 (at_row = 30)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot forP2-12_0







FgDaily












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:15	50	10.0	0.042	晴	预期@08:15 手动 (未用传感器)
08:45	50	10.0	0.042	晴	预期@08:45 手动 (未用传感器)
09:15	50	10.0	0.042	晴	预期@09:15 手动 (未用传感器)
09:45	50	10.0	0.042	晴	预期@09:45 手动 (未用传感器)
10:15	50	10.0	0.042	晴	预期@10:15 手动 (未用传感器)
10:45	50	10.0	0.042	晴	预期@10:45 手动 (未用传感器)
11:15	50	10.0	0.042	晴	预期@11:15 手动 (未用传感器)
11:45	50	10.0	0.042	晴	预期@11:45 手动 (未用传感器)
12:15	50	10.0	0.042	晴	预期@12:15 手动 (未用传感器)
12:45	50	10.0	0.042	晴	预期@12:45 手动 (未用传感器)
13:15	50	10.0	0.042	晴	预期@13:15 手动 (未用传感器)
13:45	50	10.0	0.042	晴	预期@13:45 手动 (未用传感器)
14:15	50	10.0	0.042	晴	预期@14:15 手动 (未用传感器)
总计	650.0 (13次)	130.0			建议进液EC: 1950, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	100	20.0	0.084	晴	假设@08:45 未知程序 (未用传感器)
09:35	100	20.0	0.084	晴	假设@09:35 未知程序 (未用传感器)
10:30	100	20.0	0.084	晴	假设@10:30 未知程序 (未用传感器)
11:15	100	20.0	0.084	晴	假设@11:15 未知程序 (未用传感器)
12:00	100	20.0	0.084	晴	假设@12:00 未知程序 (未用传感器)
13:20	100	20.0	0.084	晴	假设@13:20 未知程序 (未用传感器)
总计	600.0 (6次)	120.0			建议进液EC: 1940, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	50	10.0	0.042	晴	假设@08:20 未知程序 (未用传感器)
08:50	50	10.0	0.042	晴	假设@08:50 未知程序 (未用传感器)
09:20	50	10.0	0.042	晴	假设@09:20 未知程序 (未用传感器)
09:50	50	10.0	0.042	晴	假设@09:50 未知程序 (未用传感器)
10:20	50	10.0	0.042	晴	假设@10:20 未知程序 (未用传感器)
10:50	50	10.0	0.042	晴	假设@10:50 未知程序 (未用传感器)
11:20	50	10.0	0.042	晴	假设@11:20 未知程序 (未用传感器)
11:50	50	10.0	0.042	晴	假设@11:50 未知程序 (未用传感器)
12:20	50	10.0	0.042	晴	假设@12:20 未知程序 (未用传感器)
12:50	50	10.0	0.042	晴	假设@12:50 未知程序 (未用传感器)
13:20	50	10.0	0.042	晴	假设@13:20 未知程序 (未用传感器)
13:50	50	10.0	0.042	晴	假设@13:50 未知程序 (未用传感器)
14:20	50	10.0	0.042	多云	假设@14:20 未知程序 (未用传感器)
总计	650.0 (13次)	130.0			建议进液EC: 1930, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	100	20.0	0.084	晴	假设@08:45 未知程序 (未用传感器)
09:35	100	20.0	0.084	晴	假设@09:35 未知程序 (未用传感器)
10:50	100	20.0	0.084	晴	假设@10:50 未知程序 (未用传感器)
11:30	100	20.0	0.084	晴	假设@11:30 未知程序 (未用传感器)
12:10	100	20.0	0.084	晴	假设@12:10 未知程序 (未用传感器)
12:55	100	20.0	0.084	晴	假设@12:55 未知程序 (未用传感器)
总计	600.0 (6次)	120.0			建议进液EC: 1930, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	100	20.0	0.084	晴	假设@08:45 未知程序 (未用传感器)
09:35	100	20.0	0.084	多云	假设@09:35 未知程序 (未用传感器)
10:40	100	20.0	0.084	阴	假设@10:40 未知程序 (未用传感器)
11:25	100	20.0	0.084	多云	假设@11:25 未知程序 (未用传感器)
12:05	100	20.0	0.084	多云	假设@12:05 未知程序 (未用传感器)
总计	500.0 (5次)	100.0			建议进液EC: 1930, PH: 6.0

