





FgArea: [' 0']
NC11 P2-12
2025-12-11 (Day 102)


fgNum 1 (at_row = 30)

















1 (fgArea = NA)




Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVDEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN





Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot forP2-12_0







FgDaily












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:20	50	10.0	0.042	晴	预期@09:20 手动 (未用传感器)
09:55	50	10.0	0.042	晴	预期@09:55 手动 (未用传感器)
10:55	50	10.0	0.042	晴	预期@10:55 手动 (未用传感器)
11:45	50	10.0	0.042	晴	预期@11:45 手动 (未用传感器)
12:40	50	10.0	0.042	晴	预期@12:40 手动 (未用传感器)
13:30	50	10.0	0.042	晴	预期@13:30 手动 (未用传感器)
14:25	50	10.0	0.042	晴	预期@14:25 手动 (未用传感器)
总计	350.0 (7次)	70.0			建议进液EC: 1970, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:25	50	10.0	0.042	阴	假设@11:25 未知程序(未用传感器)
13:25	50	10.0	0.042	阴	假设@13:25 未知程序(未用传感器)
14:05	50	10.0	0.042	阴	假设@14:05 未知程序(未用传感器)
总计	150.0 (3次)	30.0			建议进液EC: 1930, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:20	50	10.0	0.042	晴	假设@09:20 未知程序 (未用传感器)
09:50	50	10.0	0.042	晴	假设@09:50 未知程序 (未用传感器)
10:20	50	10.0	0.042	晴	假设@10:20 未知程序 (未用传感器)
10:50	50	10.0	0.042	晴	假设@10:50 未知程序 (未用传感器)
11:40	50	10.0	0.042	晴	假设@11:40 未知程序 (未用传感器)
12:35	50	10.0	0.042	晴	假设@12:35 未知程序 (未用传感器)
13:25	50	10.0	0.042	晴	假设@13:25 未知程序 (未用传感器)
14:20	50	10.0	0.042	晴	假设@14:20 未知程序 (未用传感器)
总计	400.0 (8次)	80.0			建议进液EC: 1950, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	100	20.0	0.084	晴	假设@10:05 未知程序(未用传感器)
11:05	100	20.0	0.084	晴	假设@11:05 未知程序(未用传感器)
13:05	100	20.0	0.084	晴	假设@13:05 未知程序(未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 1940, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:10	50	10.0	0.042	晴	假设@09:10 未知程序 (未用传感器)
09:45	50	10.0	0.042	晴	假设@09:45 未知程序 (未用传感器)
10:20	50	10.0	0.042	晴	假设@10:20 未知程序 (未用传感器)
11:15	50	10.0	0.042	晴	假设@11:15 未知程序 (未用传感器)
12:00	50	10.0	0.042	晴	假设@12:00 未知程序 (未用传感器)
12:50	50	10.0	0.042	晴	假设@12:50 未知程序 (未用传感器)
13:35	50	10.0	0.042	晴	假设@13:35 未知程序 (未用传感器)
14:30	50	10.0	0.042	多云	假设@14:30 未知程序 (未用传感器)
总计	400.0 (8次)	80.0			建议进液EC: 1930, PH: 6.0

