





FgArea: [' 0']
NC11 P2-12
2025-12-12 (Day 103)


fgNum 1 (at_row = 30)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot forP2-12_0






FgDaily












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:35	50	10.0	0.042	多云	预期@09:35 手动 (未用传感器)
10:05	50	10.0	0.042	阴	预期@10:05 手动 (未用传感器)
10:35	50	10.0	0.042	阴	预期@10:35 手动 (未用传感器)
11:30	50	10.0	0.042	阴	预期@11:30 手动 (未用传感器)
12:25	50	10.0	0.042	阴	预期@12:25 手动 (未用传感器)
13:20	50	10.0	0.042	阴	预期@13:20 手动 (未用传感器)
14:20	50	10.0	0.042	阴	预期@14:20 手动 (未用传感器)
总计	350.0 (7次)	70.0			建议进液EC: 1940, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	50	10.0	0.042	晴	假设@09:50 未知程序 (未用传感器)
10:20	50	10.0	0.042	晴	假设@10:20 未知程序 (未用传感器)
10:50	50	10.0	0.042	晴	假设@10:50 未知程序 (未用传感器)
11:20	50	10.0	0.042	晴	假设@11:20 未知程序 (未用传感器)
11:50	50	10.0	0.042	晴	假设@11:50 未知程序 (未用传感器)
12:35	50	10.0	0.042	多云	假设@12:35 未知程序 (未用传感器)
13:30	50	10.0	0.042	多云	假设@13:30 未知程序 (未用传感器)
14:15	50	10.0	0.042	多云	假设@14:15 未知程序 (未用传感器)
总计	400.0 (8次)	80.0			建议进液EC: 1970, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:25	50	10.0	0.042	阴	假设@11:25 未知程序(未用传感器)
13:30	50	10.0	0.042	阴	假设@13:30 未知程序(未用传感器)
14:05	50	10.0	0.042	阴	假设@14:05 未知程序(未用传感器)
总计	150.0 (3次)	30.0			建议进液EC: 1930, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:20	50	10.0	0.042	晴	假设@09:20 未知程序 (未用传感器)
09:50	50	10.0	0.042	晴	假设@09:50 未知程序 (未用传感器)
10:20	50	10.0	0.042	晴	假设@10:20 未知程序 (未用传感器)
10:50	50	10.0	0.042	晴	假设@10:50 未知程序 (未用传感器)
11:40	50	10.0	0.042	晴	假设@11:40 未知程序 (未用传感器)
12:35	50	10.0	0.042	晴	假设@12:35 未知程序 (未用传感器)
13:25	50	10.0	0.042	晴	假设@13:25 未知程序 (未用传感器)
14:20	50	10.0	0.042	晴	假设@14:20 未知程序 (未用传感器)
总计	400.0 (8次)	80.0			建议进液EC: 1950, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	100	20.0	0.084	晴	假设@10:05 未知程序(未用传感器)
11:05	100	20.0	0.084	晴	假设@11:05 未知程序(未用传感器)
13:05	100	20.0	0.084	晴	假设@13:05 未知程序(未用传感器)
总计	300.0 (3次)	60.0			建议进液EC: 1940, PH: 6.0

