





FgArea: [ ' 0' ]  
NC11 P2-12  
2025-12-14 (Day 105)


fgNum 1 (at\_row = 30)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa










Trend plot forP2-12\_0



# FgDaily





0

20

40


60




80


100

d












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:15	50	10.0	0.042	晴	预期@09:15 手动 (未用传感器)
09:45	50	10.0	0.042	晴	预期@09:45 手动 (未用传感器)
10:15	50	10.0	0.042	晴	预期@10:15 手动 (未用传感器)
10:45	50	10.0	0.042	晴	预期@10:45 手动 (未用传感器)
11:25	50	10.0	0.042	晴	预期@11:25 手动 (未用传感器)
12:10	50	10.0	0.042	晴	预期@12:10 手动 (未用传感器)
12:55	50	10.0	0.042	晴	预期@12:55 手动 (未用传感器)
13:45	50	10.0	0.042	晴	预期@13:45 手动 (未用传感器)
总计	400.0 (8次)	80.0			建议进液EC: 1970, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:40	50	10.0	0.042	阴	假设@11:40 未知程序 (未用传感器)
12:10	50	10.0	0.042	阴	假设@12:10 未知程序 (未用传感器)
12:40	50	10.0	0.042	阴	假设@12:40 未知程序 (未用传感器)
13:10	50	10.0	0.042	晴	假设@13:10 未知程序 (未用传感器)
14:20	50	10.0	0.042	晴	假设@14:20 未知程序 (未用传感器)
总计	250.0 (5次)	50.0			建议进液EC: 1990, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
12:30	50	10.0	0.042	阴	假设@12:30 未知程序 (未用传感器)
14:15	50	10.0	0.042	阴	假设@14:15 未知程序 (未用传感器)
总计	100.0 (2次)	20.0			建议进液EC: 1940, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	50	10.0	0.042	晴	假设@09:50 未知程序 (未用传感器)
10:20	50	10.0	0.042	晴	假设@10:20 未知程序 (未用传感器)
10:50	50	10.0	0.042	晴	假设@10:50 未知程序 (未用传感器)
11:20	50	10.0	0.042	晴	假设@11:20 未知程序 (未用传感器)
11:50	50	10.0	0.042	晴	假设@11:50 未知程序 (未用传感器)
12:35	50	10.0	0.042	多云	假设@12:35 未知程序 (未用传感器)
13:30	50	10.0	0.042	多云	假设@13:30 未知程序 (未用传感器)
14:15	50	10.0	0.042	多云	假设@14:15 未知程序 (未用传感器)
总计	400.0 (8次)	80.0			建议进液EC: 1970, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:25	50	10.0	0.042	阴	假设@11:25 未知程序(未用传感器)
13:30	50	10.0	0.042	阴	假设@13:30 未知程序(未用传感器)
14:05	50	10.0	0.042	阴	假设@14:05 未知程序(未用传感器)
总计	150.0 (3次)	30.0			建议进液EC: 1930, PH: 6.0

