





FgArea: [' 0']
NC11 P2-12
2025-12-16 (Day 107)


fgNum 1 (at_row = 30)

















1 (fgArea = NA)






Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2-12_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:30	95	20.0	0.084	晴	预期@09:30 手动 (未用传感器)
10:25	95	20.0	0.084	晴	预期@10:25 手动 (未用传感器)
12:00	95	20.0	0.084	晴	预期@12:00 手动 (未用传感器)
13:30	95	20.0	0.084	晴	预期@13:30 手动 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1970, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:00	95	20.0	0.084	晴	假设@10:00 未知程序(未用传感器)
10:50	95	20.0	0.084	晴	假设@10:50 未知程序(未用传感器)
12:25	95	20.0	0.084	晴	假设@12:25 未知程序(未用传感器)
总计	285.0 (3次)	60.0			建议进液EC: 1980, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:45	50	10.0	0.042	雾	假设@09:45 未知程序 (未用传感器)
10:20	50	10.0	0.042	晴	假设@10:20 未知程序 (未用传感器)
11:10	50	10.0	0.042	晴	假设@11:10 未知程序 (未用传感器)
12:00	50	10.0	0.042	晴	假设@12:00 未知程序 (未用传感器)
12:50	50	10.0	0.042	晴	假设@12:50 未知程序 (未用传感器)
13:40	50	10.0	0.042	晴	假设@13:40 未知程序 (未用传感器)
总计	300.0 (6次)	60.0			建议进液EC: 1970, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:40	50	10.0	0.042	阴	假设@11:40 未知程序 (未用传感器)
12:10	50	10.0	0.042	阴	假设@12:10 未知程序 (未用传感器)
12:40	50	10.0	0.042	阴	假设@12:40 未知程序 (未用传感器)
13:10	50	10.0	0.042	晴	假设@13:10 未知程序 (未用传感器)
14:20	50	10.0	0.042	晴	假设@14:20 未知程序 (未用传感器)
总计	250.0 (5次)	50.0			建议进液EC: 1990, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
12:30	50	10.0	0.042	阴	假设@12:30 未知程序 (未用传感器)
14:15	50	10.0	0.042	阴	假设@14:15 未知程序 (未用传感器)
总计	100.0 (2次)	20.0			建议进液EC: 1940, PH: 6.0

