





FgArea: [ ' 0' ]  
NC11 P2-12  
2026-03-19 (Day 200)


fgNum 1 (at\_row = 30.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [ ' ECopt' ]




P2-12\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa









# FgDaily















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	77	20.0	0.084	晴	预期@07:40 手动 (未用传感器)
09:00	77	20.0	0.084	晴	预期@09:00 手动 (未用传感器)
10:30	77	20.0	0.084	晴	预期@10:30 手动 (未用传感器)
11:30	77	20.0	0.084	晴	预期@11:30 手动 (未用传感器)
12:20	77	20.0	0.084	晴	预期@12:20 手动 (未用传感器)
13:15	77	20.0	0.084	晴	预期@13:15 手动 (未用传感器)
14:15	77	20.0	0.084	晴	预期@14:15 手动 (未用传感器)
总计	539.0 (7次)	140.0			建议进液EC: 1460, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:45	77	20.0	0.084	晴	假设@07:45 未知程序 (未用传感器)
09:00	77	20.0	0.084	晴	假设@09:00 未知程序 (未用传感器)
09:55	77	20.0	0.084	晴	假设@09:55 未知程序 (未用传感器)
10:45	77	20.0	0.084	晴	假设@10:45 未知程序 (未用传感器)
11:30	77	20.0	0.084	晴	假设@11:30 未知程序 (未用传感器)
12:10	77	20.0	0.084	晴	假设@12:10 未知程序 (未用传感器)
12:50	77	20.0	0.084	晴	假设@12:50 未知程序 (未用传感器)
13:30	77	20.0	0.084	晴	假设@13:30 未知程序 (未用传感器)
14:10	77	20.0	0.084	晴	假设@14:10 未知程序 (未用传感器)
14:55	77	20.0	0.084	晴	假设@14:55 未知程序 (未用传感器)
15:45	77	20.0	0.084	晴	假设@15:45 未知程序 (未用传感器)
总计	847.0 (11次)	220.0			建议进液EC: 1470, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:45	77	20.0	0.084	多云	假设@07:45 未知程序 (未用传感器)
09:05	77	20.0	0.084	阴	假设@09:05 未知程序 (未用传感器)
10:20	77	20.0	0.084	阴	假设@10:20 未知程序 (未用传感器)
11:30	77	20.0	0.084	阴	假设@11:30 未知程序 (未用传感器)
12:35	77	20.0	0.084	阴	假设@12:35 未知程序 (未用传感器)
13:40	77	20.0	0.084	阴	假设@13:40 未知程序 (未用传感器)
总计	462.0 (6次)	120.0			建议进液EC: 1520, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	77	20.0	0.084	晴	假设@07:50 未知程序 (未用传感器)
09:05	77	20.0	0.084	晴	假设@09:05 未知程序 (未用传感器)
10:10	77	20.0	0.084	晴	假设@10:10 未知程序 (未用传感器)
11:05	77	20.0	0.084	晴	假设@11:05 未知程序 (未用传感器)
11:55	77	20.0	0.084	晴	假设@11:55 未知程序 (未用传感器)
12:35	77	20.0	0.084	晴	假设@12:35 未知程序 (未用传感器)
13:20	77	20.0	0.084	晴	假设@13:20 未知程序 (未用传感器)
14:05	77	20.0	0.084	晴	假设@14:05 未知程序 (未用传感器)
14:55	77	20.0	0.084	晴	假设@14:55 未知程序 (未用传感器)
总计	693.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	77	20.0	0.084	多云	假设@07:50 未知程序 (未用传感器)
09:35	77	20.0	0.084	晴	假设@09:35 未知程序 (未用传感器)
10:35	77	20.0	0.084	晴	假设@10:35 未知程序 (未用传感器)
11:25	77	20.0	0.084	晴	假设@11:25 未知程序 (未用传感器)
12:10	77	20.0	0.084	晴	假设@12:10 未知程序 (未用传感器)
12:55	77	20.0	0.084	晴	假设@12:55 未知程序 (未用传感器)
13:40	77	20.0	0.084	晴	假设@13:40 未知程序 (未用传感器)
14:25	77	20.0	0.084	晴	假设@14:25 未知程序 (未用传感器)
15:15	77	20.0	0.084	晴	假设@15:15 未知程序 (未用传感器)
总计	693.0 (9次)	180.0			建议进液EC: 1460, PH: 6.0

