





FgArea: [' 0']
NC11 P2-12
2026-04-05 (Day 217)


fgNum 1 (at_row = 30.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt']




P2-12_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-12_0






FgDaily













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:40	77	20.0	0.084	晴	预期@06:40 手动 (未用传感器)
07:35	77	20.0	0.084	晴	预期@07:35 手动 (未用传感器)
09:20	77	20.0	0.084	小雨	预期@09:20 手动 (未用传感器)
10:25	77	20.0	0.084	小雨	预期@10:25 手动 (未用传感器)
11:15	77	20.0	0.084	小雨	预期@11:15 手动 (未用传感器)
12:00	77	20.0	0.084	多云	预期@12:00 手动 (未用传感器)
12:40	77	20.0	0.084	多云	预期@12:40 手动 (未用传感器)
13:20	77	20.0	0.084	多云	预期@13:20 手动 (未用传感器)
14:05	77	20.0	0.084	小雨	预期@14:05 手动 (未用传感器)
14:55	77	20.0	0.084	小雨	预期@14:55 手动 (未用传感器)
16:00	77	20.0	0.084	多云	预期@16:00 手动 (未用传感器)
总计	847.0 (11次)	220.0			建议进液EC: 1570, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:15	77	20.0	0.084	晴	假设@07:15 未知程序 (未用传感器)
08:15	77	20.0	0.084	晴	假设@08:15 未知程序 (未用传感器)
09:15	77	20.0	0.084	晴	假设@09:15 未知程序 (未用传感器)
10:00	77	20.0	0.084	晴	假设@10:00 未知程序 (未用传感器)
10:40	77	20.0	0.084	晴	假设@10:40 未知程序 (未用传感器)
11:20	77	20.0	0.084	晴	假设@11:20 未知程序 (未用传感器)
11:55	77	20.0	0.084	晴	假设@11:55 未知程序 (未用传感器)
12:30	77	20.0	0.084	晴	假设@12:30 未知程序 (未用传感器)
13:05	77	20.0	0.084	晴	假设@13:05 未知程序 (未用传感器)
13:40	77	20.0	0.084	晴	假设@13:40 未知程序 (未用传感器)
14:25	77	20.0	0.084	晴	假设@14:25 未知程序 (未用传感器)
15:15	77	20.0	0.084	晴	假设@15:15 未知程序 (未用传感器)
15:55	77	20.0	0.084	晴	假设@15:55 未知程序 (未用传感器)
总计	1001.0 (13次)	260.0			建议进液EC: 1470, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:45	77	20.0	0.084	阴	假设@06:45 未知程序 (未用传感器)
07:55	77	20.0	0.084	阴	假设@07:55 未知程序 (未用传感器)
09:40	77	20.0	0.084	阴	假设@09:40 未知程序 (未用传感器)
10:30	77	20.0	0.084	阴	假设@10:30 未知程序 (未用传感器)
11:20	77	20.0	0.084	阴	假设@11:20 未知程序 (未用传感器)
12:00	77	20.0	0.084	阴	假设@12:00 未知程序 (未用传感器)
12:40	77	20.0	0.084	阴	假设@12:40 未知程序 (未用传感器)
13:20	77	20.0	0.084	阴	假设@13:20 未知程序 (未用传感器)
14:05	77	20.0	0.084	多云	假设@14:05 未知程序 (未用传感器)
总计	693.0 (9次)	180.0			建议进液EC: 1460, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	77	20.0	0.084	多云	假设@07:20 未知程序 (未用传感器)
08:25	77	20.0	0.084	晴	假设@08:25 未知程序 (未用传感器)
09:25	77	20.0	0.084	多云	假设@09:25 未知程序 (未用传感器)
10:10	77	20.0	0.084	晴	假设@10:10 未知程序 (未用传感器)
10:50	77	20.0	0.084	晴	假设@10:50 未知程序 (未用传感器)
11:25	77	20.0	0.084	晴	假设@11:25 未知程序 (未用传感器)
12:05	77	20.0	0.084	晴	假设@12:05 未知程序 (未用传感器)
12:35	77	20.0	0.084	晴	假设@12:35 未知程序 (未用传感器)
13:05	77	20.0	0.084	晴	假设@13:05 未知程序 (未用传感器)
13:35	77	20.0	0.084	晴	假设@13:35 未知程序 (未用传感器)
14:15	77	20.0	0.084	晴	假设@14:15 未知程序 (未用传感器)
15:00	77	20.0	0.084	晴	假设@15:00 未知程序 (未用传感器)
15:45	77	20.0	0.084	晴	假设@15:45 未知程序 (未用传感器)
16:35	77	20.0	0.084	晴	假设@16:35 未知程序 (未用传感器)
总计	1078.0 (14次)	280.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	77	20.0	0.084	晴	假设@07:20 未知程序 (未用传感器)
08:20	77	20.0	0.084	晴	假设@08:20 未知程序 (未用传感器)
09:15	77	20.0	0.084	晴	假设@09:15 未知程序 (未用传感器)
10:00	77	20.0	0.084	晴	假设@10:00 未知程序 (未用传感器)
10:40	77	20.0	0.084	晴	假设@10:40 未知程序 (未用传感器)
11:20	77	20.0	0.084	晴	假设@11:20 未知程序 (未用传感器)
12:00	77	20.0	0.084	晴	假设@12:00 未知程序 (未用传感器)
12:35	77	20.0	0.084	晴	假设@12:35 未知程序 (未用传感器)
13:10	77	20.0	0.084	多云	假设@13:10 未知程序 (未用传感器)
13:45	77	20.0	0.084	多云	假设@13:45 未知程序 (未用传感器)
14:20	77	20.0	0.084	多云	假设@14:20 未知程序 (未用传感器)
15:00	77	20.0	0.084	多云	假设@15:00 未知程序 (未用传感器)
15:40	77	20.0	0.084	多云	假设@15:40 未知程序 (未用传感器)
总计	1001.0 (13次)	260.0			建议进液EC: 1440, PH: 6.0

