





FgArea: [ ' 0' ]  
NC11 P2-12  
2026-04-07 (Day 219)


fgNum 1 (at\_row = 30.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [ ' ECopt' ]




P2-12\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]



Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN




Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2-12\_0








# FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:40	74	20.0	0.084	晴	预期@06:40 手动 (未用传感器)
07:50	74	20.0	0.084	晴	预期@07:50 手动 (未用传感器)
09:30	74	20.0	0.084	晴	预期@09:30 手动 (未用传感器)
10:30	74	20.0	0.084	晴	预期@10:30 手动 (未用传感器)
11:20	74	20.0	0.084	晴	预期@11:20 手动 (未用传感器)
12:00	74	20.0	0.084	晴	预期@12:00 手动 (未用传感器)
12:45	74	20.0	0.084	晴	预期@12:45 手动 (未用传感器)
13:30	74	20.0	0.084	晴	预期@13:30 手动 (未用传感器)
14:15	74	20.0	0.084	晴	预期@14:15 手动 (未用传感器)
15:10	74	20.0	0.084	晴	预期@15:10 手动 (未用传感器)
总计	740.0 (10次)	200.0			建议进液EC: 1580, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:10	77	20.0	0.084	多云	假设@07:10 未知程序 (未用传感器)
08:15	77	20.0	0.084	晴	假设@08:15 未知程序 (未用传感器)
09:35	77	20.0	0.084	多云	假设@09:35 未知程序 (未用传感器)
10:35	77	20.0	0.084	晴	假设@10:35 未知程序 (未用传感器)
11:25	77	20.0	0.084	晴	假设@11:25 未知程序 (未用传感器)
12:30	77	20.0	0.084	晴	假设@12:30 未知程序 (未用传感器)
14:00	77	20.0	0.084	多云	假设@14:00 未知程序 (未用传感器)
14:35	77	20.0	0.084	多云	假设@14:35 未知程序 (未用传感器)
15:20	77	20.0	0.084	阴	假设@15:20 未知程序 (未用传感器)
总计	693.0 (9次)	180.0			建议进液EC: 1560, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:15	77	20.0	0.084	晴	假设@07:15 未知程序 (未用传感器)
08:10	77	20.0	0.084	晴	假设@08:10 未知程序 (未用传感器)
09:05	77	20.0	0.084	晴	假设@09:05 未知程序 (未用传感器)
09:50	77	20.0	0.084	晴	假设@09:50 未知程序 (未用传感器)
10:45	77	20.0	0.084	多云	假设@10:45 未知程序 (未用传感器)
12:00	77	20.0	0.084	多云	假设@12:00 未知程序 (未用传感器)
13:00	77	20.0	0.084	多云	假设@13:00 未知程序 (未用传感器)
13:40	77	20.0	0.084	多云	假设@13:40 未知程序 (未用传感器)
14:40	77	20.0	0.084	多云	假设@14:40 未知程序 (未用传感器)
15:40	77	20.0	0.084	多云	假设@15:40 未知程序 (未用传感器)
总计	770.0 (10次)	200.0			建议进液EC: 1570, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:15	77	20.0	0.084	晴	假设@07:15 未知程序 (未用传感器)
08:15	77	20.0	0.084	晴	假设@08:15 未知程序 (未用传感器)
09:15	77	20.0	0.084	晴	假设@09:15 未知程序 (未用传感器)
10:00	77	20.0	0.084	晴	假设@10:00 未知程序 (未用传感器)
10:40	77	20.0	0.084	晴	假设@10:40 未知程序 (未用传感器)
11:20	77	20.0	0.084	晴	假设@11:20 未知程序 (未用传感器)
11:55	77	20.0	0.084	晴	假设@11:55 未知程序 (未用传感器)
12:30	77	20.0	0.084	晴	假设@12:30 未知程序 (未用传感器)
13:05	77	20.0	0.084	晴	假设@13:05 未知程序 (未用传感器)
13:40	77	20.0	0.084	晴	假设@13:40 未知程序 (未用传感器)
14:20	77	20.0	0.084	晴	假设@14:20 未知程序 (未用传感器)
15:05	77	20.0	0.084	晴	假设@15:05 未知程序 (未用传感器)
15:45	77	20.0	0.084	晴	假设@15:45 未知程序 (未用传感器)
总计	1001.0 (13次)	260.0			建议进液EC: 1470, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:45	77	20.0	0.084	阴	假设@06:45 未知程序 (未用传感器)
07:55	77	20.0	0.084	阴	假设@07:55 未知程序 (未用传感器)
09:40	77	20.0	0.084	阴	假设@09:40 未知程序 (未用传感器)
10:30	77	20.0	0.084	阴	假设@10:30 未知程序 (未用传感器)
11:20	77	20.0	0.084	阴	假设@11:20 未知程序 (未用传感器)
12:00	77	20.0	0.084	阴	假设@12:00 未知程序 (未用传感器)
12:40	77	20.0	0.084	阴	假设@12:40 未知程序 (未用传感器)
13:20	77	20.0	0.084	阴	假设@13:20 未知程序 (未用传感器)
14:05	77	20.0	0.084	多云	假设@14:05 未知程序 (未用传感器)
总计	693.0 (9次)	180.0			建议进液EC: 1460, PH: 6.0

