





FgArea: [' 0']
NC11 P2-12
2025-10-19 (Day 49)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot forP2-12_0








FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:15	40	20.0	0.084	多云	预期@07:15 手动 (未用传感器)
08:00	40	20.0	0.084	多云	预期@08:00 手动 (未用传感器)
08:45	40	20.0	0.084	多云	预期@08:45 手动 (未用传感器)
09:30	40	20.0	0.084	多云	预期@09:30 手动 (未用传感器)
10:10	40	20.0	0.084	多云	预期@10:10 手动 (未用传感器)
11:00	40	20.0	0.084	晴	预期@11:00 手动 (未用传感器)
12:10	40	20.0	0.084	晴	预期@12:10 手动 (未用传感器)
13:20	40	20.0	0.084	晴	预期@13:20 手动 (未用传感器)
14:30	40	20.0	0.084	晴	预期@14:30 手动 (未用传感器)
总计	360.0 (9次)	180.0			建议进液EC: 2330, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	60	30.0	0.126	晴	假设@08:05 未知程序 (未用传感器)
08:50	60	30.0	0.126	晴	假设@08:50 未知程序 (未用传感器)
09:35	60	30.0	0.126	晴	假设@09:35 未知程序 (未用传感器)
10:15	60	30.0	0.126	晴	假设@10:15 未知程序 (未用传感器)
10:55	60	30.0	0.126	晴	假设@10:55 未知程序 (未用传感器)
11:50	60	30.0	0.126	晴	假设@11:50 未知程序 (未用传感器)
12:45	60	30.0	0.126	晴	假设@12:45 未知程序 (未用传感器)
13:50	60	30.0	0.126	晴	假设@13:50 未知程序 (未用传感器)
15:00	60	30.0	0.126	晴	假设@15:00 未知程序 (未用传感器)
总计	540.0 (9次)	270.0			建议进液EC: 2270, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:20	60	30.0	0.126	雾	假设@10:20 未知程序 (未用传感器)
12:00	60	30.0	0.126	阴	假设@12:00 未知程序 (未用传感器)
12:35	60	30.0	0.126	阴	假设@12:35 未知程序 (未用传感器)
13:10	60	30.0	0.126	阴	假设@13:10 未知程序 (未用传感器)
14:25	60	30.0	0.126	阴	假设@14:25 未知程序 (未用传感器)
总计	300.0 (5次)	150.0			建议进液EC: 2310, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:15	60	30.0	0.126	阴	假设@07:15 未知程序 (未用传感器)
08:15	60	30.0	0.126	阴	假设@08:15 未知程序 (未用传感器)
09:15	60	30.0	0.126	阴	假设@09:15 未知程序 (未用传感器)
10:15	60	30.0	0.126	阴	假设@10:15 未知程序 (未用传感器)
11:35	60	30.0	0.126	阴	假设@11:35 未知程序 (未用传感器)
12:40	60	30.0	0.126	阴	假设@12:40 未知程序 (未用传感器)
13:55	60	30.0	0.126	多云	假设@13:55 未知程序 (未用传感器)
总计	420.0 (7次)	210.0			建议进液EC: 2320, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:00	60	30.0	0.126	阴	假设@10:00 未知程序 (未用传感器)
11:00	60	30.0	0.126	阴	假设@11:00 未知程序 (未用传感器)
12:00	60	30.0	0.126	阴	假设@12:00 未知程序 (未用传感器)
13:00	60	30.0	0.126	阴	假设@13:00 未知程序 (未用传感器)
总计	240.0 (4次)	120.0			建议进液EC: 2330, PH: 6.5

