





FgArea: [ ' 0' ]  
NC11 P2-12  
2025-10-31 (Day 61)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcl', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa










Trend plot forP2-12\_0








# FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	40	20.0	0.084	晴	预期@07:40 手动 (未用传感器)
08:25	40	20.0	0.084	晴	预期@08:25 手动 (未用传感器)
09:10	40	20.0	0.084	晴	预期@09:10 手动 (未用传感器)
09:55	40	20.0	0.084	晴	预期@09:55 手动 (未用传感器)
10:35	40	20.0	0.084	晴	预期@10:35 手动 (未用传感器)
11:15	40	20.0	0.084	晴	预期@11:15 手动 (未用传感器)
12:25	40	20.0	0.084	晴	预期@12:25 手动 (未用传感器)
13:30	40	20.0	0.084	晴	预期@13:30 手动 (未用传感器)
14:45	40	20.0	0.084	晴	预期@14:45 手动 (未用传感器)
总计	360.0 (9次)	180.0			建议进液EC: 2320, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	40	20.0	0.084	晴	假设@07:35 未知程序 (未用传感器)
08:15	40	20.0	0.084	晴	假设@08:15 未知程序 (未用传感器)
08:55	40	20.0	0.084	晴	假设@08:55 未知程序 (未用传感器)
09:35	40	20.0	0.084	晴	假设@09:35 未知程序 (未用传感器)
10:15	40	20.0	0.084	晴	假设@10:15 未知程序 (未用传感器)
10:55	40	20.0	0.084	晴	假设@10:55 未知程序 (未用传感器)
11:55	40	20.0	0.084	晴	假设@11:55 未知程序 (未用传感器)
12:55	40	20.0	0.084	晴	假设@12:55 未知程序 (未用传感器)
13:55	40	20.0	0.084	晴	假设@13:55 未知程序 (未用传感器)
总计	360.0 (9次)	180.0			建议进液EC: 2080, PH: 6.5






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	40	20.0	0.084	雾	假设@07:20 未知程序 (未用传感器)
08:10	40	20.0	0.084	雾	假设@08:10 未知程序 (未用传感器)
09:00	40	20.0	0.084	阴	假设@09:00 未知程序 (未用传感器)
09:50	40	20.0	0.084	阴	假设@09:50 未知程序 (未用传感器)
10:40	40	20.0	0.084	阴	假设@10:40 未知程序 (未用传感器)
12:45	40	20.0	0.084	霾	假设@12:45 未知程序 (未用传感器)
14:10	40	20.0	0.084	阴	假设@14:10 未知程序 (未用传感器)
总计	280.0 (7次)	140.0			建议进液EC: 2360, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	40	20.0	0.084	多云	假设@07:25 未知程序 (未用传感器)
08:05	40	20.0	0.084	晴	假设@08:05 未知程序 (未用传感器)
08:45	40	20.0	0.084	晴	假设@08:45 未知程序 (未用传感器)
09:25	40	20.0	0.084	晴	假设@09:25 未知程序 (未用传感器)
10:00	40	20.0	0.084	多云	假设@10:00 未知程序 (未用传感器)
10:35	40	20.0	0.084	多云	假设@10:35 未知程序 (未用传感器)
11:35	40	20.0	0.084	多云	假设@11:35 未知程序 (未用传感器)
12:35	40	20.0	0.084	多云	假设@12:35 未知程序 (未用传感器)
13:35	40	20.0	0.084	多云	假设@13:35 未知程序 (未用传感器)
14:40	40	20.0	0.084	多云	假设@14:40 未知程序 (未用传感器)
总计	400.0 (10次)	200.0			建议进液EC: 2110, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	40	20.0	0.084	晴	假设@07:25 未知程序 (未用传感器)
08:05	40	20.0	0.084	晴	假设@08:05 未知程序 (未用传感器)
08:45	40	20.0	0.084	晴	假设@08:45 未知程序 (未用传感器)
09:25	40	20.0	0.084	多云	假设@09:25 未知程序 (未用传感器)
10:05	40	20.0	0.084	多云	假设@10:05 未知程序 (未用传感器)
11:00	40	20.0	0.084	多云	假设@11:00 未知程序 (未用传感器)
12:00	40	20.0	0.084	晴	假设@12:00 未知程序 (未用传感器)
13:00	40	20.0	0.084	晴	假设@13:00 未知程序 (未用传感器)
14:00	40	20.0	0.084	晴	假设@14:00 未知程序 (未用传感器)
总计	360.0 (9次)	180.0			建议进液EC: 2070, PH: 6.5

