






FgArea: [ ' 0' ]  
NC11 P2-12  
2025-11-04 (Day 65)














1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa










Trend plot forP2-12\_0







# FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	40	20.0	0.084	晴	预期@07:30 手动 (未用传感器)
08:10	40	20.0	0.084	晴	预期@08:10 手动 (未用传感器)
08:50	40	20.0	0.084	晴	预期@08:50 手动 (未用传感器)
09:30	40	20.0	0.084	晴	预期@09:30 手动 (未用传感器)
10:10	40	20.0	0.084	晴	预期@10:10 手动 (未用传感器)
10:50	40	20.0	0.084	晴	预期@10:50 手动 (未用传感器)
11:55	40	20.0	0.084	晴	预期@11:55 手动 (未用传感器)
12:55	40	20.0	0.084	晴	预期@12:55 手动 (未用传感器)
13:55	40	20.0	0.084	晴	预期@13:55 手动 (未用传感器)
总计	360.0 (9次)	180.0			建议进液EC: 2040, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	40	20.0	0.084	晴	假设@07:40 未知程序 (未用传感器)
08:15	40	20.0	0.084	晴	假设@08:15 未知程序 (未用传感器)
08:50	40	20.0	0.084	晴	假设@08:50 未知程序 (未用传感器)
09:25	40	20.0	0.084	晴	假设@09:25 未知程序 (未用传感器)
10:00	40	20.0	0.084	晴	假设@10:00 未知程序 (未用传感器)
10:40	40	20.0	0.084	晴	假设@10:40 未知程序 (未用传感器)
11:35	40	20.0	0.084	晴	假设@11:35 未知程序 (未用传感器)
12:30	40	20.0	0.084	晴	假设@12:30 未知程序 (未用传感器)
13:25	40	20.0	0.084	晴	假设@13:25 未知程序 (未用传感器)
14:25	40	20.0	0.084	晴	假设@14:25 未知程序 (未用传感器)
总计	400.0 (10次)	200.0			建议进液EC: 2090, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	40	20.0	0.084	多云	假设@07:35 未知程序 (未用传感器)
08:05	40	20.0	0.084	多云	假设@08:05 未知程序 (未用传感器)
08:35	40	20.0	0.084	多云	假设@08:35 未知程序 (未用传感器)
09:05	40	20.0	0.084	晴	假设@09:05 未知程序 (未用传感器)
09:35	40	20.0	0.084	晴	假设@09:35 未知程序 (未用传感器)
10:30	40	20.0	0.084	晴	假设@10:30 未知程序 (未用传感器)
11:20	40	20.0	0.084	晴	假设@11:20 未知程序 (未用传感器)
12:10	40	20.0	0.084	晴	假设@12:10 未知程序 (未用传感器)
13:00	40	20.0	0.084	晴	假设@13:00 未知程序 (未用传感器)
13:50	40	20.0	0.084	晴	假设@13:50 未知程序 (未用传感器)
14:45	40	20.0	0.084	晴	假设@14:45 未知程序 (未用传感器)
总计	440.0 (11次)	220.0			建议进液EC: 2120, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	40	20.0	0.084	晴	假设@07:35 未知程序 (未用传感器)
08:10	40	20.0	0.084	晴	假设@08:10 未知程序 (未用传感器)
08:45	40	20.0	0.084	晴	假设@08:45 未知程序 (未用传感器)
09:20	40	20.0	0.084	晴	假设@09:20 未知程序 (未用传感器)
09:55	40	20.0	0.084	晴	假设@09:55 未知程序 (未用传感器)
10:30	40	20.0	0.084	晴	假设@10:30 未知程序 (未用传感器)
11:35	40	20.0	0.084	晴	假设@11:35 未知程序 (未用传感器)
12:45	40	20.0	0.084	晴	假设@12:45 未知程序 (未用传感器)
13:40	40	20.0	0.084	晴	假设@13:40 未知程序 (未用传感器)
14:50	40	20.0	0.084	晴	假设@14:50 未知程序 (未用传感器)
总计	400.0 (10次)	200.0			建议进液EC: 2350, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	40	20.0	0.084	多云	假设@07:30 未知程序 (未用传感器)
08:10	40	20.0	0.084	雾	假设@08:10 未知程序 (未用传感器)
08:50	40	20.0	0.084	雾	假设@08:50 未知程序 (未用传感器)
09:30	40	20.0	0.084	雾	假设@09:30 未知程序 (未用传感器)
10:10	40	20.0	0.084	晴	假设@10:10 未知程序 (未用传感器)
10:50	40	20.0	0.084	晴	假设@10:50 未知程序 (未用传感器)
11:50	40	20.0	0.084	晴	假设@11:50 未知程序 (未用传感器)
13:00	40	20.0	0.084	多云	假设@13:00 未知程序 (未用传感器)
14:35	40	20.0	0.084	多云	假设@14:35 未知程序 (未用传感器)
总计	360.0 (9次)	180.0			建议进液EC: 2020, PH: 6.5

