





FgArea: [' 0']
NC11 P2-12
2025-11-22 (Day 83)


fgNum 1 (at_row = 30)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Warning: col ['FRV', 'FVI'] is missing


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-12_0







FgDaily















| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:00 | 71 | 20.0 | 0.084 | 晴 | 预期@08:00 手动 (未用传感器) |
| 08:35 | 71 | 20.0 | 0.084 | 晴 | 预期@08:35 手动 (未用传感器) |
| 09:10 | 71 | 20.0 | 0.084 | 晴 | 预期@09:10 手动 (未用传感器) |
| 09:45 | 71 | 20.0 | 0.084 | 晴 | 预期@09:45 手动 (未用传感器) |
| 10:20 | 71 | 20.0 | 0.084 | 晴 | 预期@10:20 手动 (未用传感器) |
| 11:20 | 71 | 20.0 | 0.084 | 晴 | 预期@11:20 手动 (未用传感器) |
| 12:25 | 71 | 20.0 | 0.084 | 晴 | 预期@12:25 手动 (未用传感器) |
| 13:30 | 71 | 20.0 | 0.084 | 晴 | 预期@13:30 手动 (未用传感器) |
| 总计 | 568.0 (8次) | 160.0 | | | 建议进液EC: 1720, PH: 6.0 |







| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:45 | 69 | 20.0 | 0.084 | 晴 | 假设@07:45 未知程序 (未用传感器) |
| 08:25 | 69 | 20.0 | 0.084 | 晴 | 假设@08:25 未知程序 (未用传感器) |
| 09:00 | 69 | 20.0 | 0.084 | 晴 | 假设@09:00 未知程序 (未用传感器) |
| 09:35 | 69 | 20.0 | 0.084 | 晴 | 假设@09:35 未知程序 (未用传感器) |
| 10:10 | 69 | 20.0 | 0.084 | 晴 | 假设@10:10 未知程序 (未用传感器) |
| 11:15 | 69 | 20.0 | 0.084 | 晴 | 假设@11:15 未知程序 (未用传感器) |
| 12:15 | 69 | 20.0 | 0.084 | 晴 | 假设@12:15 未知程序 (未用传感器) |
| 13:15 | 69 | 20.0 | 0.084 | 晴 | 假设@13:15 未知程序 (未用传感器) |
| 14:20 | 69 | 20.0 | 0.084 | 晴 | 假设@14:20 未知程序 (未用传感器) |
| 总计 | 621.0 (9次) | 180.0 | | | 建议进液EC: 2160, PH: 6.0 |







| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:45 | 69 | 20.0 | 0.084 | 多云 | 假设@07:45 未知程序 (未用传感器) |
| 08:25 | 69 | 20.0 | 0.084 | 晴 | 假设@08:25 未知程序 (未用传感器) |
| 09:00 | 69 | 20.0 | 0.084 | 晴 | 假设@09:00 未知程序 (未用传感器) |
| 09:35 | 69 | 20.0 | 0.084 | 晴 | 假设@09:35 未知程序 (未用传感器) |
| 10:10 | 69 | 20.0 | 0.084 | 晴 | 假设@10:10 未知程序 (未用传感器) |
| 11:15 | 69 | 20.0 | 0.084 | 晴 | 假设@11:15 未知程序 (未用传感器) |
| 12:15 | 69 | 20.0 | 0.084 | 晴 | 假设@12:15 未知程序 (未用传感器) |
| 13:15 | 69 | 20.0 | 0.084 | 晴 | 假设@13:15 未知程序 (未用传感器) |
| 14:20 | 69 | 20.0 | 0.084 | 晴 | 假设@14:20 未知程序 (未用传感器) |
| 总计 | 621.0 (9次) | 180.0 | | | 建议进液EC: 2090, PH: 6.0 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:45 | 69 | 20.0 | 0.084 | 多云 | 假设@07:45 未知程序 (未用传感器) |
| 08:25 | 69 | 20.0 | 0.084 | 雾 | 假设@08:25 未知程序 (未用传感器) |
| 09:00 | 69 | 20.0 | 0.084 | 雾 | 假设@09:00 未知程序 (未用传感器) |
| 09:35 | 69 | 20.0 | 0.084 | 雾 | 假设@09:35 未知程序 (未用传感器) |
| 10:10 | 69 | 20.0 | 0.084 | 晴 | 假设@10:10 未知程序 (未用传感器) |
| 11:15 | 69 | 20.0 | 0.084 | 晴 | 假设@11:15 未知程序 (未用传感器) |
| 12:15 | 69 | 20.0 | 0.084 | 晴 | 假设@12:15 未知程序 (未用传感器) |
| 13:05 | 69 | 20.0 | 0.084 | 晴 | 假设@13:05 未知程序 (未用传感器) |
| 13:55 | 69 | 20.0 | 0.084 | 晴 | 假设@13:55 未知程序 (未用传感器) |
| 总计 | 621.0 (9次) | 180.0 | | | 建议进液EC: 1990, PH: 6.0 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:40 | 74 | 20.0 | 0.084 | 晴 | 假设@07:40 未知程序 (未用传感器) |
| 08:20 | 74 | 20.0 | 0.084 | 晴 | 假设@08:20 未知程序 (未用传感器) |
| 09:00 | 74 | 20.0 | 0.084 | 晴 | 假设@09:00 未知程序 (未用传感器) |
| 09:35 | 74 | 20.0 | 0.084 | 晴 | 假设@09:35 未知程序 (未用传感器) |
| 10:10 | 74 | 20.0 | 0.084 | 晴 | 假设@10:10 未知程序 (未用传感器) |
| 11:15 | 74 | 20.0 | 0.084 | 晴 | 假设@11:15 未知程序 (未用传感器) |
| 12:15 | 74 | 20.0 | 0.084 | 晴 | 假设@12:15 未知程序 (未用传感器) |
| 13:15 | 74 | 20.0 | 0.084 | 晴 | 假设@13:15 未知程序 (未用传感器) |
| 14:15 | 74 | 20.0 | 0.084 | 晴 | 假设@14:15 未知程序 (未用传感器) |
| 总计 | 666.0 (9次) | 180.0 | | | 建议进液EC: 2160, PH: 6.0 |

