





FgArea: [ ' 0' ]  
NC11 P2-13  
2026-01-03 (Day 119)


fgNum 1 (at\_row = 30)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]




Plot [ ' ECopt' ]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN



Plot Fv and fertilizer usage













Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot for P2-13\_0





















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:35	95	20.0	0.094	晴	预期@09:35 手动 (未用传感器)
10:35	95	20.0	0.094	晴	预期@10:35 手动 (未用传感器)
12:00	95	20.0	0.094	晴	预期@12:00 手动 (未用传感器)
13:25	95	20.0	0.094	晴	预期@13:25 手动 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1440, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:30	95	20.0	0.094	晴	假设@09:30 未知程序 (未用传感器)
10:30	95	20.0	0.094	晴	假设@10:30 未知程序 (未用传感器)
11:55	95	20.0	0.094	晴	假设@11:55 未知程序 (未用传感器)
13:20	95	20.0	0.094	晴	假设@13:20 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1950, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:45	95	20.0	0.094	晴	假设@09:45 未知程序 (未用传感器)
10:45	95	20.0	0.094	晴	假设@10:45 未知程序 (未用传感器)
12:05	95	20.0	0.094	晴	假设@12:05 未知程序 (未用传感器)
13:30	95	20.0	0.094	晴	假设@13:30 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1950, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:05	95	20.0	0.094	晴	假设@10:05 未知程序 (未用传感器)
11:05	95	20.0	0.094	晴	假设@11:05 未知程序 (未用传感器)
12:30	95	20.0	0.094	晴	假设@12:30 未知程序 (未用传感器)
14:00	95	20.0	0.094	晴	假设@14:00 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1950, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:05	95	20.0	0.094	晴	假设@11:05 未知程序(未用传感器)
12:00	95	20.0	0.094	晴	假设@12:00 未知程序(未用传感器)
13:05	95	20.0	0.094	晴	假设@13:05 未知程序(未用传感器)
总计	285.0 (3次)	60.0			建议进液EC: 1910, PH: 6.0

