





FgArea: [' 0']
NC11 P2-13
2026-01-06 (Day 122)


fgNum 1 (at_row = 30)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Warning: col ['ECC', 'FVIEC'] is missing


Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage














Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa








Trend plot forP2-13_0















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:25	95	20.0	0.094	晴	预期@09:25 手动 (未用传感器)
10:20	95	20.0	0.094	晴	预期@10:20 手动 (未用传感器)
11:45	95	20.0	0.094	晴	预期@11:45 手动 (未用传感器)
13:00	95	20.0	0.094	晴	预期@13:00 手动 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1980, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:30	95	20.0	0.094	晴	假设@09:30 未知程序 (未用传感器)
10:30	95	20.0	0.094	晴	假设@10:30 未知程序 (未用传感器)
12:00	95	20.0	0.094	晴	假设@12:00 未知程序 (未用传感器)
13:20	95	20.0	0.094	晴	假设@13:20 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1980, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:00	95	20.0	0.094	雾	假设@09:00 未知程序 (未用传感器)
10:15	95	20.0	0.094	晴	假设@10:15 未知程序 (未用传感器)
11:55	95	20.0	0.094	晴	假设@11:55 未知程序 (未用传感器)
13:15	95	20.0	0.094	晴	假设@13:15 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1970, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:05	95	20.0	0.094	晴	假设@09:05 未知程序 (未用传感器)
10:20	95	20.0	0.094	晴	假设@10:20 未知程序 (未用传感器)
12:00	95	20.0	0.094	晴	假设@12:00 未知程序 (未用传感器)
13:20	95	20.0	0.094	晴	假设@13:20 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1940, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:10	95	20.0	0.094	晴	假设@09:10 未知程序 (未用传感器)
10:25	95	20.0	0.094	晴	假设@10:25 未知程序 (未用传感器)
12:00	95	20.0	0.094	晴	假设@12:00 未知程序 (未用传感器)
13:20	95	20.0	0.094	晴	假设@13:20 未知程序 (未用传感器)
总计	380.0 (4次)	80.0			建议进液EC: 1950, PH: 6.0

