





FgArea: [ ' 0' ]  
NC11 P2-13  
2026-03-15 (Day 190)


fgNum 1 (at\_row = 30.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [' ECopt ']




P2-13\_0: M\_1




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcl', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o' ]]



Plot ET/VN




Plot Fv and fertilizer usage







Trend plot forP2-13\_0







# FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	74	20.0	0.094	晴	预期@07:50 手动 (未用传感器)
09:45	74	20.0	0.094	晴	预期@09:45 手动 (未用传感器)
11:05	74	20.0	0.094	晴	预期@11:05 手动 (未用传感器)
12:05	74	20.0	0.094	晴	预期@12:05 手动 (未用传感器)
13:05	74	20.0	0.094	晴	预期@13:05 手动 (未用传感器)
14:10	74	20.0	0.094	晴	预期@14:10 手动 (未用传感器)
总计	444.0 (6次)	120.0			建议进液EC: 1440, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	71	20.0	0.094	阴	假设@07:50 未知程序 (未用传感器)
10:00	71	20.0	0.094	阴	假设@10:00 未知程序 (未用传感器)
11:10	71	20.0	0.094	阴	假设@11:10 未知程序 (未用传感器)
12:20	71	20.0	0.094	阴	假设@12:20 未知程序 (未用传感器)
13:25	71	20.0	0.094	阴	假设@13:25 未知程序 (未用传感器)
14:40	71	20.0	0.094	阴	假设@14:40 未知程序 (未用传感器)
总计	426.0 (6次)	120.0			建议进液EC: 1640, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	74	20.0	0.094	多云	假设@07:55 未知程序 (未用传感器)
总计	74.0 (1次)	20.0			建议进液EC: 1830, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	74	20.0	0.094	多云	假设@07:55 未知程序 (未用传感器)
09:45	74	20.0	0.094	阴	假设@09:45 未知程序 (未用传感器)
11:00	74	20.0	0.094	阴	假设@11:00 未知程序 (未用传感器)
12:00	74	20.0	0.094	阴	假设@12:00 未知程序 (未用传感器)
12:55	74	20.0	0.094	阴	假设@12:55 未知程序 (未用传感器)
13:50	74	20.0	0.094	晴	假设@13:50 未知程序 (未用传感器)
总计	444.0 (6次)	120.0			建议进液EC: 1440, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	74	20.0	0.094	晴	假设@07:55 未知程序 (未用传感器)
09:45	74	20.0	0.094	晴	假设@09:45 未知程序 (未用传感器)
10:50	74	20.0	0.094	晴	假设@10:50 未知程序 (未用传感器)
11:40	74	20.0	0.094	晴	假设@11:40 未知程序 (未用传感器)
12:30	74	20.0	0.094	晴	假设@12:30 未知程序 (未用传感器)
13:15	74	20.0	0.094	晴	假设@13:15 未知程序 (未用传感器)
14:20	74	20.0	0.094	晴	假设@14:20 未知程序 (未用传感器)
总计	518.0 (7次)	140.0			建议进液EC: 1440, PH: 6.0

