





FgArea: [' 0']
NC11 P2-13
2026-03-24 (Day 199)


fgNum 1 (at_row = 30)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt']




P2-13_0: M_1




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Warning: col ['ECC', 'FVIEC'] is missing


Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN




Plot Fv and fertilizer usage








Trend plot forP2-13_0







FgDaily















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	74	20.0	0.094	晴	预期@07:00 手动 (未用传感器)
08:20	74	20.0	0.094	晴	预期@08:20 手动 (未用传感器)
09:55	74	20.0	0.094	晴	预期@09:55 手动 (未用传感器)
10:55	74	20.0	0.094	晴	预期@10:55 手动 (未用传感器)
11:40	74	20.0	0.094	晴	预期@11:40 手动 (未用传感器)
12:25	74	20.0	0.094	晴	预期@12:25 手动 (未用传感器)
13:10	74	20.0	0.094	晴	预期@13:10 手动 (未用传感器)
14:00	74	20.0	0.094	晴	预期@14:00 手动 (未用传感器)
14:55	74	20.0	0.094	晴	预期@14:55 手动 (未用传感器)
总计	666.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	74	20.0	0.094	晴	假设@07:35 未知程序 (未用传感器)
09:10	74	20.0	0.094	阴	假设@09:10 未知程序 (未用传感器)
10:25	74	20.0	0.094	阴	假设@10:25 未知程序 (未用传感器)
11:15	74	20.0	0.094	阴	假设@11:15 未知程序 (未用传感器)
12:05	74	20.0	0.094	阴	假设@12:05 未知程序 (未用传感器)
12:50	74	20.0	0.094	阴	假设@12:50 未知程序 (未用传感器)
13:45	74	20.0	0.094	阴	假设@13:45 未知程序 (未用传感器)
14:40	74	20.0	0.094	阴	假设@14:40 未知程序 (未用传感器)
总计	592.0 (8次)	160.0			建议进液EC: 1440, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	74	20.0	0.094	雾	假设@07:40 未知程序 (未用传感器)
09:10	74	20.0	0.094	晴	假设@09:10 未知程序 (未用传感器)
10:15	74	20.0	0.094	晴	假设@10:15 未知程序 (未用传感器)
11:05	74	20.0	0.094	晴	假设@11:05 未知程序 (未用传感器)
11:50	74	20.0	0.094	晴	假设@11:50 未知程序 (未用传感器)
12:40	74	20.0	0.094	晴	假设@12:40 未知程序 (未用传感器)
13:30	74	20.0	0.094	晴	假设@13:30 未知程序 (未用传感器)
14:25	74	20.0	0.094	晴	假设@14:25 未知程序 (未用传感器)
总计	592.0 (8次)	160.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	74	20.0	0.094	晴	假设@07:40 未知程序 (未用传感器)
09:25	74	20.0	0.094	晴	假设@09:25 未知程序 (未用传感器)
10:35	74	20.0	0.094	晴	假设@10:35 未知程序 (未用传感器)
11:25	74	20.0	0.094	多云	假设@11:25 未知程序 (未用传感器)
12:10	74	20.0	0.094	多云	假设@12:10 未知程序 (未用传感器)
12:50	74	20.0	0.094	多云	假设@12:50 未知程序 (未用传感器)
13:30	74	20.0	0.094	多云	假设@13:30 未知程序 (未用传感器)
14:15	74	20.0	0.094	多云	假设@14:15 未知程序 (未用传感器)
15:25	74	20.0	0.094	晴	假设@15:25 未知程序 (未用传感器)
总计	666.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	74	20.0	0.094	多云	假设@07:40 未知程序 (未用传感器)
09:15	74	20.0	0.094	晴	假设@09:15 未知程序 (未用传感器)
10:25	74	20.0	0.094	晴	假设@10:25 未知程序 (未用传感器)
11:20	74	20.0	0.094	晴	假设@11:20 未知程序 (未用传感器)
12:10	74	20.0	0.094	晴	假设@12:10 未知程序 (未用传感器)
13:00	74	20.0	0.094	晴	假设@13:00 未知程序 (未用传感器)
13:40	74	20.0	0.094	晴	假设@13:40 未知程序 (未用传感器)
14:30	74	20.0	0.094	晴	假设@14:30 未知程序 (未用传感器)
15:35	74	20.0	0.094	晴	假设@15:35 未知程序 (未用传感器)
总计	666.0 (9次)	180.0			建议进液EC: 1440, PH: 6.0

